

GENERAL SELECTION GUIDE - EXCAVATOR

For more information visit combiwearparts.com.

			C-REX		ProClaws	
BRAND	MODEL	MAX BOF, kN	GP	HD/XHD	GP	HD/XHD
AMMANN YANMAR	SV 100	68,5	R10	R10	-	-
AMMANN YANMAR	SV 100-1	68,5	R10	R10	-	-
ATLAS	1104	73,0	R10	R10	-	-
ATLAS	1104 M	73,0	R10	R10	-	-
ATLAS	1204 (SHORT DECK)	100,0	R10	R14	-	-
ATLAS	1204	106,0	R10	R14	-	-
ATLAS	1302	106,0	R10	R14	-	-
ATLAS	1304	106,0	R10	R14	-	-
ATLAS	1304 LC	106,0	R10	R14	-	-
ATLAS	1304 M	106,0	R10	R14	-	-
ATLAS	140 W	106,0	R10	R14	-	-
ATLAS	160 LC	106,0	R10	R14	-	-
ATLAS	180 W SR	122,0	R14	R18	-	-
ATLAS	215 LC SR	122,0	R14	R18	-	-
ATLAS	1805 M	125,0	R14	R18	-	-
ATLAS	1404	130,0	R14	R18	-	-
ATLAS	1404 (WIDE)	130,0	R14	R18	-	-
ATLAS	1404 M	130,0	R14	R18	-	-
ATLAS	150 W	130,0	R14	R18	-	-
ATLAS	1504	130,0	R14	R18	-	-
ATLAS	1504 (WIDE)	130,0	R14	R18	-	-
ATLAS	1504 HD	130,0	R14	R18	-	-
ATLAS	1504 LC	130,0	R14	R18	-	-
ATLAS	1504 M	130,0	R14	R18	-	-
ATLAS	160 W	130,0	R14	R18	-	-
ATLAS	175 LC SR	130,0	R14	R18	-	-
ATLAS	190 LC	130,0	R14	R18	-	-
ATLAS	190 LC INTERIM TIER 4	130,0	R14	R18	-	-
ATLAS	1404 HD	130,0	R14	R18	-	-
ATLAS	1404 LC	130,0	R14	R18	-	-
ATLAS	190 W	132,0	R14	R18	-	-
ATLAS	210 LC INTERIM TIER 4	132,0	R14	R18	-	-
ATLAS	210 LC TIER 3	132,0	R14	R18	-	-
ATLAS	210 NLC TIER 3	132,0	R14	R18	-	-
ATLAS	225 LC INTERIM TIER 4	132,0	R14	R18	-	-
ATLAS	225 LC TIER 3	132,0	R14	R18	-	-
ATLAS	225 NLC TIER 3	132,0	R14	R18	-	-
ATLAS	1604	141,0	R18	R18	-	-
ATLAS	1604 (WIDE)	141,0	R18	R18	-	-
ATLAS	1604 HD	141,0	R18	R18	-	-
ATLAS	1604 K	141,0	R18	R18	-	-
ATLAS	1604 LC	141,0	R18	R18	-	-
ATLAS	160 LC INTERIM TIER 4	141,0	R18	R18	-	-
ATLAS	160 W SR	141,0	R18	R18	-	-

GENERAL SELECTION GUIDE - EXCAVATOR

For more information visit combiwearparts.com.

			C-REX		ProClaws	
BRAND	MODEL	MAX BOF, kN	GP	HD/XHD	GP	HD/XHD
ATLAS	240 LC INTERIM TIER 4	168,0	R18	R23	W09	W09
ATLAS	240 LC TIER 3	168,0	R18	R23	W09	W09
ATLAS	240 NLC TIER 3	168,0	R18	R23	W09	W09
ATLAS	260 LC INTERIM TIER 4	168,0	R18	R23	W09	W09
ATLAS	260 LC TIER 3	168,0	R18	R23	W09	W09
ATLAS	260 NLC	168,0	R18	R23	W09	W09
ATLAS	1704 (C,EX)	169,0	R18	R23	W09	W10
ATLAS	1704 (NARROW)	169,0	R18	R23	W09	W10
ATLAS	1704 (W,EX)	169,0	R18	R23	W09	W10
ATLAS	1704 HD	169,0	R18	R23	W09	W10
ATLAS	340 LC	175,7	R18	R23	W09	W10
ATLAS	340 LC (REACH)	175,7	R18	R23	W09	W10
ATLAS	340 LC INTERIM TIER 4	175,7	R18	R23	W09	W10
ATLAS	2005 M	176,0	R18	R23	W09	W10
ATLAS	1804	198,0	R23	R29	W09	W10
ATLAS	1804 HD	198,0	R23	R29	W09	W10
ATLAS	1804 LC	198,0	R23	R29	W09	W10
BELL	B 140 CDLC	104,8	R10	R14	-	-
BELL	B 140 WD	104,8	R10	R14	-	-
BELL	B 170 WD	118,4	R14	R18	-	-
BELL	B 165 CDLC	135,9	R14	R18	-	-
BELL	B 175 CDLC	135,9	R14	R18	-	-
BELL	HX230E	152,0	R18	R23	W09	W09
BELL	B 200 WD	165,8	R18	R23	W09	W09
BELL	B 215 CDLC	165,8	R18	R23	W09	W09
BELL	HX240E	171,0	R18	R23	W09	W10
BELL	HX310E	184,0	R18	R23	W09	W10
BELL	HX270E	185,0	R23	R29	W09	W10
BELL	B 250 CDLC	194,7	R23	R29	W09	W10
BELL	B 300 CDLC	209,7	R23	R29	W09	W10
BELL	HX390E	215,0	R23	R29	W10	W10
BELL	B 330 CDLC	216,1	R23	R29	W10	W10
BELL	B 370 CDLC	249,3	R29	R35	W20	W20
BELL	B 450 CDLC	279,2	R29	R35	W20	W20
BELL	HX500E HD	313,0	R35	-	W20	W20
BELL	R964C HD	335,0	R35	-	W20	W25
BELL	HX500E S-HD	345,0	R35	-	W20	W25
BELL	R964C S-HD	395,0	-	-	W20	W25
BELL	R974C HD	444,8	-	-	W25	W30
BELL	R974C S-HD	464,2	-	-	W25	W30
BEML	BE 200	115,6	R14	R18	-	-
BEML	BE 71	115,6	R14	R18	-	-
BEML	BE 220 G	125,0	R14	R18	-	-
BEML	BE 300 LC	169,0	R18	R23	W09	W10

GENERAL SELECTION GUIDE - EXCAVATOR

For more information visit combiwearparts.com.

			C-REX		ProClaws	
BRAND	MODEL	MAX BOF, kN	GP	HD/XHD	GP	HD/XHD
BOBCAT	E85	64,5	R10	R10	-	-
BOBCAT	444	81,5	R10	R10	-	-
BUCYRUS	RH 40-E	380,0	-	-	W30	W30
BUCYRUS	RH 40 E (ME)	390,0	-	-	W30	W30
BUCYRUS	RH 90 C	550,0	-	-	W40	W40
BUCYRUS	RH 120 E	870,0	-	-	W50	-
BUCYRUS	RH 170 B	1120,0	-	-	-	-
BUCYRUS	RH 200	1200,0	-	-	-	-
BUCYRUS	RH 340 B	1270,0	-	-	-	-
CASE	CX 75 SR	56,9	R10	R10	-	-
CASE	CX 75C SR TIER 4	56,9	R10	R10	-	-
CASE	CX 80	56,9	R10	R10	-	-
CASE	CX 80C MSR	56,9	R10	R10	-	-
CASE	CX 75 MSR	56,9	R10	R10	-	-
CASE	CX 80C	56,9	R10	R10	-	-
CASE	488 CLS	64,0	R10	R10	-	-
CASE	488 P	64,0	R10	R10	-	-
CASE	CX 210C LC LR	64,9	R10	R10	-	-
CASE	CX 210 D SLR	65,0	R10	R10	-	-
CASE	WX 125	73,0	R10	R10	-	-
CASE	WX 125 SERIES 2	73,0	R10	R10	-	-
CASE	CX 250 D LC LR	77,0	R10	R10	-	-
CASE	CX 250C LC LR	77,0	R10	R10	-	-
CASE	WX 120	79,0	R10	R10	-	-
CASE	9013 ALLIANCE	85,3	R10	R10	-	-
CASE	588 CK	87,5	R10	R10	-	-
CASE	588 CK ALLIANCE	87,5	R10	R10	-	-
CASE	588 P	87,5	R10	R10	-	-
CASE	588 P ALLIANCE	87,5	R10	R10	-	-
CASE	CX 135 MSR	89,7	R10	R14	-	-
CASE	CX 135 SR	89,7	R10	R14	-	-
CASE	WX 145	91,0	R10	R14	-	-
CASE	CX 130 D BLADE	95,0	R10	R14	-	-
CASE	CX 130 D LC	95,0	R10	R14	-	-
CASE	CX 130B	95,0	R10	R14	-	-
CASE	CX 130B LC	95,0	R10	R14	-	-
CASE	CX 130C BLADE	95,0	R10	R14	-	-
CASE	CX 130C LC	95,0	R10	R14	-	-
CASE	CX 145C SR BLADE	95,0	R10	R14	-	-
CASE	CX 145C SR LC	95,0	R10	R14	-	-
CASE	788 CK	97,0	R10	R14	-	-
CASE	788 CK PLUS ALLIANCE	97,0	R10	R14	-	-
CASE	788 LC	97,0	R10	R14	-	-
CASE	788 LC PLUS ALLIANCE	97,0	R10	R14	-	-

GENERAL SELECTION GUIDE - EXCAVATOR

For more information visit combiwearparts.com.

			C-REX		ProClaws	
BRAND	MODEL	MAX BOF, kN	GP	HD/XHD	GP	HD/XHD
CASE	788 P	97,0	R10	R14	-	-
CASE	CX 130	97,4	R10	R14	-	-
CASE	WX 148	99,5	R10	R14	-	-
CASE	WX 145 SERIES 2	104,3	R10	R14	-	-
CASE	788 P PLUS	106,0	R10	R14	-	-
CASE	788 P PLUS ALLIANCE	106,0	R10	R14	-	-
CASE	788 PLUS COMP ALLIANCE	106,0	R10	R14	-	-
CASE	788 SR PLUS	106,0	R10	R14	-	-
CASE	WX 150	106,0	R10	R14	-	-
CASE	WX 165	117,0	R14	R18	-	-
CASE	CX 160 D	117,9	R14	R18	-	-
CASE	CX 160C LC	117,9	R14	R18	-	-
CASE	CX 160B	118,0	R14	R18	-	-
CASE	CX 160	118,0	R14	R18	-	-
CASE	CX 180	118,0	R14	R18	-	-
CASE	CX 180 D	118,0	R14	R18	-	-
CASE	CX 180B	118,0	R14	R18	-	-
CASE	CX 180C	118,0	R14	R18	-	-
CASE	988 CK	122,5	R14	R18	-	-
CASE	988 CK PLUS	122,5	R14	R18	-	-
CASE	988 CKE	122,5	R14	R18	-	-
CASE	988 CKE PLUS	122,5	R14	R18	-	-
CASE	988 P	122,5	R14	R18	-	-
CASE	988 PLUS	122,5	R14	R18	-	-
CASE	WX 168	123,0	R14	R18	-	-
CASE	WX 165 SERIES 2	123,6	R14	R18	-	-
CASE	9021 ALLIANCE	124,5	R14	R18	-	-
CASE	9021 LC ALLIANCE	124,5	R14	R18	-	-
CASE	9021 N ALLIANCE	124,5	R14	R18	-	-
CASE	CX 225 SR	130,0	R14	R18	-	-
CASE	CX 225 MSR	130,0	R14	R18	-	-
CASE	988 CK PLUS ALLIANCE	134,0	R14	R18	-	-
CASE	988 CKE PLUS ALLIANCE	134,0	R14	R18	-	-
CASE	988 LLC PLUS ALLIANCE	134,0	R14	R18	-	-
CASE	988 NHD PLUS ALLIANCE	134,0	R14	R18	-	-
CASE	988 P PLUS	134,0	R14	R18	-	-
CASE	988 P PLUS ALLIANCE	134,0	R14	R18	-	-
CASE	988 SR PLUS	134,0	R14	R18	-	-
CASE	WX 170	134,0	R14	R18	-	-
CASE	WX 185	134,0	R14	R18	-	-
CASE	WX 188	136,0	R14	R18	-	-
CASE	WX 188 WIDE	136,0	R14	R18	-	-
CASE	WX 185 SERIES 2	137,7	R14	R18	-	-
CASE	CX 225 SR LC TIER 2	141,0	R18	R18	-	-

GENERAL SELECTION GUIDE - EXCAVATOR

For more information visit combiwearparts.com.

			C-REX		ProClaws	
BRAND	MODEL	MAX BOF, kN	GP	HD/XHD	GP	HD/XHD
CASE	CX 225 SR LC TIER 3	141,0	R18	R18	-	-
CASE	CX 225 SR N	141,0	R18	R18	-	-
CASE	CX 210 ALLIANCE	141,1	R18	R18	-	-
CASE	CX 210 LC	141,1	R18	R18	-	-
CASE	CX 210 NLC	141,1	R18	R18	-	-
CASE	WX 210 SERIES 2	145,4	R18	R18	-	-
CASE	1188 CK	149,0	R18	R23	W09	W09
CASE	1188 CK PLUS ALLIANCE	149,0	R18	R23	W09	W09
CASE	1188 LC	149,0	R18	R23	W09	W09
CASE	1188 LC PLUS ALLIANCE	149,0	R18	R23	W09	W09
CASE	1188 P	149,0	R18	R23	W09	W09
CASE	1188 P PLUS	149,0	R18	R23	W09	W09
CASE	1188 P PLUS ALLIANCE	149,0	R18	R23	W09	W09
CASE	WX 210	150,0	R18	R23	W09	W09
CASE	CX 230	151,1	R18	R23	W09	W09
CASE	CX 235C SR BLADE	152,0	R18	R23	W09	W09
CASE	CX 235C SR LC	152,0	R18	R23	W09	W09
CASE	CX 210 B NLC	152,0	R18	R23	W09	W09
CASE	CX 210 C LC	152,0	R18	R23	W09	W09
CASE	CX 210B LC	152,0	R18	R23	W09	W09
CASE	CX 230 C NHD	152,0	R18	R23	W09	W09
CASE	CX 230B NHD	152,0	R18	R23	W09	W09
CASE	CX 230B NLC	152,0	R18	R23	W09	W09
CASE	CX 210 C NLC	152,0	R18	R23	W09	W09
CASE	CX 210 D NLC	153,9	R18	R23	W09	W09
CASE	CX 210 D LC	154,0	R18	R23	W09	W09
CASE	WX 240	157,0	R18	R23	W09	W09
CASE	WX 200	161,5	R18	R23	W09	W09
CASE	WX 240 SERIES 2	162,3	R18	R23	W09	W09
CASE	WX 218	170,0	R18	R23	W09	W10
CASE	WX 218 WIDE	170,0	R18	R23	W09	W10
CASE	CX 240 LC	173,0	R18	R23	W09	W10
CASE	CX 240 NLC	173,0	R18	R23	W09	W10
CASE	CX 290	173,0	R18	R23	W09	W10
CASE	CX 290 LC	173,0	R18	R23	W09	W10
CASE	CX 290 NLC	173,0	R18	R23	W09	W10
CASE	CX 240B LC	174,0	R18	R23	W09	W10
CASE	CX 240B NLC	174,0	R18	R23	W09	W10
CASE	CX 250C LC	174,0	R18	R23	W09	W10
CASE	CX 250C NLC	174,0	R18	R23	W09	W10
CASE	CX 250 D LC	176,0	R18	R23	W09	W10
CASE	CX 250 D NLC	176,0	R18	R23	W09	W10
CASE	1288 CK ALLIANCE	181,0	R18	R23	W09	W10
CASE	1288 LC	181,0	R18	R23	W09	W10

GENERAL SELECTION GUIDE - EXCAVATOR

For more information visit combiwearparts.com.

			C-REX		ProClaws	
BRAND	MODEL	MAX BOF, kN	GP	HD/XHD	GP	HD/XHD
CASE	1288 LC ALLIANCE	181,0	R18	R23	W09	W10
CASE	1288 NLC	181,0	R18	R23	W09	W10
CASE	1288 NLC ALLIANCE	181,0	R18	R23	W09	W10
CASE	M 1288 CK	181,0	R18	R23	W09	W10
CASE	CX 290B LC	190,2	R23	R29	W09	W10
CASE	CX 290B NLC	190,2	R23	R29	W09	W10
CASE	CX 300C LC	190,2	R23	R29	W09	W10
CASE	CX 300C NLC	190,2	R23	R29	W09	W10
CASE	CX 300 D	190,3	R23	R29	W09	W10
CASE	CX 300 D NLC	190,3	R23	R29	W09	W10
CASE	9033 ALLIANCE	191,2	R23	R29	W09	W10
CASE	1488 LC ALLIANCE	208,0	R23	R29	W09	W10
CASE	1488 NLC	208,0	R23	R29	W09	W10
CASE	1488 NLC ALLIANCE	208,0	R23	R29	W09	W10
CASE	9046 ALLIANCE	240,6	R29	R35	W10	W20
CASE	CX 350C LC	248,0	R29	R35	W10	W20
CASE	CX 350C NLC	248,0	R29	R35	W10	W20
CASE	CX 370C LC	248,0	R29	R35	W10	W20
CASE	CX 370C NLC	248,0	R29	R35	W10	W20
CASE	CX 330 LC	248,4	R29	R35	W10	W20
CASE	CX 330 NLC	248,4	R29	R35	W10	W20
CASE	CX 350 LC	248,4	R29	R35	W10	W20
CASE	CX 350 NLC	248,4	R29	R35	W10	W20
CASE	CX 350B LC	248,4	R29	R35	W10	W20
CASE	CX 350B NLC	248,4	R29	R35	W10	W20
CASE	CX 370B LC	248,4	R29	R35	W10	W20
CASE	CX 370B NLC	248,4	R29	R35	W10	W20
CASE	CX 350 D	249,8	R29	R35	W10	W20
CASE	CX 350 D NLC	249,8	R29	R35	W10	W20
CASE	CX 370 D	249,8	R29	R35	W10	W20
CASE	CX 370 D NLC	249,8	R29	R35	W10	W20
CASE	CX 460	270,0	R29	R35	W10	W20
CASE	CX 460 VARIABLE U/C	270,0	R29	R35	W10	W20
CASE	CX 470B	270,0	R29	R35	W10	W20
CASE	CX 470B VARIABLE U/C	270,0	R29	R35	W10	W20
CASE	CX 470C LC	270,0	R29	R35	W10	W20
CASE	CX 470C VARIABLE U/C	270,0	R29	R35	W10	W20
CASE	CX 490 D	270,0	R29	R35	W10	W20
CASE	CX 490 D (RETRACTABLE U/C)	270,0	R29	R35	W10	W20
CASE	CX 330	284,0	R29	-	W10	W20
CASE	CX 350B	284,4	R29	-	W10	W20
CASE	CX 470C ME	313,0	R35	-	W20	W20
CASE	CX 470C ME VARIABLE U/C	313,0	R35	-	W20	W20
CASE	CX 470B ME	313,0	R35	-	W20	W20

GENERAL SELECTION GUIDE - EXCAVATOR

For more information visit combiwearparts.com.

			C-REX		ProClaws	
BRAND	MODEL	MAX BOF, kN	GP	HD/XHD	GP	HD/XHD
CASE	CX 470B ME VARIABLE U/C	313,0	R35	-	W20	W20
CASE	CX 500 D ME FIXED U/C	313,0	R35	-	W20	W20
CASE	CX 500 D ME RETRACTABLE	313,0	R35	-	W20	W20
CASE	CX 700B	317,0	-	-	W25	W25
CASE	CX 700	317,0	-	-	W25	W25
CASE	CX 800B	330,0	-	-	W25	W25
CASE	CX 800	361,0	-	-	W25	W25
CASE	CX 700 ME	365,0	-	-	W25	W25
CASE	CX 800B ME	430,0	-	-	W25	W30
CASE	CX 800 ME	470,0	-	-	W25	W30
CATERPILLAR	324 E SUPER LONG REACH	60,0	R10	R10	-	-
CATERPILLAR	329 E SUPER LONG REACH	60,0	R10	R10	-	-
CATERPILLAR	308 D CR FIXED BOOM	60,0	R10	R10	-	-
CATERPILLAR	308 D CR SB TIER 3	60,0	R10	R10	-	-
CATERPILLAR	308 D CR SB TIER 4	60,0	R10	R10	-	-
CATERPILLAR	308 D CR SWING BOOM	60,0	R10	R10	-	-
CATERPILLAR	308 D CR TIER 3	60,0	R10	R10	-	-
CATERPILLAR	308 D CR TIER 4	60,0	R10	R10	-	-
CATERPILLAR	320 D L SUPER LONG REACH TIER 2	60,0	R10	R10	-	-
CATERPILLAR	320 C L SLR	60,0	R10	R10	-	-
CATERPILLAR	308 E CR SB	60,2	R10	R10	-	-
CATERPILLAR	308 E2 CR SB	60,2	R10	R10	-	-
CATERPILLAR	326 D2 L (SLR)	60,5	R10	R10	-	-
CATERPILLAR	323 F L SUPER LONG REACH	60,9	R10	R10	-	-
CATERPILLAR	320 D L2 SLR	60,9	R10	R10	-	-
CATERPILLAR	329 D 2 L (SLR)	63,3	R10	R10	-	-
CATERPILLAR	311	73,5	R10	R10	-	-
CATERPILLAR	E 110 B	73,5	R10	R10	-	-
CATERPILLAR	211	75,1	R10	R10	-	-
CATERPILLAR	211 LC	75,1	R10	R10	-	-
CATERPILLAR	313 B CR	77,0	R10	R10	-	-
CATERPILLAR	E 120 B	77,4	R10	R10	-	-
CATERPILLAR	311 F RR	79,6	R10	R10	-	-
CATERPILLAR	311 C U TIER 2	80,0	R10	R10	-	-
CATERPILLAR	M312	80,0	R10	R10	-	-
CATERPILLAR	311 B	80,1	R10	R10	-	-
CATERPILLAR	311 C U TIER 1	80,1	R10	R10	-	-
CATERPILLAR	314 C CR TIER 1	83,6	R10	R10	-	-
CATERPILLAR	314 C CR TIER 2	83,6	R10	R10	-	-
CATERPILLAR	314 C LCR TIER 1	83,6	R10	R10	-	-
CATERPILLAR	314 C LCR TIER 2	83,6	R10	R10	-	-
CATERPILLAR	312 C	84,0	R10	R10	-	-
CATERPILLAR	312 C L	84,0	R10	R10	-	-
CATERPILLAR	312 B	84,0	R10	R10	-	-

GENERAL SELECTION GUIDE - EXCAVATOR

For more information visit combiwearparts.com.

			C-REX		ProClaws	
BRAND	MODEL	MAX BOF, kN	GP	HD/XHD	GP	HD/XHD
CATERPILLAR	312 B L	84,0	R10	R10	-	-
CATERPILLAR	314 D CR	85,0	R10	R10	-	-
CATERPILLAR	314 D LCR	85,0	R10	R10	-	-
CATERPILLAR	314 E CR	85,4	R10	R10	-	-
CATERPILLAR	314 E L CR	85,4	R10	R10	-	-
CATERPILLAR	314 E L CR (BLADE)	85,4	R10	R10	-	-
CATERPILLAR	313 F L GC	85,8	R10	R10	-	-
CATERPILLAR	313 F L GC (DOZER)	85,8	R10	R10	-	-
CATERPILLAR	M 313 C	87,0	R10	R10	-	-
CATERPILLAR	M313 C	87,0	R10	R10	-	-
CATERPILLAR	311 F LRR	89,0	R10	R14	-	-
CATERPILLAR	311 D LRR	89,7	R10	R14	-	-
CATERPILLAR	315 C L	90,0	R10	R14	-	-
CATERPILLAR	317	90,5	R10	R14	-	-
CATERPILLAR	317 N	90,5	R10	R14	-	-
CATERPILLAR	315 L	90,6	R10	R14	-	-
CATERPILLAR	315	91,0	R10	R14	-	-
CATERPILLAR	M315 C	93,0	R10	R14	-	-
CATERPILLAR	M316 C	93,0	R10	R14	-	-
CATERPILLAR	M313 D INTERIM TIER 4	93,0	R10	R14	-	-
CATERPILLAR	M313 D TIER 3	93,0	R10	R14	-	-
CATERPILLAR	M315 D2	93,0	R10	R14	-	-
CATERPILLAR	312 D L SERIES 2	95,2	R10	R14	-	-
CATERPILLAR	312 D SERIES 2	95,2	R10	R14	-	-
CATERPILLAR	312 E	95,2	R10	R14	-	-
CATERPILLAR	312 E LC	95,2	R10	R14	-	-
CATERPILLAR	312 E LC WITH BLADE	95,2	R10	R14	-	-
CATERPILLAR	312 D	96,0	R10	R14	-	-
CATERPILLAR	312 D L	96,0	R10	R14	-	-
CATERPILLAR	313 D	96,0	R10	R14	-	-
CATERPILLAR	316 E	97,9	R10	R14	-	-
CATERPILLAR	315 C	99,0	R10	R14	-	-
CATERPILLAR	M315	99,0	R10	R14	-	-
CATERPILLAR	M320 F	99,8	R10	R14	-	-
CATERPILLAR	315 D L	100,0	R10	R14	-	-
CATERPILLAR	M318 F	101,0	R10	R14	-	-
CATERPILLAR	M315 D	101,0	R10	R14	-	-
CATERPILLAR	M316 D	101,0	R10	R14	-	-
CATERPILLAR	M317 D2	101,0	R10	R14	-	-
CATERPILLAR	315 B L	102,0	R10	R14	-	-
CATERPILLAR	317 B L	102,0	R10	R14	-	-
CATERPILLAR	317 B LN	102,0	R10	R14	-	-
CATERPILLAR	M314 F	103,0	R10	R14	-	-
CATERPILLAR	E 180	104,5	R10	R14	-	-

GENERAL SELECTION GUIDE - EXCAVATOR

For more information visit combiwearparts.com.

			C-REX		ProClaws	
BRAND	MODEL	MAX BOF, kN	GP	HD/XHD	GP	HD/XHD
CATERPILLAR	EL 180	104,5	R10	R14	-	-
CATERPILLAR	319 D L	108,0	R10	R14	-	-
CATERPILLAR	319 D LN	108,0	R10	R14	-	-
CATERPILLAR	215 C LC	108,0	R10	R14	-	-
CATERPILLAR	213	108,1	R10	R14	-	-
CATERPILLAR	213 LC	108,1	R10	R14	-	-
CATERPILLAR	E 200 B	108,1	R10	R14	-	-
CATERPILLAR	EL 200 B	108,1	R10	R14	-	-
CATERPILLAR	318 E	108,5	R10	R14	-	-
CATERPILLAR	316 E L	111,0	R14	R14	-	-
CATERPILLAR	318 D 2 L	111,2	R14	R14	-	-
CATERPILLAR	318 B L	112,0	R14	R14	-	-
CATERPILLAR	318 B LN	112,0	R14	R14	-	-
CATERPILLAR	M318	114,0	R14	R18	-	-
CATERPILLAR	320	115,0	R14	R18	-	-
CATERPILLAR	320 L	115,0	R14	R18	-	-
CATERPILLAR	320 N	115,0	R14	R18	-	-
CATERPILLAR	M318 C	118,0	R14	R18	-	-
CATERPILLAR	320 D 2 REACH	121,0	R14	R18	-	-
CATERPILLAR	318 E L	123,0	R14	R18	-	-
CATERPILLAR	320 D L TIER 3	125,0	R14	R18	-	-
CATERPILLAR	320 E L	125,9	R14	R18	-	-
CATERPILLAR	320 D L TIER 2	126,0	R14	R18	-	-
CATERPILLAR	M318 D	126,0	R14	R18	-	-
CATERPILLAR	M320	127,0	R14	R18	-	-
CATERPILLAR	E 240	127,5	R14	R18	-	-
CATERPILLAR	EL 240	127,5	R14	R18	-	-
CATERPILLAR	320 B L	129,4	R14	R18	-	-
CATERPILLAR	319 C LN	130,0	R14	R18	-	-
CATERPILLAR	320 D TIER 2	131,0	R14	R18	-	-
CATERPILLAR	323 D S	131,0	R14	R18	-	-
CATERPILLAR	M322 C	131,0	R14	R18	-	-
CATERPILLAR	320 B	132,0	R14	R18	-	-
CATERPILLAR	320 B LN	132,0	R14	R18	-	-
CATERPILLAR	320 B N	132,0	R14	R18	-	-
CATERPILLAR	320 C HD STRAIGHT BOOM	132,0	R14	R18	-	-
CATERPILLAR	320 C L STRAIGHT BOOM	132,0	R14	R18	-	-
CATERPILLAR	320 C L TIER 1	132,0	R14	R18	-	-
CATERPILLAR	320 C L TIER 2	132,0	R14	R18	-	-
CATERPILLAR	320 C LHD STRAIGHT BOOM	132,0	R14	R18	-	-
CATERPILLAR	320 C LN STRAIGHT BOOM	132,0	R14	R18	-	-
CATERPILLAR	320 C LN TIER 1	132,0	R14	R18	-	-
CATERPILLAR	320 C LN TIER 2	132,0	R14	R18	-	-
CATERPILLAR	320 C LNHD STRAIGHT BOOM	132,0	R14	R18	-	-

GENERAL SELECTION GUIDE - EXCAVATOR

For more information visit combiwearparts.com.

			C-REX		ProClaws	
BRAND	MODEL	MAX BOF, kN	GP	HD/XHD	GP	HD/XHD
CATERPILLAR	320 C LU	132,0	R14	R18	-	-
CATERPILLAR	320 C S	132,0	R14	R18	-	-
CATERPILLAR	320 C S STRAIGHT BOOM	132,0	R14	R18	-	-
CATERPILLAR	320 C SHD STRAIGHT BOOM	132,0	R14	R18	-	-
CATERPILLAR	320 C STRAIGHT BOOM	132,0	R14	R18	-	-
CATERPILLAR	320 C TIER 1	132,0	R14	R18	-	-
CATERPILLAR	320 C TIER 2	132,0	R14	R18	-	-
CATERPILLAR	321 C LCR	132,0	R14	R18	-	-
CATERPILLAR	318 C	133,0	R14	R18	-	-
CATERPILLAR	318 C L	133,0	R14	R18	-	-
CATERPILLAR	318 C N	133,0	R14	R18	-	-
CATERPILLAR	325 F L CR	134,0	R14	R18	-	-
CATERPILLAR	325	136,6	R14	R18	-	-
CATERPILLAR	325 L	136,6	R14	R18	-	-
CATERPILLAR	325 ME	136,6	R14	R18	-	-
CATERPILLAR	225 D	137,9	R14	R18	-	-
CATERPILLAR	225 D LC	137,9	R14	R18	-	-
CATERPILLAR	322 L	139,2	R14	R18	-	-
CATERPILLAR	320 D TIER 3	139,5	R14	R18	-	-
CATERPILLAR	323 D2 L TIER 2	140,0	R14	R18	-	-
CATERPILLAR	323 D2 L TIER 3	140,0	R14	R18	-	-
CATERPILLAR	M322 D	140,0	R14	R18	-	-
CATERPILLAR	320D 2 GC	140,1	R14	R18	-	-
CATERPILLAR	320D GC SERIES 2	140,1	R14	R18	-	-
CATERPILLAR	320 E LN	140,5	R14	R18	-	-
CATERPILLAR	323 E L	140,5	R14	R18	-	-
CATERPILLAR	323 E LN	140,5	R14	R18	-	-
CATERPILLAR	323 E SA	140,5	R14	R18	-	-
CATERPILLAR	340 F LONG REACH	140,5	R14	R18	-	-
CATERPILLAR	320 D LN	141,0	R18	R18	-	-
CATERPILLAR	320 D LRR	141,0	R18	R18	-	-
CATERPILLAR	321 D LCR	141,0	R18	R18	-	-
CATERPILLAR	323 D	141,0	R18	R18	-	-
CATERPILLAR	323 D L	141,0	R18	R18	-	-
CATERPILLAR	323 D LN	141,0	R18	R18	-	-
CATERPILLAR	323 D SA	141,0	R18	R18	-	-
CATERPILLAR	320 D 2 GC	147,9	R18	R18	-	-
CATERPILLAR	322 B L	149,0	R18	R23	W09	W09
CATERPILLAR	322 B LN	149,0	R18	R23	W09	W09
CATERPILLAR	326 F L	149,0	R18	R23	W09	W09
CATERPILLAR	322 C L STRAIGHT BOOM	150,0	R18	R23	W09	W09
CATERPILLAR	322 C LHD STRAIGHT BOOM	150,0	R18	R23	W09	W09
CATERPILLAR	322 C LN STRAIGHT BOOM	150,0	R18	R23	W09	W09
CATERPILLAR	322 C LNHD STRAIGHT BOOM	150,0	R18	R23	W09	W09

GENERAL SELECTION GUIDE - EXCAVATOR

For more information visit combiwearparts.com.

			C-REX		ProClaws	
BRAND	MODEL	MAX BOF, kN	GP	HD/XHD	GP	HD/XHD
CATERPILLAR	325 C L STRAIGHT BOOM	150,0	R18	R23	W09	W09
CATERPILLAR	325 C LCR	150,0	R18	R23	W09	W09
CATERPILLAR	325 C LHD STRAIGHT BOOM	150,0	R18	R23	W09	W09
CATERPILLAR	325 C LN STRAIGHT BOOM	150,0	R18	R23	W09	W09
CATERPILLAR	325 C LNHD STRAIGHT BOOM	150,0	R18	R23	W09	W09
CATERPILLAR	320 E LRR	150,3	R18	R23	W09	W09
CATERPILLAR	320 F	150,4	R18	R23	W09	W09
CATERPILLAR	323 F L	150,4	R18	R23	W09	W09
CATERPILLAR	325 B L REACH	152,0	R18	R23	W09	W09
CATERPILLAR	325 B LN	152,0	R18	R23	W09	W09
CATERPILLAR	M322 F	152,0	R18	R23	W09	W09
CATERPILLAR	320 C L ME TIER 1	153,0	R18	R23	W09	W09
CATERPILLAR	320 C L ME TIER 2	153,0	R18	R23	W09	W09
CATERPILLAR	320 C LN ME TIER 1	153,0	R18	R23	W09	W09
CATERPILLAR	320 C LN ME TIER 2	153,0	R18	R23	W09	W09
CATERPILLAR	320 C ME TIER 1	153,0	R18	R23	W09	W09
CATERPILLAR	320 C ME TIER 2	153,0	R18	R23	W09	W09
CATERPILLAR	320 C S ME	153,0	R18	R23	W09	W09
CATERPILLAR	325 C L REACH	156,0	R18	R23	W09	W09
CATERPILLAR	325 C LN REACH	156,0	R18	R23	W09	W09
CATERPILLAR	329 F L	157,9	R18	R23	W09	W09
CATERPILLAR	330 F	158,0	R18	R23	W09	W09
CATERPILLAR	322 C L	160,0	R18	R23	W09	W09
CATERPILLAR	322 C LN	160,0	R18	R23	W09	W09
CATERPILLAR	324 D L	160,0	R18	R23	W09	W09
CATERPILLAR	324 D LN	160,0	R18	R23	W09	W09
CATERPILLAR	325 B REACH	160,0	R18	R23	W09	W09
CATERPILLAR	320 D L2 REACH	163,3	R18	R23	W09	W09
CATERPILLAR	325 C L ME	163,7	R18	R23	W09	W09
CATERPILLAR	329 E L	164,0	R18	R23	W09	W09
CATERPILLAR	326 D2	165,6	R18	R23	W09	W09
CATERPILLAR	326 D2 L TIER 2	165,6	R18	R23	W09	W09
CATERPILLAR	326 D2 L TIER 3	165,6	R18	R23	W09	W09
CATERPILLAR	324 E L	166,8	R18	R23	W09	W09
CATERPILLAR	324 E LN	167,0	R18	R23	W09	W09
CATERPILLAR	325 D L REACH	168,0	R18	R23	W09	W09
CATERPILLAR	325 D LN REACH	168,0	R18	R23	W09	W09
CATERPILLAR	329 D L REACH	168,0	R18	R23	W09	W09
CATERPILLAR	329 D LN REACH	168,0	R18	R23	W09	W09
CATERPILLAR	325 B L ME	168,8	R18	R23	W09	W10
CATERPILLAR	330 L ME	173,4	R18	R23	W09	W10
CATERPILLAR	330 L REACH	173,4	R18	R23	W09	W10
CATERPILLAR	330 REACH	173,4	R18	R23	W09	W10
CATERPILLAR	325 L ME	173,5	R18	R23	W09	W10

GENERAL SELECTION GUIDE - EXCAVATOR

For more information visit combiwearparts.com.

			C-REX		ProClaws	
BRAND	MODEL	MAX BOF, kN	GP	HD/XHD	GP	HD/XHD
CATERPILLAR	326 D LC	174,0	R18	R23	W09	W10
CATERPILLAR	320 D ME TIER 3	174,9	R18	R23	W09	W10
CATERPILLAR	320 D L ME TIER 3	175,0	R18	R23	W09	W10
CATERPILLAR	340 D L HD REACH	176,0	R18	R23	W09	W10
CATERPILLAR	329 D 2	178,6	R18	R23	W09	W10
CATERPILLAR	329 D 2 L	178,6	R18	R23	W09	W10
CATERPILLAR	330 D2 L	178,6	R18	R23	W09	W10
CATERPILLAR	325 C REACH	178,8	R18	R23	W09	W10
CATERPILLAR	335 F L CR	178,8	R18	R23	W09	W10
CATERPILLAR	323 D L ME	179,0	R18	R23	W09	W10
CATERPILLAR	328 D LCR	179,0	R18	R23	W09	W10
CATERPILLAR	330 F LN	179,0	R18	R23	W09	W10
CATERPILLAR	323 D2 L (ME) TIER 2	179,2	R18	R23	W09	W10
CATERPILLAR	323 D2 L (ME) TIER 3	179,2	R18	R23	W09	W10
CATERPILLAR	326 D2 (ME)	179,2	R18	R23	W09	W10
CATERPILLAR	326 D2 L (ME)	179,2	R18	R23	W09	W10
CATERPILLAR	320 D 2 MASS	179,7	R18	R23	W09	W10
CATERPILLAR	322 C LN ME	179,9	R18	R23	W09	W10
CATERPILLAR	322 C L ME	180,0	R18	R23	W09	W10
CATERPILLAR	329 E LN	180,0	R18	R23	W09	W10
CATERPILLAR	325 C LN ME	184,0	R18	R23	W09	W10
CATERPILLAR	325 D L ME	185,0	R23	R29	W09	W10
CATERPILLAR	325 D LN ME	185,0	R23	R29	W09	W10
CATERPILLAR	329 D L ME	185,0	R23	R29	W09	W10
CATERPILLAR	329 D LN ME	185,0	R23	R29	W09	W10
CATERPILLAR	329 F L (ME)	185,0	R23	R29	W09	W10
CATERPILLAR	330 F (ME)	185,0	R23	R29	W09	W10
CATERPILLAR	324 D L ME	186,0	R23	R29	W09	W10
CATERPILLAR	324 D LN ME	186,0	R23	R29	W09	W10
CATERPILLAR	336 D HD HW REACH	186,0	R23	R29	W09	W10
CATERPILLAR	330 B L	187,0	R23	R29	W09	W10
CATERPILLAR	330 B LN	187,0	R23	R29	W09	W10
CATERPILLAR	320 D L ME TIER 2	188,0	R23	R29	W09	W10
CATERPILLAR	320 D ME TIER 2	188,0	R23	R29	W09	W10
CATERPILLAR	329 D	188,0	R23	R29	W09	W10
CATERPILLAR	326 F L (ME)	188,2	R23	R29	W09	W10
CATERPILLAR	336 E H	188,5	R23	R29	W09	W10
CATERPILLAR	336 E L H	188,5	R23	R29	W09	W10
CATERPILLAR	336 F L	188,5	R23	R29	W09	W10
CATERPILLAR	336 F XE	188,5	R23	R29	W09	W10
CATERPILLAR	325 B ME	189,1	R23	R29	W09	W10
CATERPILLAR	330 C L HD STRAIGHT BOOM	190,0	R23	R29	W09	W10
CATERPILLAR	330 C L STRAIGHT BOOM	190,0	R23	R29	W09	W10
CATERPILLAR	330 C LN HD STRAIGHT BOOM	190,0	R23	R29	W09	W10

GENERAL SELECTION GUIDE - EXCAVATOR

For more information visit combiwearparts.com.

			C-REX		ProClaws	
BRAND	MODEL	MAX BOF, kN	GP	HD/XHD	GP	HD/XHD
CATERPILLAR	330 C LN STRAIGHT BOOM	190,0	R23	R29	W09	W10
CATERPILLAR	330 C L	192,0	R23	R29	W09	W10
CATERPILLAR	330 C LN	192,0	R23	R29	W09	W10
CATERPILLAR	320 D L2 MASS	193,8	R23	R29	W09	W10
CATERPILLAR	330 D L	194,0	R23	R29	W09	W10
CATERPILLAR	330 D LN	194,0	R23	R29	W09	W10
CATERPILLAR	336 D L REACH	194,0	R23	R29	W09	W10
CATERPILLAR	336 D LN REACH	194,0	R23	R29	W09	W10
CATERPILLAR	235 C	200,7	R23	R29	W09	W10
CATERPILLAR	330 C ES	202,0	R23	R29	W09	W10
CATERPILLAR	330 ME	209,1	R23	R29	W09	W10
CATERPILLAR	336 F LN	209,7	R23	R29	W09	W10
CATERPILLAR	340 F	209,7	R23	R29	W09	W10
CATERPILLAR	324 E L ME	209,9	R23	R29	W09	W10
CATERPILLAR	329 E L ME	210,0	R23	R29	W09	W10
CATERPILLAR	329 D 2 (ME)	211,1	R23	R29	W10	W10
CATERPILLAR	329 D 2 L (ME)	211,1	R23	R29	W10	W10
CATERPILLAR	336 D2 L REACH	211,1	R23	R29	W10	W10
CATERPILLAR	336 D2 L XE	211,1	R23	R29	W10	W10
CATERPILLAR	336 D2 REACH	211,1	R23	R29	W10	W10
CATERPILLAR	336 D2 XE	211,1	R23	R29	W10	W10
CATERPILLAR	336 E L (ES)	211,8	R23	R29	W10	W10
CATERPILLAR	336 E LN	211,8	R23	R29	W10	W10
CATERPILLAR	336 E LN (ES)	211,8	R23	R29	W10	W10
CATERPILLAR	336 E L	211,8	R23	R29	W10	W10
CATERPILLAR	336 F LN XE	211,8	R23	R29	W10	W10
CATERPILLAR	324 E LN (ME)	212,0	R23	R29	W10	W10
CATERPILLAR	329 E LN ME	212,0	R23	R29	W10	W10
CATERPILLAR	325 C ME	213,1	R23	R29	W10	W10
CATERPILLAR	340 D L ME	218,0	R23	R29	W10	W10
CATERPILLAR	345 B L SERIES LL	219,9	R23	R29	W10	W10
CATERPILLAR	345 B L SERIES LL ECO-MATE	219,9	R23	R29	W10	W10
CATERPILLAR	345 B L HD SERIES LL STRAIGHT BOOM	220,0	R23	R29	W10	W10
CATERPILLAR	345 B L SERIES LL STRAIGHT BOOM	220,0	R23	R29	W10	W10
CATERPILLAR	345 B L SERIES LL ES REACH	220,0	R23	R29	W10	W10
CATERPILLAR	326 D LC ME	222,0	R23	R29	W10	W10
CATERPILLAR	350 ME	223,0	R23	R29	W10	W10
CATERPILLAR	345 B L SERIES LL REACH FIXED GAUGE U/C	224,5	R23	R29	W10	W10
CATERPILLAR	330 C L ME	227,0	R23	R29	W10	W10
CATERPILLAR	330 C LN ME	227,0	R23	R29	W10	W10
CATERPILLAR	345 B L ME SERIES LL	229,2	R23	R29	W10	W10
CATERPILLAR	345 B L ME SERIES LL ECO-MATE	229,2	R23	R29	W10	W10
CATERPILLAR	345 B L SERIES LL ES ME	230,0	R23	R29	W10	W10
CATERPILLAR	336 D HD HW ME	232,0	R29	R29	W10	W10

GENERAL SELECTION GUIDE - EXCAVATOR

For more information visit combiwearparts.com.

			C-REX		ProClaws	
BRAND	MODEL	MAX BOF, kN	GP	HD/XHD	GP	HD/XHD
CATERPILLAR	336 D L ME	233,0	R29	R29	W10	W20
CATERPILLAR	336 D LN ME	233,0	R29	R29	W10	W20
CATERPILLAR	349 F L LONG REACH FIXED U/C	234,0	R29	R35	W10	W20
CATERPILLAR	349 F L LONG REACH VARIABLE U/C	234,0	R29	R35	W10	W20
CATERPILLAR	352 F LONG REACH	234,0	R29	R35	W10	W20
CATERPILLAR	336 E LN H	234,2	R29	R35	W10	W20
CATERPILLAR	336 F L (ME)	234,7	R29	R35	W10	W20
CATERPILLAR	336 F XE (ME)	234,7	R29	R35	W10	W20
CATERPILLAR	349 F L (REACH - FIX U/C)	235,0	R29	R35	W10	W20
CATERPILLAR	349 F L (REACH - VARIABLE U/C)	235,0	R29	R35	W10	W20
CATERPILLAR	349 F XE	235,0	R29	R35	W10	W20
CATERPILLAR	349 E L (REACH - FIXED U/C)	237,1	R29	R35	W10	W20
CATERPILLAR	349 E L REACH (VARIABLE U/C)	237,1	R29	R35	W10	W20
CATERPILLAR	352 F	237,1	R29	R35	W10	W20
CATERPILLAR	349 E L LONG REACH (FIXED U/C)	238,0	R29	R35	W10	W20
CATERPILLAR	349 E L LONG REACH (VARIABLE U/C)	238,0	R29	R35	W10	W20
CATERPILLAR	349 E L ME (VARIABLE U/C)	238,0	R29	R35	W10	W20
CATERPILLAR	345 C L (REACH) VARIABLE U/C	239,0	R29	R35	W10	W20
CATERPILLAR	345 D L (REACH)	239,0	R29	R35	W10	W20
CATERPILLAR	345 D (ME)	240,0	R29	R35	W10	W20
CATERPILLAR	345 D L (ME)	240,0	R29	R35	W10	W20
CATERPILLAR	345 B L SERIES LL ME FIXED GAUGE U/C	247,1	R29	R35	W10	W20
CATERPILLAR	330 D L ME	249,0	R29	R35	W10	W20
CATERPILLAR	330 D LN ME	249,0	R29	R35	W10	W20
CATERPILLAR	245 D	251,1	R29	R35	W10	W20
CATERPILLAR	349 E L (ME - FIXED U/C)	254,9	R29	R35	W10	W20
CATERPILLAR	349 F L FIXED U/C (ME)	258,0	R29	R35	W10	W20
CATERPILLAR	349 F L VARIABLE U/C (ME)	258,0	R29	R35	W10	W20
CATERPILLAR	345 C L ME VARIABLE U/C	258,0	R29	R35	W10	W20
CATERPILLAR	365 B L SERIES II STRAIGHT BOOM	258,0	R29	R35	W10	W20
CATERPILLAR	365 B LHD SERIES II STRAIGHT BOOM	258,0	R29	R35	W10	W20
CATERPILLAR	345 B L ME	261,0	R29	R35	W10	W20
CATERPILLAR	345 B L VARIABLE U/C ME	261,0	R29	R35	W10	W20
CATERPILLAR	345 D L (ME) TIER 3	261,0	R29	R35	W10	W20
CATERPILLAR	336 F LN (ME)	261,3	R29	R35	W10	W20
CATERPILLAR	340 F (ME)	261,3	R29	R35	W10	W20
CATERPILLAR	349 D L	261,5	R29	R35	W10	W20
CATERPILLAR	349 D L REACH VARIABLE U/C	263,0	R29	R35	W10	W20
CATERPILLAR	349 D L VARIABLE U/C	263,0	R29	R35	W10	W20
CATERPILLAR	336 E L (ME)	264,9	R29	R35	W10	W20
CATERPILLAR	336 E LN (ME)	264,9	R29	R35	W10	W20
CATERPILLAR	336 F LN XE (ME)	264,9	R29	R35	W10	W20
CATERPILLAR	336 D2 L ME	265,0	R29	R35	W10	W20
CATERPILLAR	336 D2 L XE (MASS)	265,0	R29	R35	W10	W20

GENERAL SELECTION GUIDE - EXCAVATOR

For more information visit combiwearparts.com.

			C-REX		ProClaws	
BRAND	MODEL	MAX BOF, kN	GP	HD/XHD	GP	HD/XHD
CATERPILLAR	336 D2 ME	265,0	R29	R35	W10	W20
CATERPILLAR	336 D2 XE (MASS)	265,0	R29	R35	W10	W20
CATERPILLAR	349 D L REACH FIXED U/C	266,0	R29	R35	W10	W20
CATERPILLAR	349 D2 L	267,3	R29	R35	W10	W20
CATERPILLAR	345 D	268,0	R29	R35	W20	W20
CATERPILLAR	345 D L	268,0	R29	R35	W20	W20
CATERPILLAR	345 D L (LR - VAR, U/C)	268,0	R29	R35	W20	W20
CATERPILLAR	345 D L (LR)	268,0	R29	R35	W20	W20
CATERPILLAR	345 D L (ME - VAR, U/C)	268,0	R29	R35	W20	W20
CATERPILLAR	345 D L (ME) (VAR U/C)	268,0	R29	R35	W20	W20
CATERPILLAR	345 D L (VAR, U/C)	268,0	R29	R35	W20	W20
CATERPILLAR	365 B L	270,0	R29	R35	W20	W25
CATERPILLAR	365 B L SERIES II ES	275,0	R29	R35	W20	W25
CATERPILLAR	350 L ME	277,0	R29	R35	W20	W20
CATERPILLAR	345 C L ME FIXED U/C	279,0	R29	R35	W20	W20
CATERPILLAR	375	281,1	-	-	W25	W25
CATERPILLAR	365 B L SERIES II	281,6	R29	-	W20	W20
CATERPILLAR	365 C L (REACH)	284,0	R29	-	W20	W20
CATERPILLAR	365 C ES (REACH)	285,0	R29	-	W20	W20
CATERPILLAR	349 D L (ME)	292,7	R35	-	W20	W20
CATERPILLAR	349 D L ME FIXED U/C	297,0	R35	-	W20	W20
CATERPILLAR	349 D L ME VARIABLE U/C	297,0	R35	-	W20	W20
CATERPILLAR	349 D L ME VARIABLE U/C	297,0	R35	-	W20	W20
CATERPILLAR	349 D2 L (ME)	297,6	R35	-	W20	W20
CATERPILLAR	345 C L (REACH) FIXED U/C	300,0	R35	-	W20	W20
CATERPILLAR	345 D L HD REACH (VAR U/C)	300,0	R35	-	W20	W20
CATERPILLAR	345 D L LONG REACH	300,0	R35	-	W20	W20
CATERPILLAR	345 D L LONG REACH (VAR U/C)	300,0	R35	-	W20	W20
CATERPILLAR	374 F L	314,4	-	-	W25	W25
CATERPILLAR	374 F L (REACH)	314,4	-	-	W25	W25
CATERPILLAR	365 B LME	316,0	-	-	W25	W25
CATERPILLAR	365 B L SERIES II (ME)	318,8	-	-	W25	W25
CATERPILLAR	385 C L (REACH)	324,0	-	-	W25	W25
CATERPILLAR	385 B (REACH)	329,8	-	-	W25	W25
CATERPILLAR	385 B L (REACH)	329,8	-	-	W25	W25
CATERPILLAR	365 C L (ME)	332,0	-	-	W25	W25
CATERPILLAR	385 B L QUARRY	332,0	-	-	W25	W25
CATERPILLAR	374 D L (ME)	332,9	-	-	W25	W25
CATERPILLAR	385 C (REACH)	335,0	-	-	W25	W25
CATERPILLAR	365 C ES (ME)	336,0	-	-	W25	W25
CATERPILLAR	374 D L (REACH)	338,6	-	-	W20	W25
CATERPILLAR	245	351,5	-	-	W20	W25
CATERPILLAR	245 D ME	351,5	-	-	W20	W25
CATERPILLAR	374 F L (ME) TIER 3	362,0	-	-	W25	W25

GENERAL SELECTION GUIDE - EXCAVATOR

For more information visit combiwearparts.com.

			C-REX		ProClaws	
BRAND	MODEL	MAX BOF, kN	GP	HD/XHD	GP	HD/XHD
CATERPILLAR	374 F L (ME) TIER 4	362,0	-	-	W25	W25
CATERPILLAR	390 D	363,0	-	-	W25	W25
CATERPILLAR	390 D L	363,0	-	-	W25	W25
CATERPILLAR	390 F L REACH	363,3	-	-	W25	W25
CATERPILLAR	390 F L TIER 3	363,3	-	-	W25	W25
CATERPILLAR	390 F L TIER 4	363,3	-	-	W25	W25
CATERPILLAR	390 F L (LONG REACH)	364,8	-	-	W25	W25
CATERPILLAR	390 D L (REACH)	365,0	-	-	W25	W25
CATERPILLAR	390 D REACH	365,0	-	-	W25	W25
CATERPILLAR	375 L ME	371,0	-	-	W25	W25
CATERPILLAR	375 ME	371,0	-	-	W25	W25
CATERPILLAR	385 C (ME)	385,0	-	-	W25	W25
CATERPILLAR	385 C L (ME)	385,0	-	-	W25	W25
CATERPILLAR	385 B (ME)	386,4	-	-	W25	W25
CATERPILLAR	385 B L (ME)	386,4	-	-	W25	W25
CATERPILLAR	6015 INTERIM TIER 4	390,0	-	-	W30	W40
CATERPILLAR	6015 TIER 1	390,0	-	-	W30	W40
CATERPILLAR	6015 TIER 3	390,0	-	-	W30	W40
CATERPILLAR	385 C L	461,0	-	-	W30	W30
CATERPILLAR	390 D L (ME)	470,0	-	-	W30	W30
CATERPILLAR	390 F L (MASS)	470,4	-	-	W30	W30
CATERPILLAR	390 F L ME	470,9	-	-	W30	W30
CATERPILLAR	390 D ME	471,0	-	-	W25	W30
CATERPILLAR	5110 BL	527,0	-	-	W30	W40
CATERPILLAR	6018 INTERIM TIER 4	540,0	-	-	W40	W40
CATERPILLAR	6018 TIER 3	540,0	-	-	W40	W40
CATERPILLAR	5110 B	586,0	-	-	W30	W40
CATERPILLAR	6020 B	665,0	-	-	W40	W50
CATERPILLAR	5230	873,0	-	-	W50	-
CATERPILLAR	6030 INTERIM TIER 4	880,0	-	-	W50	-
CATERPILLAR	6030 TIER 2	880,0	-	-	W50	-
CATERPILLAR	5230 B	977,0	-	-	-	-
CATERPILLAR	6040	1120,0	-	-	-	-
CATERPILLAR	6040 INTERIM TIER 4	1120,0	-	-	-	-
CATERPILLAR	6040 TIER 2	1120,0	-	-	-	-
CATERPILLAR	6050 INTERIM TIER 4	1210,0	-	-	-	-
CATERPILLAR	6050 TIER 1	1210,0	-	-	-	-
CATERPILLAR	6050 TIER 2	1210,0	-	-	-	-
CATERPILLAR	6060 INTERIM TIER 4	1240,0	-	-	-	-
CATERPILLAR	6060 TIER 1	1240,0	-	-	-	-
CATERPILLAR	6060 TIER 2	1240,0	-	-	-	-
CUKUROVA	CMi723	132,4	R14	R18	-	-
DAEWOO	SOLAR 130 W III	78,5	R10	R10	-	-
DAEWOO	SOLAR 130 LC-V	80,0	R10	R10	-	-

GENERAL SELECTION GUIDE - EXCAVATOR

For more information visit combiwearparts.com.

			C-REX		ProClaws	
BRAND	MODEL	MAX BOF, kN	GP	HD/XHD	GP	HD/XHD
DAEWOO	SOLAR 130 W-V	81,8	R10	R10	-	-
DAEWOO	SOLAR 140 W-V	81,8	R10	R10	-	-
DAEWOO	SOLAR 160 W-V	81,8	R10	R10	-	-
DAEWOO	SOLAR 140 LC-V	82,0	R10	R10	-	-
DAEWOO	SOLAR 150 LC-V	85,0	R10	R10	-	-
DAEWOO	SOLAR 155 LC-V	85,0	R10	R10	-	-
DAEWOO	SOLAR 170 W III	88,3	R10	R10	-	-
DAEWOO	SOLAR 170-III	94,1	R10	R14	-	-
DAEWOO	SOLAR 170 W-V	110,0	R10	R14	-	-
DAEWOO	SOLAR 180 W-V	110,0	R10	R14	-	-
DAEWOO	SOLAR 170 LC-V	111,0	R14	R14	-	-
DAEWOO	SOLAR 175 LC-V	126,0	R14	R18	-	-
DAEWOO	SOLAR 175 LCV-N	126,0	R14	R18	-	-
DAEWOO	SOLAR 200 W III	126,0	R14	R18	-	-
DAEWOO	SOLAR 200 W-V	129,0	R14	R18	-	-
DAEWOO	SOLAR 210 W-V	129,0	R14	R18	-	-
DAEWOO	SOLAR 220 LC-V	129,0	R14	R18	-	-
DAEWOO	SOLAR 225 LC-V	144,0	R18	R18	-	-
DAEWOO	SOLAR 225 NLC-V	144,0	R18	R18	-	-
DAEWOO	SOLAR 250 LC-V	149,0	R18	R23	W09	W09
DAEWOO	SOLAR 255 LC-V	167,0	R18	R23	W09	W09
DAEWOO	SOLAR 290 LC-V	177,0	R18	R23	W09	W10
DAEWOO	SOLAR 300 LC-V	200,0	R23	R29	W09	W10
DAEWOO	SOLAR 330-III	204,0	R23	R29	W09	W10
DAEWOO	SOLAR 400 LC-III	210,0	R23	R29	W09	W10
DAEWOO	SOLAR 330 LC-V	213,0	R23	R29	W10	W10
DAEWOO	SOLAR 400 LC-V	236,0	R29	R35	W10	W20
DAEWOO	SOLAR 340 LC-V	240,0	R29	R35	W10	W20
DAEWOO	SOLAR 340 NLC-V	240,0	R29	R35	W10	W20
DAEWOO	SOLAR 420 LC-V	265,0	R29	R35	W10	W20
DAEWOO	SOLAR 450 LC -V	270,0	R29	R35	W10	W20
DAEWOO	SOLAR 500 LC-V	270,0	R29	R35	W10	W20
DAEWOO	SOLAR 470 LC-V	300,0	-	-	W20	W20
DOOSAN	DX 85 R-3 INTERIM TIER 4	61,8	R10	R10	-	-
DOOSAN	DX 85 R-3 TIER 4	64,5	R10	R10	-	-
DOOSAN	SOLAR 155 LC-V HT	81,4	R10	R10	-	-
DOOSAN	SOLAR 140 W-V	81,8	R10	R10	-	-
DOOSAN	SOLAR 160 W-V	81,8	R10	R10	-	-
DOOSAN	SOLAR 140 LC-V	82,0	R10	R10	-	-
DOOSAN	DX 225 LC SLR	84,3	R10	R10	-	-
DOOSAN	SOLAR 155 LC-V	85,0	R10	R10	-	-
DOOSAN	DX 160 W RW	86,0	R10	R10	-	-
DOOSAN	DH 150 W - 7	94,1	R10	R14	-	-
DOOSAN	DX 160 HLC	94,1	R10	R14	-	-

GENERAL SELECTION GUIDE - EXCAVATOR

For more information visit combiwearparts.com.

			C-REX		ProClaws	
BRAND	MODEL	MAX BOF, kN	GP	HD/XHD	GP	HD/XHD
DOOSAN	DX 225 LC-3 SLR	98,1	R10	R14	-	-
DOOSAN	DX 140 W	99,5	R10	R14	-	-
DOOSAN	DX 160 W	99,5	R10	R14	-	-
DOOSAN	DX 210 W	99,5	R10	R14	-	-
DOOSAN	DX 210 WA	99,5	R10	R14	-	-
DOOSAN	DX 300 SLR-3 INTERIM TIER 4	102,9	R10	R14	-	-
DOOSAN	DX 300 SLR-3 TIER 3	102,9	R10	R14	-	-
DOOSAN	DX 300 LC SLR INTERIM TIER 4	103,0	R10	R14	-	-
DOOSAN	DX 300 LC-5 SLR	103,0	R10	R14	-	-
DOOSAN	DX 140 W ACE + PLUS	103,6	R10	R14	-	-
DOOSAN	DX 140 W-3	103,6	R10	R14	-	-
DOOSAN	DX 160 W-3	103,6	R10	R14	-	-
DOOSAN	DX 140 A	108,8	R10	R14	-	-
DOOSAN	DX 140 LC-3	108,8	R10	R14	-	-
DOOSAN	DX 140 LC-5	108,8	R10	R14	-	-
DOOSAN	DX 140 LCR-3	108,8	R10	R14	-	-
DOOSAN	DX 160 LC-3	108,8	R10	R14	-	-
DOOSAN	DX 160 LC-3 HT	108,8	R10	R14	-	-
DOOSAN	DX 160 NLC-3	108,8	R10	R14	-	-
DOOSAN	DX 140 LC	109,0	R10	R14	-	-
DOOSAN	DX 160 LC	109,0	R10	R14	-	-
DOOSAN	DX 160 NLC	109,0	R10	R14	-	-
DOOSAN	SOLAR 180 W-V	110,0	R10	R14	-	-
DOOSAN	SOLAR 175 LC-V	110,8	R10	R14	-	-
DOOSAN	DX 180 HLC	110,8	R10	R14	-	-
DOOSAN	DX 190 W	114,7	R14	R18	-	-
DOOSAN	DX 170 W-5	120,6	R14	R18	-	-
DOOSAN	SOLAR 175 LC-V HT	124,5	R14	R18	-	-
DOOSAN	SOLAR 175-V SLT	124,5	R14	R18	-	-
DOOSAN	DX 190 W-5	125,5	R14	R18	-	-
DOOSAN	SOLAR 175 LCV-N	126,0	R14	R18	-	-
DOOSAN	DX 170 W	126,2	R14	R18	-	-
DOOSAN	DX 180 NLC	127,0	R14	R18	-	-
DOOSAN	DX 180 LC	127,5	R14	R18	-	-
DOOSAN	DX 180 LC SLT	127,5	R14	R18	-	-
DOOSAN	DX 180 LC-3	128,4	R14	R18	-	-
DOOSAN	DX 180 NLC-3	128,4	R14	R18	-	-
DOOSAN	SOLAR 210W-V	128,5	R14	R18	-	-
DOOSAN	SOLAR 210 W-V	129,0	R14	R18	-	-
DOOSAN	DX 220 LCA	130,0	R14	R18	-	-
DOOSAN	DX 190 W-3	135,3	R14	R18	-	-
DOOSAN	DX 210 W-5	139,2	R14	R18	-	-
DOOSAN	DX 190 W TIER 3	139,2	R14	R18	-	-
DOOSAN	SOLAR 225 LC-V	144,0	R18	R18	-	-

GENERAL SELECTION GUIDE - EXCAVATOR

For more information visit combiwearparts.com.

			C-REX		ProClaws	
BRAND	MODEL	MAX BOF, kN	GP	HD/XHD	GP	HD/XHD
DOOSAN	SOLAR 225 NLC-V	144,0	R18	R18	-	-
DOOSAN	DH 215 - 9 E	144,1	R18	R18	-	-
DOOSAN	DH 220 LC - 9 E	144,1	R18	R18	-	-
DOOSAN	DH 225 LC - 9	144,1	R18	R18	-	-
DOOSAN	DH 210 W - 7	148,0	R18	R23	W09	W09
DOOSAN	DX 220 A	149,0	R18	R23	W09	W09
DOOSAN	DX 225 LC	149,0	R18	R23	W09	W09
DOOSAN	DX 225 LC-3	149,0	R18	R23	W09	W09
DOOSAN	DX 225 NLC	149,0	R18	R23	W09	W09
DOOSAN	DX 235 LCR	149,0	R18	R23	W09	W09
DOOSAN	DX 235 NLC	149,0	R18	R23	W09	W09
DOOSAN	DX 500 LCA (SLR)	149,0	R18	R23	W09	W09
DOOSAN	DX 520 LC SLR	149,0	R18	R23	W09	W09
DOOSAN	DX 530 LC-5 (SLR)	149,0	R18	R23	W09	W09
DOOSAN	DX 225 LCA	149,1	R18	R23	W09	W09
DOOSAN	DX 530 LC-3 SLR	149,1	R18	R23	W09	W09
DOOSAN	DX 200 A	151,0	R18	R23	W09	W09
DOOSAN	DX 235 LCR-5	160,0	R18	R23	W09	W09
DOOSAN	DX 235 LC-5	161,8	R18	R23	W09	W09
DOOSAN	DX 235 NLC-5	165,0	R18	R23	W09	W09
DOOSAN	SOLAR 255 LC-V	167,0	R18	R23	W09	W09
DOOSAN	DX 255 LC-3	175,5	R18	R23	W09	W10
DOOSAN	DX 255 NLC-3	175,5	R18	R23	W09	W10
DOOSAN	DX 255 LC-5	179,0	R18	R23	W09	W10
DOOSAN	DX 255 NLC-5	179,0	R18	R23	W09	W10
DOOSAN	DX 260 LC A	180,0	R18	R23	W09	W10
DOOSAN	DX 255 LC INTERIM TIER 4	180,4	R18	R23	W09	W10
DOOSAN	DX 255 LC (ME)	182,6	R18	R23	W09	W10
DOOSAN	DX 255 LC TIER 3	182,6	R18	R23	W09	W10
DOOSAN	DX 255 NLC	182,6	R18	R23	W09	W10
DOOSAN	DX 255 NLC (ME)	182,6	R18	R23	W09	W10
DOOSAN	DX 300 LC-3 INTERIM TIER 4	196,1	R23	R29	W09	W10
DOOSAN	DX 300 LC-3 TIER 3	196,1	R23	R29	W09	W10
DOOSAN	DX 300 NLC-3 INTERIM TIER 4	196,1	R23	R29	W09	W10
DOOSAN	DX 300 NLC-3 TIER 3	196,1	R23	R29	W09	W10
DOOSAN	DX 300 LC INTERIM TIER 4	196,1	R23	R29	W09	W10
DOOSAN	DX 300 LC-5	196,1	R23	R29	W09	W10
DOOSAN	DX 300 LC TIER 3	199,0	R23	R29	W09	W10
DOOSAN	DX 300 NLC	199,0	R23	R29	W09	W10
DOOSAN	DX 530 LC-5 (SEMI SLR)	199,1	R23	R29	W09	W10
DOOSAN	DH 300 LC - 7	200,0	R23	R29	W09	W10
DOOSAN	DX 300 LC SLR TIER 3	200,0	R23	R29	W09	W10
DOOSAN	DX 300 NLC-5	200,0	R23	R29	W09	W10
DOOSAN	DX 340 LC	239,0	R29	R35	W10	W20

GENERAL SELECTION GUIDE - EXCAVATOR

For more information visit combiwearparts.com.

			C-REX		ProClaws	
BRAND	MODEL	MAX BOF, kN	GP	HD/XHD	GP	HD/XHD
DOOSAN	DX 340 NLC	239,0	R29	R35	W10	W20
DOOSAN	DX 340 LCA	240,2	R29	R35	W10	W20
DOOSAN	DX 340 NLCA	240,2	R29	R35	W10	W20
DOOSAN	DX 350 LC TIER 3	240,2	R29	R35	W10	W20
DOOSAN	DX 340 NLCA (ME)	243,2	R29	R35	W10	W20
DOOSAN	DX 520 LCA	246,1	R29	R35	W10	W20
DOOSAN	DX 340 LCA (ME)	248,2	R29	R35	W10	W20
DOOSAN	DX 350 LC INTERIM TIER 4	254,0	R29	R35	W10	W20
DOOSAN	DX 350 LC-3	254,0	R29	R35	W10	W20
DOOSAN	DX 350 LC-5	254,0	R29	R35	W10	W20
DOOSAN	DX 340 LC-3 INTERIM TIER 4	254,0	R29	R35	W10	W20
DOOSAN	DX 340 LC-3 TIER 3	254,0	R29	R35	W10	W20
DOOSAN	DX 340 NLC-3 INTERIM TIER 4	254,0	R29	R35	W10	W20
DOOSAN	DX 340 NLC-3 TIER 3	254,0	R29	R35	W10	W20
DOOSAN	DX 380 LC-3	254,0	R29	R35	W10	W20
DOOSAN	DX 380 NLC-3	254,0	R29	R35	W10	W20
DOOSAN	DX 340 LC-5	259,0	R29	R35	W10	W20
DOOSAN	DX 340 NLC-5	259,0	R29	R35	W10	W20
DOOSAN	DX 380 LC-5	259,0	R29	R35	W10	W20
DOOSAN	DX 380 NLC-5	259,0	R29	R35	W10	W20
DOOSAN	DX 420 LC	265,0	R29	R35	W10	W20
DOOSAN	DX 420 LC HD	265,0	R29	R35	W10	W20
DOOSAN	DX 420 LC-3	265,7	R29	R35	W10	W20
DOOSAN	DX 420 LC-3 N	265,7	R29	R35	W10	W20
DOOSAN	DX 420 LCA	265,7	R29	R35	W10	W20
DOOSAN	DX 420 LC-5	265,7	R29	R35	W10	W20
DOOSAN	DX 420 NLC-5	265,8	R29	R35	W10	W20
DOOSAN	S 300 LC7	266,4	R29	R35	W10	W20
DOOSAN	S 470 LCV	266,4	R29	R35	W10	W20
DOOSAN	S 500 LCV	267,8	R29	R35	W10	W20
DOOSAN	DX 520 LC	295,0	R35	-	W20	W20
DOOSAN	DX 500 LCA	295,2	R35	-	W20	W20
DOOSAN	DX 480 LC	300,0	R35	-	W20	W20
DOOSAN	DX 480 NLC	300,0	R35	-	W20	W20
DOOSAN	DX 480 LCA	302,0	R35	-	W20	W20
DOOSAN	DX 490 LC-3	302,0	R35	-	W20	W20
DOOSAN	DX 490 LC-5 (VARIABLE U/C)	302,0	R35	-	W20	W20
DOOSAN	DX 490 NLC-5	302,0	R35	-	W20	W20
DOOSAN	DX 530 LC-3	302,0	R35	-	W20	W20
DOOSAN	DX 530 LC-3 N	302,0	R35	-	W20	W20
DOOSAN	DX 530 LC-3 SEMI SLR	302,0	R35	-	W20	W20
DOOSAN	DX 530 LC-5	302,0	R35	-	W20	W20
DOOSAN	DX 530 NLC-5	302,0	R35	-	W20	W20
DOOSAN	DX 490 LC-5 (FIXED U/C)	302,0	R35	-	W20	W20

GENERAL SELECTION GUIDE - EXCAVATOR

For more information visit combiwearparts.com.

			C-REX		ProClaws	
BRAND	MODEL	MAX BOF, kN	GP	HD/XHD	GP	HD/XHD
DOOSAN	DX 530 LC-5 (ME)	302,0	R35	-	W20	W20
DOOSAN	DX 700 LC	350,1	-	-	W25	W25
DOOSAN	DX 700 LC (ME)	350,1	-	-	W25	W25
DOOSAN	DX 700 LCA	350,1	-	-	W25	W25
DOOSAN DAEWOO	SOLAR 155 LC-V HT	81,4	R10	R10	-	-
DOOSAN DAEWOO	SOLAR 140 W-V	81,8	R10	R10	-	-
DOOSAN DAEWOO	SOLAR 160 W-V	81,8	R10	R10	-	-
DOOSAN DAEWOO	SOLAR 140 LC-V	82,0	R10	R10	-	-
DOOSAN DAEWOO	SOLAR 155 LC-V	85,0	R10	R10	-	-
DOOSAN DAEWOO	SOLAR 180 W-V	110,0	R10	R14	-	-
DOOSAN DAEWOO	SOLAR 175 LC-V HT	124,5	R14	R18	-	-
DOOSAN DAEWOO	SOLAR 175-V SLT	124,5	R14	R18	-	-
DOOSAN DAEWOO	SOLAR 175 LC-V	126,0	R14	R18	-	-
DOOSAN DAEWOO	SOLAR 175 LCV-N	126,0	R14	R18	-	-
DOOSAN DAEWOO	SOLAR 210 W-V	129,0	R14	R18	-	-
DOOSAN DAEWOO	SOLAR 225 LC-V	144,0	R18	R18	-	-
DOOSAN DAEWOO	SOLAR 225 NLC-V	144,0	R18	R18	-	-
DOOSAN DAEWOO	SOLAR 255 LC-V	167,0	R18	R23	W09	W09
DOOSAN DAEWOO	DX 300 LC	199,0	R23	R29	W09	W10
DOOSAN DAEWOO	DX 300 NLC	199,0	R23	R29	W09	W10
DOOSAN DAEWOO	SOLAR 300 LC-V	200,0	R23	R29	W09	W10
DOOSAN DAEWOO	DX 340 LC	239,0	R29	R35	W10	W20
DOOSAN DAEWOO	DX 340 NLC	239,0	R29	R35	W10	W20
DOOSAN DAEWOO	SOLAR 340 LC-V	240,0	R29	R35	W10	W20
DOOSAN DAEWOO	SOLAR 340 NLC-V	240,0	R29	R35	W10	W20
DOOSAN DAEWOO	DX 420 LC	265,0	R29	R35	W10	W20
DOOSAN DAEWOO	SOLAR 420 LC-V	265,0	R29	R35	W10	W20
DOOSAN DAEWOO	SOLAR 500 LC-V	270,0	R29	R35	W10	W20
DOOSAN DAEWOO	DX 520 LC	295,2	R35	-	W20	W20
DOOSAN DAEWOO	DX 480 LC	300,0	R35	-	W20	W20
DOOSAN DAEWOO	DX 480 NLC	300,0	R35	-	W20	W20
DOOSAN DAEWOO	SOLAR 470 LC-V	300,0	R35	-	W20	W20
EUROCOMACH	ES 800 / TR	65,2	R10	R10	-	-
FIAT - HITACHI	FH 120 W	77,5	R10	R10	-	-
FIAT - HITACHI	EX 100	78,0	R10	R10	-	-
FIAT - HITACHI	EX 100 M	78,0	R10	R10	-	-
FIAT - HITACHI	EX 100 M,5	78,0	R10	R10	-	-
FIAT - HITACHI	EX 100,5	78,0	R10	R10	-	-
FIAT - HITACHI	FH 115 W	80,4	R10	R10	-	-
FIAT - HITACHI	FH 130 W-3	82,4	R10	R10	-	-
FIAT - HITACHI	EX 135	83,4	R10	R10	-	-
FIAT - HITACHI	EX 135 W	84,0	R10	R10	-	-
FIAT - HITACHI	FH 150 LC,3	88,0	R10	R10	-	-
FIAT - HITACHI	FH 150,3	88,0	R10	R10	-	-

GENERAL SELECTION GUIDE - EXCAVATOR

For more information visit combiwearparts.com.

			C-REX		ProClaws	
BRAND	MODEL	MAX BOF, kN	GP	HD/XHD	GP	HD/XHD
FIAT - HITACHI	EX 135 UR	89,0	R10	R14	-	-
FIAT - HITACHI	EX 135 USR	89,0	R10	R14	-	-
FIAT - HITACHI	FH 150 W-3	93,2	R10	R14	-	-
FIAT - HITACHI	EX 165 W	95,0	R10	R14	-	-
FIAT - HITACHI	EX 165	110,0	R10	R14	-	-
FIAT - HITACHI	EX 165 LC	110,0	R10	R14	-	-
FIAT - HITACHI	FH 200 W-3	117,6	R14	R18	-	-
FIAT - HITACHI	FH 240 EL,3	127,5	R14	R18	-	-
FIAT - HITACHI	FH 240 LC,3	127,5	R14	R18	-	-
FIAT - HITACHI	FH 240,3	127,5	R14	R18	-	-
FIAT - HITACHI	EX 225 USR	134,0	R14	R18	-	-
FIAT - HITACHI	EX 225 USR LC	134,0	R14	R18	-	-
FIAT - HITACHI	EX 215	142,2	R18	R18	-	-
FIAT - HITACHI	EX 215 E	142,2	R18	R18	-	-
FIAT - HITACHI	EX 215 LC	142,2	R18	R18	-	-
FIAT - HITACHI	EX 215 W	142,2	R18	R18	-	-
FIAT - HITACHI	EX 235	142,2	R18	R18	-	-
FIAT - HITACHI	FH 270,3	149,0	R18	R23	W09	W09
FIAT - HITACHI	EX 255	165,0	R18	R23	W09	W09
FIAT - HITACHI	EX 255 EL	165,0	R18	R23	W09	W09
FIAT - HITACHI	EX 255 LC	165,0	R18	R23	W09	W09
FIAT - HITACHI	EX 285	172,0	R18	R23	W09	W10
FIAT - HITACHI	EX 285 LC	172,0	R18	R23	W09	W10
FIAT - HITACHI	FH 330 LC,3	178,0	R18	R23	W09	W10
FIAT - HITACHI	FH 330,3	178,0	R18	R23	W09	W10
FIAT - HITACHI	EX 355 EL	210,8	R23	R29	W10	W10
FIAT - HITACHI	EX 355 LC	210,8	R23	R29	W10	W10
FIAT - HITACHI	EX 355 BEH	220,0	R23	R29	W10	W10
FIAT - HITACHI	FH 450 BEH,3	236,3	R29	R35	W10	W20
FIAT - HITACHI	FH 450 LCH,3	236,3	R29	R35	W10	W20
FIAT - HITACHI	EX 455 BEH	241,0	R29	R35	W10	W20
FIAT - HITACHI	EX 455 LCH	241,0	R29	R35	W10	W20
FIAT KOBELCO	FH 120 W	77,5	R10	R10	-	-
FIAT KOBELCO	EX 100	78,0	R10	R10	-	-
FIAT KOBELCO	EX 100 M	78,0	R10	R10	-	-
FIAT KOBELCO	EX 125 W	79,0	R10	R10	-	-
FIAT KOBELCO	EX 135	83,4	R10	R10	-	-
FIAT KOBELCO	EX 135 W	84,0	R10	R10	-	-
FIAT KOBELCO	E 145 W EVOLUTION	85,3	R10	R10	-	-
FIAT KOBELCO	E 115 SR EVOLUTION	88,0	R10	R10	-	-
FIAT KOBELCO	EX 135 USR	89,0	R10	R14	-	-
FIAT KOBELCO	E 135 SRLC EVOLUTION	90,0	R10	R14	-	-
FIAT KOBELCO	EX 165 W	95,0	R10	R14	-	-
FIAT KOBELCO	E 175 W EVOLUTION	99,0	R10	R14	-	-

GENERAL SELECTION GUIDE - EXCAVATOR

For more information visit combiwearparts.com.

			C-REX		ProClaws	
BRAND	MODEL	MAX BOF, kN	GP	HD/XHD	GP	HD/XHD
FIAT KOBELCO	E 135 EVOLUTION	100,0	R10	R14	-	-
FIAT KOBELCO	EX 165	110,0	R10	R14	-	-
FIAT KOBELCO	EX 165 LC	110,0	R10	R14	-	-
FIAT KOBELCO	E 200 SR EVOLUTION	124,0	R14	R18	-	-
FIAT KOBELCO	E 200 SR-LC EVOLUTION	124,0	R14	R18	-	-
FIAT KOBELCO	E 165 EVOLUTION	125,0	R14	R18	-	-
FIAT KOBELCO	E 165 LC EVOLUTION	125,0	R14	R18	-	-
FIAT KOBELCO	E 195 W EVOLUTION	125,0	R14	R18	-	-
FIAT KOBELCO	EX 225 USR	134,0	R14	R18	-	-
FIAT KOBELCO	EX 225 USRLC	134,0	R14	R18	-	-
FIAT KOBELCO	E 195 EL EVOLUTION	140,0	R14	R18	-	-
FIAT KOBELCO	E 195 LC EVOLUTION	140,0	R14	R18	-	-
FIAT KOBELCO	EX 215	142,2	R18	R18	-	-
FIAT KOBELCO	EX 215 E	142,2	R18	R18	-	-
FIAT KOBELCO	EX 215 LC	142,2	R18	R18	-	-
FIAT KOBELCO	EX 215 W	142,2	R18	R18	-	-
FIAT KOBELCO	EX 215 WH	142,2	R18	R18	-	-
FIAT KOBELCO	EX 235	142,2	R18	R18	-	-
FIAT KOBELCO	E 215 W EVOLUTION	145,0	R18	R18	-	-
FIAT KOBELCO	E 235 SRLC EVOLUTION	157,0	R18	R23	W09	W09
FIAT KOBELCO	E 235 SRNLC EVOLUTION	157,0	R18	R23	W09	W09
FIAT KOBELCO	E 215 E EVOLUTION	160,0	R18	R23	W09	W09
FIAT KOBELCO	E 215 EVOLUTION	160,0	R18	R23	W09	W09
FIAT KOBELCO	E 215 LC EVOLUTION	160,0	R18	R23	W09	W09
FIAT KOBELCO	E 235 EVOLUTION	160,0	R18	R23	W09	W09
FIAT KOBELCO	EX 255	165,0	R18	R23	W09	W09
FIAT KOBELCO	EX 255 EL	165,0	R18	R23	W09	W09
FIAT KOBELCO	EX 255 LC	165,0	R18	R23	W09	W09
FIAT KOBELCO	EX 285	172,0	R18	R23	W09	W10
FIAT KOBELCO	EX 285 LC	172,0	R18	R23	W09	W10
FIAT KOBELCO	E 265 EL EVOLUTION	190,0	R23	R29	W09	W10
FIAT KOBELCO	E 265 LC EVOLUTION	190,0	R23	R29	W09	W10
FIAT KOBELCO	E 305 EL EVOLUTION	195,0	R23	R29	W09	W10
FIAT KOBELCO	E 305 LC EVOLUTION	195,0	R23	R29	W09	W10
FIAT KOBELCO	E 355 EL EVOLUTION	210,8	R23	R29	W10	W10
FIAT KOBELCO	E 355 LC EVOLUTION	210,8	R23	R29	W10	W10
FIAT KOBELCO	EX 355 EL	210,8	R23	R29	W10	W10
FIAT KOBELCO	EX 355 LC	210,8	R23	R29	W10	W10
FIAT KOBELCO	E 355 BEH EVOLUTION	220,0	R23	R29	W10	W10
FIAT KOBELCO	EX 355 BEH	220,0	R23	R29	W10	W10
FIAT KOBELCO	E 385 BEH EVOLUTION	240,0	R29	R35	W10	W20
FIAT KOBELCO	E 385 EL EVOLUTION	240,0	R29	R35	W10	W20
FIAT KOBELCO	E 385 LC EVOLUTION	240,0	R29	R35	W10	W20
FIAT KOBELCO	EX 455 BEH	241,0	R29	R35	W10	W20

GENERAL SELECTION GUIDE - EXCAVATOR

For more information visit combiwearparts.com.

			C-REX		ProClaws	
BRAND	MODEL	MAX BOF, kN	GP	HD/XHD	GP	HD/XHD
FIAT KOBELCO	EX 455 LCH	241,0	R29	R35	W10	W20
FIAT KOBELCO	E 485 BEH EVOLUTION	270,0	R29	R35	W10	W20
FIAT KOBELCO	E 485 LCH EVOLUTION	270,0	R29	R35	W10	W20
FIAT KOBELCO	E 805 EVOLUTION	322,0	-	-	W20	W25
FURUKAWA	725 SHORT	93,1	R10	R14	-	-
FURUKAWA	725 STD	93,1	R10	R14	-	-
FURUKAWA	725 WIDE	93,1	R10	R14	-	-
FURUKAWA	725-II LC	93,1	R10	R14	-	-
FURUKAWA	725-II N	93,1	R10	R14	-	-
FURUKAWA	725-II NLC	93,1	R10	R14	-	-
FURUKAWA	W 725 LS	93,1	R10	R14	-	-
FURUKAWA	W 725-II	93,1	R10	R14	-	-
FURUKAWA	W 730-II	111,9	R14	R14	-	-
FURUKAWA	730 SHORT	112,0	R14	R14	-	-
FURUKAWA	730 STD	112,0	R14	R14	-	-
FURUKAWA	730 WIDE	112,0	R14	R14	-	-
FURUKAWA	730-II LC	112,0	R14	R14	-	-
FURUKAWA	730-II N	112,0	R14	R14	-	-
FURUKAWA	730-II NLC	112,0	R14	R14	-	-
FURUKAWA	W 730 LS	112,0	R14	R14	-	-
FURUKAWA	735 HD	118,5	R14	R18	-	-
FURUKAWA	735 N	118,5	R14	R18	-	-
FURUKAWA	735 STD,	118,5	R14	R18	-	-
FURUKAWA	W 735 LS	118,5	R14	R18	-	-
FURUKAWA	738-II LC	138,9	R14	R18	-	-
FURUKAWA	738-II NLC	138,9	R14	R18	-	-
FURUKAWA	W 735-II	139,5	R14	R18	-	-
FURUKAWA	735-II LC	139,6	R14	R18	-	-
FURUKAWA	735-II MLC	139,6	R14	R18	-	-
FURUKAWA	735-II NLC	139,6	R14	R18	-	-
FURUKAWA	W 738 LS	143,0	R18	R18	-	-
FURUKAWA	W 738-II	143,3	R18	R18	-	-
FURUKAWA	738 STD,	143,4	R18	R18	-	-
FURUKAWA	640	144,0	R18	R18	-	-
FURUKAWA	640 HD	144,0	R18	R18	-	-
FURUKAWA	740-II NLC	157,9	R18	R23	W09	W09
FURUKAWA	645	158,0	R18	R23	W09	W09
FURUKAWA	645 HD	158,0	R18	R23	W09	W09
FURUKAWA	740	158,0	R18	R23	W09	W09
FURUKAWA	745-II NLC	180,0	R18	R23	W09	W10
FURUKAWA	650 E	193,0	R23	R29	W09	W10
GALLMAC	WMW 100	59,4	R10	R10	-	-
GALLMAC	WMW 100 L/LT	59,4	R10	R10	-	-
GALLMAC	WMW 115	64,7	R10	R10	-	-

GENERAL SELECTION GUIDE - EXCAVATOR

For more information visit combiwearparts.com.

			C-REX		ProClaws	
BRAND	MODEL	MAX BOF, kN	GP	HD/XHD	GP	HD/XHD
GALLMAC	WMW 150	73,5	R10	R10	-	-
GEHL	1202	71,0	R10	R10	-	-
GRADALL	XL 2200	75,8	R10	R10	-	-
GRADALL	XL 3200	79,0	R10	R10	-	-
GRADALL	XL 3100 IV	80,0	R10	R10	-	-
GRADALL	XL 4200	84,0	R10	R10	-	-
GRADALL	XL 3200-LC	85,6	R10	R10	-	-
GRADALL	XL 3300	85,6	R10	R10	-	-
GRADALL	XL 3300 III	85,8	R10	R10	-	-
GRADALL	XL 3200 III	86,0	R10	R10	-	-
GRADALL	XL 5200	97,5	R10	R14	-	-
GRADALL	XL 4100 IV	110,8	R10	R14	-	-
GRADALL	XL 5100 IV	110,8	R10	R14	-	-
GRADALL	XL 4200 III	113,0	R14	R18	-	-
GRADALL	XL 4300 III	113,0	R14	R18	-	-
GRADALL	XL 5200 III	113,0	R14	R18	-	-
GRADALL	XL 5300 III	113,0	R14	R18	-	-
GRADALL	XL 4200 II	113,2	R14	R18	-	-
GRADALL	XL 4300 II	113,2	R14	R18	-	-
HALLA	HE 130 W	71,6	R10	R10	-	-
HALLA	HE 130 LCE	82,8	R10	R10	-	-
HBM - NOBAS	UB 12 M	79,6	R10	R10	-	-
HBM - NOBAS	UB 14 M	96,0	R10	R14	-	-
HBM - NOBAS	UB 16 M	96,0	R10	R14	-	-
HBM - NOBAS	UB 17 R	96,0	R10	R14	-	-
HBM - NOBAS	UB 30 LC	198,0	R23	R29	W09	W10
HBM - NOBAS	UB 30 LCV	198,0	R23	R29	W09	W10
HBM - NOBAS	UB 30 NLC	198,0	R23	R29	W09	W10
HIDROMEK	HMK 220 LC LR TIER 3	71,5	R10	R10	-	-
HIDROMEK	HMK 300 LC LR INTERIM TIER 4	71,5	R10	R10	-	-
HIDROMEK	HMK 300 LC LR TIER 3	71,5	R10	R10	-	-
HIDROMEK	HMK 220 LC LR INTERIM TIER 4	71,6	R10	R10	-	-
HIDROMEK	HMK 140 LC (DOZER)	103,9	R10	R14	-	-
HIDROMEK	HMK 140 LC INTERIM TIER 4	103,9	R10	R14	-	-
HIDROMEK	HMK 140 W INTERIM TIER 4	103,9	R10	R14	-	-
HIDROMEK	HMK 140 W TIER 3	106,9	R10	R14	-	-
HIDROMEK	HMK 140 LC TIER 3	106,9	R10	R14	-	-
HIDROMEK	HMK 370 LC LR	111,8	R14	R14	-	-
HIDROMEK	HMK 200 W	140,4	R14	R18	-	-
HIDROMEK	HMK 220 LC	142,2	R18	R18	-	-
HIDROMEK	HMK 200 W-2	145,8	R18	R18	-	-
HIDROMEK	HMK 220 LC-2	163,8	R18	R23	W09	W09
HIDROMEK	HMK 200 W INTERIM TIER 4	168,6	R18	R23	W09	W10
HIDROMEK	HMK 200 W TIER 3	168,6	R18	R23	W09	W10

GENERAL SELECTION GUIDE - EXCAVATOR

For more information visit combiwearparts.com.

			C-REX		ProClaws	
BRAND	MODEL	MAX BOF, kN	GP	HD/XHD	GP	HD/XHD
HIDROMEK	HMK 220 LC INTERIM TIER 4	168,6	R18	R23	W09	W10
HIDROMEK	HMK 220 LC TIER 3	168,6	R18	R23	W09	W10
HIDROMEK	HMK 300 LC	213,8	R23	R29	W10	W10
HIDROMEK	HMK 300 LC INTERIM TIER 4	215,7	R23	R29	W10	W10
HIDROMEK	HMK 300 LC TIER 3	215,7	R23	R29	W10	W10
HIDROMEK	HMK 370 LC HD INTERIM TIER 4	254,9	R29	R35	W10	W20
HIDROMEK	HMK 370 LC HD TIER 3	254,9	R29	R35	W10	W20
HIDROMEK	HMK 490 LC HD	279,4	R29	R35	W20	W20
HITACHI	EX 100 M-5	78,0	R10	R10	-	-
HITACHI	EX 100-5	78,0	R10	R10	-	-
HITACHI	ZX 330 LC-5G CLAMSHELL TELESCOPIC ARM	79,4	R10	R10	-	-
HITACHI	ZX 200 LC-5G SUPER LONG FRONT	84,0	R10	R10	-	-
HITACHI	ZX 240 LC-5G SUPER LONG FRONT	84,0	R10	R10	-	-
HITACHI	ZX 280 LC-5G SUPER LONG FRONT	84,0	R10	R10	-	-
HITACHI	ZX 330 LC-5G SUPER LONG FRONT	84,0	R10	R10	-	-
HITACHI	ZX 130 W	86,0	R10	R10	-	-
HITACHI	ZX 110	90,0	R10	R14	-	-
HITACHI	ZX 110 M-3	90,0	R10	R14	-	-
HITACHI	ZX 110-3	90,0	R10	R14	-	-
HITACHI	ZX 110 M	90,3	R10	R14	-	-
HITACHI	ZX 110 TIER 2	90,3	R10	R14	-	-
HITACHI	ZX 120-3	92,3	R10	R14	-	-
HITACHI	ZX 135 US-5	95,5	R10	R14	-	-
HITACHI	ZX 135 US-3	96,5	R10	R14	-	-
HITACHI	ZX 160 LC-5 INTERIM TIER 4	97,7	R10	R14	-	-
HITACHI	ZX 120	99,0	R10	R14	-	-
HITACHI	ZX 130	99,0	R10	R14	-	-
HITACHI	ZX 130 K-3	99,0	R10	R14	-	-
HITACHI	ZX 130 LCN-3	99,0	R10	R14	-	-
HITACHI	ZX 130-3	99,0	R10	R14	-	-
HITACHI	ZX 135 US	99,0	R10	R14	-	-
HITACHI	ZX 138 MF	99,0	R10	R14	-	-
HITACHI	ZX 140 W-3	99,0	R10	R14	-	-
HITACHI	ZX 140 W-3 TIER 3	99,0	R10	R14	-	-
HITACHI	ZX 145 W-3	99,0	R10	R14	-	-
HITACHI	ZX 120 H	99,0	R10	R14	-	-
HITACHI	ZX 160 LC-3	101,0	R10	R14	-	-
HITACHI	ZX 160 LC	102,0	R10	R14	-	-
HITACHI	ZX 160 W STD, GAUGE	102,0	R10	R14	-	-
HITACHI	ZX 160 W WIDE GAUGE	102,0	R10	R14	-	-
HITACHI	ZX 170 W-3	102,0	R10	R14	-	-
HITACHI	ZX 170 W-3 WIDE GAUGE	102,0	R10	R14	-	-
HITACHI	ZX 190 W-3	102,0	R10	R14	-	-
HITACHI	ZX 130 K-5G	104,0	R10	R14	-	-

GENERAL SELECTION GUIDE - EXCAVATOR

For more information visit combiwearparts.com.

			C-REX		ProClaws	
BRAND	MODEL	MAX BOF, kN	GP	HD/XHD	GP	HD/XHD
HITACHI	ZX 130 LCN-5B	104,0	R10	R14	-	-
HITACHI	ZX 130-5B	104,0	R10	R14	-	-
HITACHI	ZX 130-5B BLADE	104,0	R10	R14	-	-
HITACHI	ZX 130-5G	104,0	R10	R14	-	-
HITACHI	ZX 130-5G BLADE	104,0	R10	R14	-	-
HITACHI	ZX 135 US-5 BLADE	104,0	R10	R14	-	-
HITACHI	ZX 140 W-5	104,0	R10	R14	-	-
HITACHI	ZX 130-5	104,2	R10	R14	-	-
HITACHI	ZX 130-5 (BLADE)	104,2	R10	R14	-	-
HITACHI	ZX 130-6	104,2	R10	R14	-	-
HITACHI	ZX 130-6 DOZER	104,2	R10	R14	-	-
HITACHI	EX 200 LC SUPER	107,9	R10	R14	-	-
HITACHI	EX 210 LC SUPER	107,9	R10	R14	-	-
HITACHI	ZX 170 W-5	108,0	R10	R14	-	-
HITACHI	ZX 170 W-5 WIDE GAUGE	108,0	R10	R14	-	-
HITACHI	ZX 160 LC-5 BLADE	112,0	R14	R14	-	-
HITACHI	ZX 160 LC-5B	112,0	R14	R14	-	-
HITACHI	ZX 160 LC-5G	112,0	R14	R14	-	-
HITACHI	ZX 160 LC-6	112,0	R14	R14	-	-
HITACHI	ZX 180 LC	116,0	R14	R18	-	-
HITACHI	ZX 180 LCN	116,0	R14	R18	-	-
HITACHI	ZX 180 W	116,0	R14	R18	-	-
HITACHI	ZX 190 W-3 WIDE GAUGE	116,0	R14	R18	-	-
HITACHI	ZX 160 LC-5 TIER 2	118,6	R14	R18	-	-
HITACHI	ZX 180 LCN-3	122,0	R14	R18	-	-
HITACHI	ZX 190 W-5	123,0	R14	R18	-	-
HITACHI	ZX 190 W-5B WIDE GAUGE	123,0	R14	R18	-	-
HITACHI	ZX 180 LC-5B	127,0	R14	R18	-	-
HITACHI	ZX 180 LC-5G	127,0	R14	R18	-	-
HITACHI	ZX 180 LCN-5B	127,0	R14	R18	-	-
HITACHI	ZX 180 LCN-5G	127,0	R14	R18	-	-
HITACHI	ZX 180 LC-5 INTERIM TIER 4	127,0	R14	R18	-	-
HITACHI	ZX 180 LC-5 TIER 2	127,0	R14	R18	-	-
HITACHI	ZX 180 LC-6	127,0	R14	R18	-	-
HITACHI	ZX 220 W-3	128,9	R14	R18	-	-
HITACHI	ZX 200 LC-3	129,4	R14	R18	-	-
HITACHI	ZX 200-3	129,4	R14	R18	-	-
HITACHI	ZX 225 US LC-3	129,4	R14	R18	-	-
HITACHI	ZH 200 A HYBRID	143,0	R18	R18	-	-
HITACHI	ZX 470 LCH-5 (SLR) TYPE 20	144,0	R18	R18	-	-
HITACHI	ZX 200 LC-3G	151,0	R18	R23	W09	W09
HITACHI	ZX 200-3G	151,0	R18	R23	W09	W09
HITACHI	ZX 210	151,0	R18	R23	W09	W09
HITACHI	ZX 210 H-3G	151,0	R18	R23	W09	W09

GENERAL SELECTION GUIDE - EXCAVATOR

For more information visit combiwearparts.com.

			C-REX		ProClaws	
BRAND	MODEL	MAX BOF, kN	GP	HD/XHD	GP	HD/XHD
HITACHI	ZX 210 K-3	151,0	R18	R23	W09	W09
HITACHI	ZX 210 K-3G	151,0	R18	R23	W09	W09
HITACHI	ZX 210 LC	151,0	R18	R23	W09	W09
HITACHI	ZX 210 LC-3	151,0	R18	R23	W09	W09
HITACHI	ZX 210 LCH-3	151,0	R18	R23	W09	W09
HITACHI	ZX 210 LCH-3G	151,0	R18	R23	W09	W09
HITACHI	ZX 210 LCK-3	151,0	R18	R23	W09	W09
HITACHI	ZX 210 LCK-3G	151,0	R18	R23	W09	W09
HITACHI	ZX 210 LCN-3	151,0	R18	R23	W09	W09
HITACHI	ZX 210 N	151,0	R18	R23	W09	W09
HITACHI	ZX 210 W STD, GAUGE	151,0	R18	R23	W09	W09
HITACHI	ZX 210 W WIDE GAUGE	151,0	R18	R23	W09	W09
HITACHI	ZX 210 W-3 STANDARD GAUGE	151,0	R18	R23	W09	W09
HITACHI	ZX 210 W-3 WIDE GAUGE	151,0	R18	R23	W09	W09
HITACHI	ZX 210-3	151,0	R18	R23	W09	W09
HITACHI	ZX 225 US	151,0	R18	R23	W09	W09
HITACHI	ZX 225 US-3	151,0	R18	R23	W09	W09
HITACHI	ZX 225 USLC	151,0	R18	R23	W09	W09
HITACHI	ZX 225 USR	151,0	R18	R23	W09	W09
HITACHI	ZX 225 USR -3	151,0	R18	R23	W09	W09
HITACHI	ZX 225 USRLC	151,0	R18	R23	W09	W09
HITACHI	ZX 225 USRLC-3	151,0	R18	R23	W09	W09
HITACHI	ZX 240	151,0	R18	R23	W09	W09
HITACHI	ZX 240 N-3	151,0	R18	R23	W09	W09
HITACHI	ZH 200 LC-A HYBRID	158,0	R18	R23	W09	W09
HITACHI	ZH 210 LC-5B HYBRID	158,0	R18	R23	W09	W09
HITACHI	ZX 200 LC-5G	158,0	R18	R23	W09	W09
HITACHI	ZX 200-5G	158,0	R18	R23	W09	W09
HITACHI	ZX 210 H-3	158,0	R18	R23	W09	W09
HITACHI	ZX 210 H-5G	158,0	R18	R23	W09	W09
HITACHI	ZX 210 K-5G	158,0	R18	R23	W09	W09
HITACHI	ZX 210 LC-5 INTERIM TIER 4	158,0	R18	R23	W09	W09
HITACHI	ZX 210 LCH-5G	158,0	R18	R23	W09	W09
HITACHI	ZX 210 LCK-5G	158,0	R18	R23	W09	W09
HITACHI	ZX 210 LCN-5	158,0	R18	R23	W09	W09
HITACHI	ZX 210 MF	158,0	R18	R23	W09	W09
HITACHI	ZX 210-5 INTERIM TIER 4	158,0	R18	R23	W09	W09
HITACHI	ZX 220 W-5B	158,0	R18	R23	W09	W09
HITACHI	ZX 225 USLC-5B	158,0	R18	R23	W09	W09
HITACHI	ZX 225 USLC-5B BLADE	158,0	R18	R23	W09	W09
HITACHI	ZX 225 USRLC-5	158,0	R18	R23	W09	W09
HITACHI	ZX 240 N-5	158,0	R18	R23	W09	W09
HITACHI	ZX 210 LC-6	158,0	R18	R23	W09	W09
HITACHI	ZX 210-6	158,0	R18	R23	W09	W09

GENERAL SELECTION GUIDE - EXCAVATOR

For more information visit combiwearparts.com.

			C-REX		ProClaws	
BRAND	MODEL	MAX BOF, kN	GP	HD/XHD	GP	HD/XHD
HITACHI	ZX 230 W-5	158,0	R18	R23	W09	W09
HITACHI	ZX 210 LC-5 TIER 2	158,0	R18	R23	W09	W09
HITACHI	ZX 210-5 TIER 2	158,0	R18	R23	W09	W09
HITACHI	ZX 245 US LC-5	158,0	R18	R23	W09	W09
HITACHI	ZX 240 LC-3	167,0	R18	R23	W09	W09
HITACHI	ZX 290 LC-5 INTERIM TIER 4	175,0	R18	R23	W09	W10
HITACHI	ZX 230	180,0	R18	R23	W09	W10
HITACHI	ZX 240 LC-3G	180,0	R18	R23	W09	W10
HITACHI	ZX 240-3	180,0	R18	R23	W09	W10
HITACHI	ZX 240-3G	180,0	R18	R23	W09	W10
HITACHI	ZX 250	180,0	R18	R23	W09	W10
HITACHI	ZX 250 H-3	180,0	R18	R23	W09	W10
HITACHI	ZX 250 H-3G	180,0	R18	R23	W09	W10
HITACHI	ZX 250 K-3	180,0	R18	R23	W09	W10
HITACHI	ZX 250 K-3G	180,0	R18	R23	W09	W10
HITACHI	ZX 250 LC	180,0	R18	R23	W09	W10
HITACHI	ZX 250 LC-3	180,0	R18	R23	W09	W10
HITACHI	ZX 250 LCH-3	180,0	R18	R23	W09	W10
HITACHI	ZX 250 LCH-3G	180,0	R18	R23	W09	W10
HITACHI	ZX 250 LCK-3	180,0	R18	R23	W09	W10
HITACHI	ZX 250 LCK-3G	180,0	R18	R23	W09	W10
HITACHI	ZX 250 LCN	180,0	R18	R23	W09	W10
HITACHI	ZX 250 LCN-3	180,0	R18	R23	W09	W10
HITACHI	ZX 240 LC-5G	188,0	R23	R29	W09	W10
HITACHI	ZX 240-5G	188,0	R23	R29	W09	W10
HITACHI	ZX 250 H-5G	188,0	R23	R29	W09	W10
HITACHI	ZX 250 K-5G	188,0	R23	R29	W09	W10
HITACHI	ZX 250 LC-5 INTERIM TIER 4	188,0	R23	R29	W09	W10
HITACHI	ZX 250 LC-6	188,0	R23	R29	W09	W10
HITACHI	ZX 250 LCH-5G	188,0	R23	R29	W09	W10
HITACHI	ZX 250 LCK-5G	188,0	R23	R29	W09	W10
HITACHI	ZX 250 LCN-5	188,0	R23	R29	W09	W10
HITACHI	ZX 250 LCN-6	188,0	R23	R29	W09	W10
HITACHI	ZX 250 LC-5 TIER 2	189,0	R23	R29	W09	W10
HITACHI	ZX 270 LC-3	193,0	R23	R29	W09	W10
HITACHI	ZX 270-3	193,0	R23	R29	W09	W10
HITACHI	ZX 280 LC	193,0	R23	R29	W09	W10
HITACHI	ZX 280 LC-3	193,0	R23	R29	W09	W10
HITACHI	ZX 280 LCN	193,0	R23	R29	W09	W10
HITACHI	ZX 280 LCN-3	193,0	R23	R29	W09	W10
HITACHI	ZX 470 LCH-5 (SLR) TYPE 16	194,0	R23	R29	W09	W10
HITACHI	ZX 300 LC-6	202,0	R23	R29	W09	W10
HITACHI	ZX 280 LC-5G	202,0	R23	R29	W09	W10
HITACHI	ZX 280-5G	202,0	R23	R29	W09	W10

GENERAL SELECTION GUIDE - EXCAVATOR

For more information visit combiwearparts.com.

			C-REX		ProClaws	
BRAND	MODEL	MAX BOF, kN	GP	HD/XHD	GP	HD/XHD
HITACHI	ZX 290 LCN-5	202,0	R23	R29	W09	W10
HITACHI	ZX 300 LCN-6	202,0	R23	R29	W09	W10
HITACHI	ZX 290 LC-5 TIER 2	203,0	R23	R29	W09	W10
HITACHI	ZX 450 (SLR)	214,0	R23	R29	W10	W10
HITACHI	ZX 450 LC (SLR)	214,0	R23	R29	W10	W10
HITACHI	ZX 480 MT (SLR)	214,0	R23	R29	W10	W10
HITACHI	ZX 330 LC	214,5	R23	R29	W10	W10
HITACHI	ZX 370	214,5	R23	R29	W10	W10
HITACHI	ZX 330 LC-3	234,0	R29	R35	W10	W20
HITACHI	ZX 330-3	234,0	R29	R35	W10	W20
HITACHI	ZX 350 H-3	234,0	R29	R35	W10	W20
HITACHI	ZX 350 K-3	234,0	R29	R35	W10	W20
HITACHI	ZX 350 LC-3	234,0	R29	R35	W10	W20
HITACHI	ZX 350 LCH-3	234,0	R29	R35	W10	W20
HITACHI	ZX 350 LCK-3	234,0	R29	R35	W10	W20
HITACHI	ZX 350 LCN-3	234,0	R29	R35	W10	W20
HITACHI	ZX 450 LCH (REACH)	234,0	R29	R35	W10	W20
HITACHI	ZX 400 LCH-3	236,0	R29	R35	W10	W20
HITACHI	ZX 400 R-3	236,0	R29	R35	W10	W20
HITACHI	ZX 330 LC-3G	237,0	R29	R35	W10	W20
HITACHI	ZX 330-3G	237,0	R29	R35	W10	W20
HITACHI	ZX 350 H-3G	237,0	R29	R35	W10	W20
HITACHI	ZX 350 K-3G	237,0	R29	R35	W10	W20
HITACHI	ZX 350 LC	237,0	R29	R35	W10	W20
HITACHI	ZX 350 LCH-3G	237,0	R29	R35	W10	W20
HITACHI	ZX 350 LCK-3G	237,0	R29	R35	W10	W20
HITACHI	ZX 350 LCN	237,0	R29	R35	W10	W20
HITACHI	ZX 370 MTH	237,0	R29	R35	W10	W20
HITACHI	ZX 370 LCH	237,3	R29	R35	W10	W20
HITACHI	ZX 330	237,5	R29	R35	W10	W20
HITACHI	ZX 350 H	237,5	R29	R35	W10	W20
HITACHI	ZX 350 K	237,5	R29	R35	W10	W20
HITACHI	ZX 350 LCH	237,5	R29	R35	W10	W20
HITACHI	ZX 350 LCK	237,5	R29	R35	W10	W20
HITACHI	ZX 470 LCH-5 (SLR) TYPE 14	238,0	R29	R35	W10	W20
HITACHI	ZX 330 LC-5G	246,0	R29	R35	W10	W20
HITACHI	ZX 330-5G	246,0	R29	R35	W10	W20
HITACHI	ZX 350 H-5G	246,0	R29	R35	W10	W20
HITACHI	ZX 350 H-5G TIER 2	246,0	R29	R35	W10	W20
HITACHI	ZX 350 K-5G	246,0	R29	R35	W10	W20
HITACHI	ZX 350 LC-5 INTERIM TIER 4	246,0	R29	R35	W10	W20
HITACHI	ZX 350 LC-6	246,0	R29	R35	W10	W20
HITACHI	ZX 350 LCH-5G	246,0	R29	R35	W10	W20
HITACHI	ZX 350 LCK-5G	246,0	R29	R35	W10	W20

GENERAL SELECTION GUIDE - EXCAVATOR

For more information visit combiwearparts.com.

			C-REX		ProClaws	
BRAND	MODEL	MAX BOF, kN	GP	HD/XHD	GP	HD/XHD
HITACHI	ZX 350 LCN-5	246,0	R29	R35	W10	W20
HITACHI	ZX 350 LCN-6	246,0	R29	R35	W10	W20
HITACHI	ZX 350 LC-5 TIER 2	246,0	R29	R35	W10	W20
HITACHI	ZX 380 LC-5	246,0	R29	R35	W10	W20
HITACHI	ZX 380 LC-6	246,0	R29	R35	W10	W20
HITACHI	EX 550 LC-5	251,0	R29	R35	W10	W20
HITACHI	EX 550-5	251,0	R29	R35	W10	W20
HITACHI	ZX 350 LC-3 BEH	251,0	R29	R35	W10	W20
HITACHI	ZX 350 LCN-3 BEH	251,0	R29	R35	W10	W20
HITACHI	ZX 350 LCBEH	253,0	R29	R35	W10	W20
HITACHI	ZX 450 LC-3	254,0	R29	R35	W10	W20
HITACHI	ZX 450 LC-3 (ME)	254,0	R29	R35	W10	W20
HITACHI	ZX 450 (REACH)	259,0	R29	R35	W10	W20
HITACHI	ZX 450 LC (REACH)	259,0	R29	R35	W10	W20
HITACHI	ZX 480 MT	259,0	R29	R35	W10	W20
HITACHI	ZX 500 LC	259,0	R29	R35	W10	W20
HITACHI	EX 600 H-5	261,0	R29	R35	W10	W20
HITACHI	EX 600 LCH-5	261,0	R29	R35	W10	W20
HITACHI	ZX 350 LC-5 (ME)	264,0	R29	R35	W10	W20
HITACHI	ZX 350 LC-6 (ME)	264,0	R29	R35	W10	W20
HITACHI	ZX 450 H (REACH)	269,0	R29	R35	W10	W20
HITACHI	ZX 460 LCH	269,0	R29	R35	W10	W20
HITACHI	ZX 480 MTH (REACH)	269,0	R29	R35	W10	W20
HITACHI	ZX 500 LCH	269,0	R29	R35	W10	W20
HITACHI	ZX 450 (BE)	271,0	R29	R35	W10	W20
HITACHI	ZX 450 H (BE)	271,0	R29	R35	W10	W20
HITACHI	ZX 450 LC (BE)	271,0	R29	R35	W10	W20
HITACHI	ZX 450 LCH (BE)	271,0	R29	R35	W10	W20
HITACHI	ZX 460 LCH (BE)	271,0	R29	R35	W10	W20
HITACHI	ZX 480 MT (BE)	271,0	R29	R35	W10	W20
HITACHI	ZX 480 MTH (BE)	271,0	R29	R35	W10	W20
HITACHI	ZX 500 LC (BE)	271,0	R29	R35	W10	W20
HITACHI	ZX 500 LCH (BE)	271,0	R29	R35	W10	W20
HITACHI	ZX 500 LC-3 (BE)	277,0	R29	R35	W10	W20
HITACHI	ZX 450-3	278,0	R29	R35	W10	W20
HITACHI	ZX 500 LC-3 (REACH)	278,0	R29	R35	W10	W20
HITACHI	ZX 470 H	285,0	R29	-	W10	W20
HITACHI	ZX 470 LC-5G (BE)	285,0	R29	-	W10	W20
HITACHI	ZX 470 LC-5G BE	285,0	R29	-	W10	W20
HITACHI	ZX 470 LC-5 (LATAM)	285,0	R29	-	W10	W20
HITACHI	ZX 470 LC-5 ME	285,0	R29	-	W10	W20
HITACHI	ZX 470 LC-6 (ME)	285,0	R29	-	W10	W20
HITACHI	ZX 470 LC-5	286,0	R29	-	W10	W20
HITACHI	ZX 470 LC-6	286,0	R29	-	W10	W20

GENERAL SELECTION GUIDE - EXCAVATOR

For more information visit combiwearparts.com.

			C-REX		ProClaws	
BRAND	MODEL	MAX BOF, kN	GP	HD/XHD	GP	HD/XHD
HITACHI	ZX 470 LC-5G	286,0	R29	-	W10	W20
HITACHI	ZX 470-5G	286,0	R29	-	W10	W20
HITACHI	ZX 470 LCH-3 (BE)	287,0	R29	-	W10	W20
HITACHI	ZX 520 LCH-3 (BE)	287,0	R29	-	W10	W20
HITACHI	ZX 520 LCR-3 (BE)	287,0	R29	-	W10	W20
HITACHI	ZX 470 H-3	288,0	R29	-	W10	W20
HITACHI	ZX 470 LCH-3 (REACH)	288,0	R29	-	W10	W20
HITACHI	ZX 520 LCH-3 (REACH)	288,0	R29	-	W10	W20
HITACHI	ZX 520 LCR-3 (REACH)	288,0	R29	-	W10	W20
HITACHI	EX 750-5	289,0	R29	-	W10	W20
HITACHI	EX 800 H-5	289,0	R29	-	W10	W20
HITACHI	ZX 600	290,0	R29	-	W10	W20
HITACHI	ZX 600 LC	290,0	R29	-	W10	W20
HITACHI	ZX 650 LC-3	290,0	R29	-	W10	W20
HITACHI	ZX 470-5G BE	294,0	R35	-	W20	W20
HITACHI	ZX 530 LCH-6 (BE)	294,0	R35	-	W20	W20
HITACHI	ZX 470 LCH-5 BE	295,0	R35	-	W20	W20
HITACHI	ZX 470 LCH-5G BE	295,0	R35	-	W20	W20
HITACHI	ZX 490 LCH-6 (BE)	295,0	R35	-	W20	W20
HITACHI	ZX 520 LCH-5 BE	295,0	R35	-	W20	W20
HITACHI	ZX 520 LCH-5 BER	295,0	R35	-	W20	W20
HITACHI	ZX 470 H-5G	296,0	R35	-	W20	W20
HITACHI	ZX 470 LCH-5 H	296,0	R35	-	W20	W20
HITACHI	ZX 470 LCH-5G	296,0	R35	-	W20	W20
HITACHI	ZX 490 LCH-6	296,0	R35	-	W20	W20
HITACHI	ZX 520 LCH-5 REACH	296,0	R35	-	W20	W20
HITACHI	ZX 520 LCH-5B H	296,0	R35	-	W20	W20
HITACHI	ZX 530 LCH-6	296,0	R35	-	W20	W20
HITACHI	ZX 650 H	306,0	R35	-	W20	W20
HITACHI	ZX 650 LCH	306,0	R35	-	W20	W20
HITACHI	ZX 650 LC-3 (REACH)	324,0	R35	-	W20	W20
HITACHI	ZX 670 LC-5 INTERIM TIER 4	324,0	R35	-	W20	W20
HITACHI	ZX 670 LC-5G (REACH)	324,0	R35	-	W20	W20
HITACHI	ZX 670 LC-6	324,0	R35	-	W20	W20
HITACHI	ZX 670 LCH-3 (REACH)	324,0	R35	-	W20	W20
HITACHI	ZX 670 LCH-5	324,0	R35	-	W20	W20
HITACHI	ZX 670 LCH-5G (REACH)	324,0	R35	-	W20	W20
HITACHI	ZX 670 LCR-3 (REACH)	324,0	R35	-	W20	W20
HITACHI	ZX 670 LCR-5	324,0	R35	-	W20	W20
HITACHI	ZX 650 LC-3 (ME)	332,0	R35	-	W20	W25
HITACHI	ZX 800	342,0	-	-	W20	W25
HITACHI	ZX 850 H	353,0	-	-	W20	W25
HITACHI	ZX 850 LC-3	359,0	-	-	W20	W25
HITACHI	ZX 670 LC-5 ME	369,0	-	-	W20	W25

GENERAL SELECTION GUIDE - EXCAVATOR

For more information visit combiwearparts.com.

			C-REX		ProClaws	
BRAND	MODEL	MAX BOF, kN	GP	HD/XHD	GP	HD/XHD
HITACHI	ZX 670 LC-5 TIER 2	369,0	-	-	W20	W25
HITACHI	ZX 670 LC-6 (ME)	369,0	-	-	W20	W25
HITACHI	ZX 650 LC-3 (BE)	369,0	-	-	W20	W25
HITACHI	ZX 670 LC-5G (BE)	369,0	-	-	W20	W25
HITACHI	ZX 670 LCH-3 (BE)	369,0	-	-	W20	W25
HITACHI	ZX 670 LCH-5G (BE)	369,0	-	-	W20	W25
HITACHI	ZX 670 LCR-3 (BE)	369,0	-	-	W20	W25
HITACHI	EX 1100-3	392,0	-	-	W20	W25
HITACHI	ZX 850 LC-3 (REACH)	399,0	-	-	W20	W25
HITACHI	ZX 850-3	399,0	-	-	W20	W25
HITACHI	ZX 870 -5G	399,0	-	-	W25	W25
HITACHI	ZX 870 LC-5G (REACH)	399,0	-	-	W25	W25
HITACHI	ZX 870 LC-5	399,0	-	-	W25	W25
HITACHI	ZX 870 LC-6	399,0	-	-	W25	W25
HITACHI	ZX 870 LC-6 (LONG REACH)	399,0	-	-	W25	W25
HITACHI	ZX 870 H-3	402,0	-	-	W25	W25
HITACHI	ZX 870 H-5G	402,0	-	-	W25	W25
HITACHI	ZX 870 LCH-3	402,0	-	-	W25	W25
HITACHI	ZX 870 LCH-3 (REACH)	402,0	-	-	W25	W25
HITACHI	ZX 870 LCH-5	402,0	-	-	W25	W25
HITACHI	ZX 870 LCH-5G	402,0	-	-	W25	W25
HITACHI	ZX 870 LCR-3 (REACH)	402,0	-	-	W25	W25
HITACHI	ZX 870 LCR-5	402,0	-	-	W25	W25
HITACHI	ZX 850 LC-3 (ME)	411,0	-	-	W25	W25
HITACHI	EX 1200	418,0	-	-	W30	W30
HITACHI	EX 1200-5 C	457,0	-	-	W39	W30
HITACHI	EX 1200-5D	457,0	-	-	W25	W30
HITACHI	ZX 850 LC-3 (BE)	472,0	-	-	W25	W30
HITACHI	ZX 870 LC-5G (BE)	472,0	-	-	W25	W30
HITACHI	ZX 870 LCH-3 (BE)	472,0	-	-	W25	W30
HITACHI	ZX 870 LCH-3 (BE) TIER 3	472,0	-	-	W25	W30
HITACHI	ZX 870 LCH-5G (BE)	472,0	-	-	W25	W30
HITACHI	ZX 870 LCR-3 (BE)	472,0	-	-	W25	W30
HITACHI	ZX 870 LC-5 (LATAM)	472,0	-	-	W25	W30
HITACHI	ZX 870 LC-5 ME	472,0	-	-	W25	W30
HITACHI	ZX 870 LC-6 (ME)	472,0	-	-	W25	W30
HITACHI	EX 1200-6	482,0	-	-	W30	W30
HITACHI	EX 1200-6 (LATAM)	482,0	-	-	W30	W30
HITACHI	EX 1900-6 (REACH)	489,0	-	-	W40	W40
HITACHI	EX 1200-5 C (BE)	550,0	-	-	W30	W40
HITACHI	EX 1200-5D BE	550,0	-	-	W30	W40
HITACHI	EX 1200-6 (BE)	569,0	-	-	W30	W40
HITACHI	EX 1200-6 BE (LATAM)	569,0	-	-	W30	W40
HITACHI	EX 1800	588,0	-	-	W40	W40

GENERAL SELECTION GUIDE - EXCAVATOR

For more information visit combiwearparts.com.

			C-REX		ProClaws	
BRAND	MODEL	MAX BOF, kN	GP	HD/XHD	GP	HD/XHD
HITACHI	EX 1800-3	588,0	-	-	W40	W40
HITACHI	EX 1900-5	663,0	-	-	W40	W50
HITACHI	EX 1900-5 (BE)	671,0	-	-	W40	W50
HITACHI	EX 1900-6 (BE) TIER 2	671,0	-	-	W40	W50
HITACHI	EX 1900-6 TIER 2	671,0	-	-	W40	W50
HITACHI	EX 2500	751,0	-	-	W40	W50
HITACHI	EX 2600-6 BE	830,0	-	-	W50	W50
HITACHI	EX 2500-5	832,0	-	-	W50	W50
HITACHI	EX 2500-6	832,0	-	-	W50	W50
HITACHI	EX 3500-3	932,0	-	-	W50	-
HITACHI	EX 3600-5	1050,0	-	-	-	-
HITACHI	EX 3600-6 BE	1050,0	-	-	-	-
HITACHI	EX 5500-5	1370,0	-	-	-	-
HITACHI	EX 5500-6	1370,0	-	-	-	-
HITACHI	EX 5600-6 BE	1480,0	-	-	-	-
HITACHI	EX 8000-6	2020,0	-	-	-	-
HYDREMA	M 700	56,0	R10	R10	-	-
HYDREMA	M 800	56,0	R10	R10	-	-
HYDREMA	M 1100	68,0	R10	R10	-	-
HYDREMA	M 1100 C	68,0	R10	R10	-	-
HYDREMA	M 1100 C SERIES 2	68,0	R10	R10	-	-
HYDREMA	R 1100	68,0	R10	R10	-	-
HYDREMA	R 1100 TIER 1	68,0	R10	R10	-	-
HYDREMA	M 1100 C COMPACT	72,0	R10	R10	-	-
HYDREMA	M 1100 C COMPACT SERIES 2	72,0	R10	R10	-	-
HYDREMA	M 1100 COMPACT	72,0	R10	R10	-	-
HYDREMA	M 1020	80,0	R10	R10	-	-
HYDREMA	M 1220	80,0	R10	R10	-	-
HYDREMA	M 1400 C	90,0	R10	R14	-	-
HYDREMA	M 1400 C SERIES 2	90,0	R10	R14	-	-
HYDREMA	M 1500 B	115,0	R14	R18	-	-
HYDREMA	M 1520 B	115,0	R14	R18	-	-
HYDREMA	M 1520 C	115,0	R14	R18	-	-
HYDREMA	M 1620 C	115,0	R14	R18	-	-
HYDREMA	M 1620 C SERIES 2	115,0	R14	R18	-	-
HYDREMA	M 1700	115,0	R14	R18	-	-
HYDREMA	M 1700 C	115,0	R14	R18	-	-
HYDREMA	M 1700 C SERIES 2	115,0	R14	R18	-	-
HYDREMA	M 1500	125,0	R14	R18	-	-
HYDREMA	M 1520	130,0	R14	R18	-	-
HYUNDAI	R 95 W-3	62,7	R10	R10	-	-
HYUNDAI	130 W	72,0	R10	R10	-	-
HYUNDAI	R 300 LC-9A LONG REACH	80,0	R10	R10	-	-
HYUNDAI	130 LCD-3	80,4	R10	R10	-	-

GENERAL SELECTION GUIDE - EXCAVATOR

For more information visit combiwearparts.com.

			C-REX		ProClaws	
BRAND	MODEL	MAX BOF, kN	GP	HD/XHD	GP	HD/XHD
HYUNDAI	HX 300 L (LONG REACH)	80,4	R10	R10	-	-
HYUNDAI	R 300 LC-9S LR	80,4	R10	R10	-	-
HYUNDAI	HX 220 L LONG REACH	83,4	R10	R10	-	-
HYUNDAI	R 220 LC-9A LONG REACH	83,4	R10	R10	-	-
HYUNDAI	R 210 LC-9 LONG REACH	83,4	R10	R10	-	-
HYUNDAI	R 210 LC-7 LONG REACH	83,4	R10	R10	-	-
HYUNDAI	130 LC-3	88,0	R10	R10	-	-
HYUNDAI	130 LCM-3	88,0	R10	R10	-	-
HYUNDAI	R 110 D-7A TIER 3	98,4	R10	R14	-	-
HYUNDAI	R 110-7A TIER 3	98,4	R10	R14	-	-
HYUNDAI	R 125 CR-9A	98,4	R10	R14	-	-
HYUNDAI	R 125 CR-9A (DOZER)	98,4	R10	R14	-	-
HYUNDAI	R 125 LCR-9A	98,4	R10	R14	-	-
HYUNDAI	R 125 LCR-9A (DOZER)	98,4	R10	R14	-	-
HYUNDAI	R 110 D-7A	98,4	R10	R14	-	-
HYUNDAI	R 110-7	98,4	R10	R14	-	-
HYUNDAI	R 110-7A	98,4	R10	R14	-	-
HYUNDAI	R 160 LC-3	98,7	R10	R14	-	-
HYUNDAI	R 160 LCD-3	98,7	R10	R14	-	-
HYUNDAI	130 W-3	101,9	R10	R14	-	-
HYUNDAI	R 140 LC-9	102,0	R10	R14	-	-
HYUNDAI	R 140 LC-9 (ME)	102,0	R10	R14	-	-
HYUNDAI	R 140 LC-9S	102,0	R10	R14	-	-
HYUNDAI	R 140 LCM-9	102,0	R10	R14	-	-
HYUNDAI	R 140 LC-7	104,8	R10	R14	-	-
HYUNDAI	R 140 LC-7A	104,8	R10	R14	-	-
HYUNDAI	R 140 LCM-7	104,8	R10	R14	-	-
HYUNDAI	R 140 LCM-7A	104,8	R10	R14	-	-
HYUNDAI	R 140 W-7	104,8	R10	R14	-	-
HYUNDAI	R 140 W-7A	104,8	R10	R14	-	-
HYUNDAI	R 140 LC-9A	110,7	R10	R14	-	-
HYUNDAI	R 140 LCD-9	110,7	R10	R14	-	-
HYUNDAI	R 140 LCD-9A	110,7	R10	R14	-	-
HYUNDAI	R 140 LCM-9A	110,7	R10	R14	-	-
HYUNDAI	R 140 W-9	110,7	R10	R14	-	-
HYUNDAI	R 140 W-9A	110,7	R10	R14	-	-
HYUNDAI	R 140 W-9S	110,7	R10	R14	-	-
HYUNDAI	R 145 CR-9	110,7	R10	R14	-	-
HYUNDAI	R 145 CR-9 DOZER	110,7	R10	R14	-	-
HYUNDAI	R 145 CR-9A	110,7	R10	R14	-	-
HYUNDAI	R 145 CR-9A DOZER	110,7	R10	R14	-	-
HYUNDAI	R 145 LCR-9 DOZER	110,7	R10	R14	-	-
HYUNDAI	R 145 LCR-9A	110,7	R10	R14	-	-
HYUNDAI	R 145 LCR-9A DOZER	110,7	R10	R14	-	-

GENERAL SELECTION GUIDE - EXCAVATOR

For more information visit combiwearparts.com.

			C-REX		ProClaws	
BRAND	MODEL	MAX BOF, kN	GP	HD/XHD	GP	HD/XHD
HYUNDAI	R 145 LCR-9	110,8	R10	R14	-	-
HYUNDAI	200 W-2	111,0	R14	R14	-	-
HYUNDAI	170 W-3	115,0	R14	R18	-	-
HYUNDAI	R 180 LC-3	115,0	R14	R18	-	-
HYUNDAI	R 180 LCD-3	115,0	R14	R18	-	-
HYUNDAI	R 180 NLC-3	115,0	R14	R18	-	-
HYUNDAI	R 170 W-7	118,4	R14	R18	-	-
HYUNDAI	200 NLC-3	120,3	R14	R18	-	-
HYUNDAI	R 160 LC-9 S	123,6	R14	R18	-	-
HYUNDAI	210 LC-3	125,5	R14	R18	-	-
HYUNDAI	210-3	125,5	R14	R18	-	-
HYUNDAI	R 160 LC-9	134,2	R14	R18	-	-
HYUNDAI	R 160 LC-9A	134,2	R14	R18	-	-
HYUNDAI	R 160 LCD-9	134,2	R14	R18	-	-
HYUNDAI	R 180 LC-9A	134,2	R14	R18	-	-
HYUNDAI	R 180 LC-9S	134,2	R14	R18	-	-
HYUNDAI	R 180 LCD-9A	134,2	R14	R18	-	-
HYUNDAI	R 180 LCD-9S	134,2	R14	R18	-	-
HYUNDAI	R 180 NLC-9A	134,2	R14	R18	-	-
HYUNDAI	R 180 NLC-9S	134,2	R14	R18	-	-
HYUNDAI	R 180 W-9A	134,2	R14	R18	-	-
HYUNDAI	R 180 W-9S	134,2	R14	R18	-	-
HYUNDAI	R 180 LC-9	134,2	R14	R18	-	-
HYUNDAI	R 160 W-9A	135,2	R14	R18	-	-
HYUNDAI	R 160 LC-7	135,9	R14	R18	-	-
HYUNDAI	R 160 LC-7A	135,9	R14	R18	-	-
HYUNDAI	R 170 W-7A	135,9	R14	R18	-	-
HYUNDAI	R 180 LC-7	135,9	R14	R18	-	-
HYUNDAI	R 180 LC-7A	135,9	R14	R18	-	-
HYUNDAI	R 180 NLC-7	135,9	R14	R18	-	-
HYUNDAI	R 180 NLC-7A	135,9	R14	R18	-	-
HYUNDAI	200 W-3	141,8	R18	R18	-	-
HYUNDAI	R 335 LC-9T	147,0	R18	R18	-	-
HYUNDAI	R 210 NLC-9	149,0	R18	R23	-	-
HYUNDAI	R 220 LC-9S	152,0	R18	R23	W09	W09
HYUNDAI	R 220 LC-9SH	152,0	R18	R23	W09	W09
HYUNDAI	R 235 LCR-9	152,0	R18	R23	W09	W09
HYUNDAI	R 210 LC-9	161,8	R18	R23	W09	W09
HYUNDAI	R 210 LC-9 HIGH WALKER	161,8	R18	R23	W09	W09
HYUNDAI	R 210 W-9	161,8	R18	R23	W09	W09
HYUNDAI	290 LC-3	164,0	R18	R23	W09	W09
HYUNDAI	290 NLC-3	164,0	R18	R23	W09	W09
HYUNDAI	290-3	164,0	R18	R23	W09	W09
HYUNDAI	HX 220 L	165,0	R18	R23	W09	W09

GENERAL SELECTION GUIDE - EXCAVATOR

For more information visit combiwearparts.com.

			C-REX		ProClaws	
BRAND	MODEL	MAX BOF, kN	GP	HD/XHD	GP	HD/XHD
HYUNDAI	HX 220 L HIGH WALKER	165,0	R18	R23	W09	W09
HYUNDAI	R 210 W-9A	165,0	R18	R23	W09	W09
HYUNDAI	R 210 W-9S	165,0	R18	R23	W09	W09
HYUNDAI	R 220 LC-9A	165,0	R18	R23	W09	W09
HYUNDAI	R 220 LC-9A HIGH WALKER	165,0	R18	R23	W09	W09
HYUNDAI	R 220-9 SH	165,0	R18	R23	W09	W09
HYUNDAI	R 235 LCR-9A	165,0	R18	R23	W09	W09
HYUNDAI	R 235 LCR-9A DOZER	165,0	R18	R23	W09	W09
HYUNDAI	R 200 W-7	165,8	R18	R23	W09	W09
HYUNDAI	R 200 W-7A	165,8	R18	R23	W09	W09
HYUNDAI	R 210 LC-7	165,8	R18	R23	W09	W09
HYUNDAI	R 210 LC-7 HIGH CHASSIS	165,8	R18	R23	W09	W09
HYUNDAI	R 210 LC-7A	165,8	R18	R23	W09	W09
HYUNDAI	R 210 LC-7A HIGH CHASSIS	165,8	R18	R23	W09	W09
HYUNDAI	R 210 NLC-7	165,8	R18	R23	W09	W09
HYUNDAI	R 210 NLC-7A	165,8	R18	R23	W09	W09
HYUNDAI	250 LC-3	166,0	R18	R23	W09	W09
HYUNDAI	250 LC-3 HIGH CHASSIS	166,0	R18	R23	W09	W09
HYUNDAI	250 NLC-3	166,0	R18	R23	W09	W09
HYUNDAI	250-3	166,0	R18	R23	W09	W09
HYUNDAI	R 260 LC-9A	178,5	R18	R23	W09	W10
HYUNDAI	R 260 LC-9A HIGH WALKER	178,5	R18	R23	W09	W10
HYUNDAI	R 260 LC-9S	178,5	R18	R23	W09	W10
HYUNDAI	R 260 NLC-9A	178,5	R18	R23	W09	W10
HYUNDAI	320 LC-3	190,0	R23	R29	W09	W10
HYUNDAI	320 NLC-3	190,0	R23	R29	W09	W10
HYUNDAI	320-3	190,0	R23	R29	W09	W10
HYUNDAI	R 250 LC-9	190,6	R23	R29	W09	W10
HYUNDAI	R 250 LC-9 HIGH WALKER	190,6	R23	R29	W09	W10
HYUNDAI	R 250 NLC-9	190,6	R23	R29	W09	W10
HYUNDAI	R 300 LC-9 S	192,2	R23	R29	W09	W10
HYUNDAI	R 300 LC-9 SH	192,2	R23	R29	W09	W10
HYUNDAI	R 300 LC-9A	192,2	R23	R29	W09	W10
HYUNDAI	R 300 LC-9A HIGH WALKER	192,2	R23	R29	W09	W10
HYUNDAI	R 300 NLC-9A	192,2	R23	R29	W09	W10
HYUNDAI	HX 260 L	193,8	R23	R29	W09	W10
HYUNDAI	HX 260 L HIGH WALKER	193,8	R23	R29	W09	W10
HYUNDAI	HX 260 NL	193,8	R23	R29	W09	W10
HYUNDAI	R 250 LC-7	194,7	R23	R29	W09	W10
HYUNDAI	R 250 LC-7 HIGH CHASSIS	194,7	R23	R29	W09	W10
HYUNDAI	R 250 LC-7A HIGH WALKER	194,7	R23	R29	W09	W10
HYUNDAI	R 250 NLC-7	194,7	R23	R29	W09	W10
HYUNDAI	R 250 NLC-7A	194,7	R23	R29	W09	W10
HYUNDAI	R 250 LC-7A	195,0	R23	R29	W09	W10

GENERAL SELECTION GUIDE - EXCAVATOR

For more information visit combiwearparts.com.

			C-REX		ProClaws	
BRAND	MODEL	MAX BOF, kN	GP	HD/XHD	GP	HD/XHD
HYUNDAI	R 290 LC-9	205,5	R23	R29	W09	W10
HYUNDAI	R 290 LC-9 HIGH WALKER	205,5	R23	R29	W09	W10
HYUNDAI	R 290 LC-9 LONG REACH	205,5	R23	R29	W09	W10
HYUNDAI	R 290 NLC-9	205,5	R23	R29	W09	W10
HYUNDAI	HX 300 (HIGH WALKER)	208,7	R23	R29	W09	W10
HYUNDAI	HX 300 L	208,7	R23	R29	W09	W10
HYUNDAI	HX 300 NL	208,7	R23	R29	W09	W10
HYUNDAI	R 290 LC-7	209,7	R23	R29	W09	W10
HYUNDAI	R 290 LC-7 HIGH CHASSIS	209,7	R23	R29	W09	W10
HYUNDAI	R 290 LC-7A	209,7	R23	R29	W09	W10
HYUNDAI	R 290 LC-7A (HIGH CHASSIS)	209,7	R23	R29	W09	W10
HYUNDAI	R 290 NLC-7	209,7	R23	R29	W09	W10
HYUNDAI	R 290 NLC-7A	209,7	R23	R29	W09	W10
HYUNDAI	R 330 LC-9A	211,8	R23	R29	W10	W10
HYUNDAI	R 330 LC-9A HIGH WALKER	211,8	R23	R29	W10	W10
HYUNDAI	R 330 NLC-9A	211,8	R23	R29	W10	W10
HYUNDAI	HX 480 L LONG REACH	213,8	R23	R29	W10	W10
HYUNDAI	HX 520 L (LONG REACH)	213,8	R23	R29	W10	W10
HYUNDAI	360 LC-3	215,0	R23	R29	W10	W10
HYUNDAI	360-3	215,0	R23	R29	W10	W10
HYUNDAI	R 320 LC-7	216,1	R23	R29	W10	W10
HYUNDAI	R 320 LC-7 HIGH CHASSIS	216,1	R23	R29	W10	W10
HYUNDAI	R 320 LC-7A	216,1	R23	R29	W10	W10
HYUNDAI	R 320 LC-7A HIGH CHASSIS	216,1	R23	R29	W10	W10
HYUNDAI	R 320 NLC-7	216,1	R23	R29	W10	W10
HYUNDAI	R 320 NLC-7A	216,1	R23	R29	W10	W10
HYUNDAI	450-3	220,0	R23	R29	W10	W10
HYUNDAI	450 LC-3	220,6	R23	R29	W10	W10
HYUNDAI	R 370 LC-7	228,5	R23	R29	W10	W10
HYUNDAI	R 380 LC-9 SH	228,5	R23	R29	W10	W10
HYUNDAI	R 380 LC-9A	228,5	R23	R29	W10	W10
HYUNDAI	R 380 LC-9A LONG REACH	228,5	R23	R29	W10	W10
HYUNDAI	R 380 NLC-9A	228,5	R23	R29	W10	W10
HYUNDAI	HX 330 L	230,0	R23	R29	W10	W10
HYUNDAI	HX 330 L (HIGH WALKER)	230,0	R23	R29	W10	W10
HYUNDAI	HX 330 NL	230,0	R23	R29	W10	W10
HYUNDAI	R 330 LC-9S	230,0	R23	R29	W10	W10
HYUNDAI	R 330 LC-9S HIGH WALKER	230,0	R23	R29	W10	W10
HYUNDAI	R 330 LC-9SH	230,0	R23	R29	W10	W10
HYUNDAI	R 330 LC-9SH HIGH WALKER	230,0	R23	R29	W10	W10
HYUNDAI	R 330 NLC-9S	230,0	R23	R29	W10	W10
HYUNDAI	R 330 NLC-9SH	230,0	R23	R29	W10	W10
HYUNDAI	R 320 LC-9	230,0	R23	R29	W10	W10
HYUNDAI	R 320 LC-9 (ME)	230,0	R23	R29	W10	W10

GENERAL SELECTION GUIDE - EXCAVATOR

For more information visit combiwearparts.com.

			C-REX		ProClaws	
BRAND	MODEL	MAX BOF, kN	GP	HD/XHD	GP	HD/XHD
HYUNDAI	R 320 LC-9 HIGH WALKER	230,0	R23	R29	W10	W10
HYUNDAI	R 320 NLC-9	230,0	R23	R29	W10	W10
HYUNDAI	HX 380 L	249,3	R29	R35	W10	W20
HYUNDAI	HX 380 NL	249,3	R29	R35	W10	W20
HYUNDAI	R 390 LC-9	249,3	R29	R35	W10	W20
HYUNDAI	R 360 LC-7	249,3	R29	R35	W10	W20
HYUNDAI	R 360 LC-7A	249,3	R29	R35	W10	W20
HYUNDAI	R 360 LC-7A (ME)	249,3	R29	R35	W10	W20
HYUNDAI	R 380 LC-9	249,3	R29	R35	W10	W20
HYUNDAI	R 380 LC-9 (ME)	249,3	R29	R35	W10	W20
HYUNDAI	R 430 LC-9	249,4	R29	R35	W10	W20
HYUNDAI	R 430 LC-9A	249,4	R29	R35	W10	W20
HYUNDAI	R 430 LC-9S H	249,4	R29	R35	W10	W20
HYUNDAI	R 480 LC-9S	255,0	R29	R35	W10	W20
HYUNDAI	R 480 LC-9 (ME)	273,9	R29	R35	W10	W20
HYUNDAI	R 480 LC-9A ME	273,9	R29	R35	W10	W20
HYUNDAI	HX 480 L	278,1	R29	R35	W10	W20
HYUNDAI	R 480 LC-9	278,1	R29	R35	W10	W20
HYUNDAI	R 480 LC-9A	278,1	R29	R35	W10	W20
HYUNDAI	R 450 LC-7	279,2	R29	R35	W10	W20
HYUNDAI	R 450 LC-7A	279,2	R29	R35	W10	W20
HYUNDAI	R 450 LC-7A (ME)	279,2	R29	R35	W10	W20
HYUNDAI	R 520 LC-9S	292,0	R35	-	W20	W20
HYUNDAI	R 520 LC-9A	292,2	R35	-	W20	W20
HYUNDAI	R 520LC-9A LONG REACH	292,2	R35	-	W20	W20
HYUNDAI	HX 520 L	305,9	R35	-	W20	W20
HYUNDAI	R 520 LC-9 (ME)	312,3	R35	-	W20	W20
HYUNDAI	R 510 LC-7	314,5	R35	-	W20	W20
HYUNDAI	R 500 LC-7	318,8	R35	-	W20	W20
HYUNDAI	R 500 LC-7 (REACH)	318,8	R35	-	W20	W20
HYUNDAI	R 500 LC-7A	318,8	R35	-	W20	W20
HYUNDAI	R 500 LC-7A (REACH)	318,8	R35	-	W20	W20
HYUNDAI	R 520 LC-9	318,8	R35	-	W20	W20
HYUNDAI	R 800 LC-7A (REACH)	384,4	-	-	W25	W25
HYUNDAI	R 800 LC-7A (ME)	443,3	-	-	W25	W30
HYUNDAI	R 800 LC-9	483,6	-	-	W25	W30
HYUNDAI	R 1200-9	581,5	-	-	W30	W40
INGERSOLL RAND	ZX-125	81,5	R10	R10	-	-
JCB	JS 85	57,0	R10	R10	-	-
JCB	85Z-1	57,1	R10	R10	-	-
JCB	86C-1	57,1	R10	R10	-	-
JCB	90Z-1	57,1	R10	R10	-	-
JCB	100C-1	72,1	R10	R10	-	-
JCB	JS 130 W	81,9	R10	R10	-	-

GENERAL SELECTION GUIDE - EXCAVATOR

For more information visit combiwearparts.com.

			C-REX		ProClaws	
BRAND	MODEL	MAX BOF, kN	GP	HD/XHD	GP	HD/XHD
JCB	JS 145 W INTERIM TIER 4	81,9	R10	R10	-	-
JCB	JS 145 W TIER 3	81,9	R10	R10	-	-
JCB	JS 120	84,4	R10	R10	-	-
JCB	JS 150 W	88,3	R10	R10	-	-
JCB	JS 110	91,9	R10	R14	-	-
JCB	JS 115 (DOZER)	91,9	R10	R14	-	-
JCB	JS 115 INTERIM TIER 4	91,9	R10	R14	-	-
JCB	JS 115 TIER 3	91,9	R10	R14	-	-
JCB	JS 130 HD	91,9	R10	R14	-	-
JCB	JS 130 LC (DOZER)	91,9	R10	R14	-	-
JCB	JS 130 LC INTERIM TIER 4	91,9	R10	R14	-	-
JCB	JS 130 LC TIER 3	91,9	R10	R14	-	-
JCB	JS 145	91,9	R10	R14	-	-
JCB	JS 145 HD	91,9	R10	R14	-	-
JCB	JS 145 LC INTERIM TIER 4	91,9	R10	R14	-	-
JCB	JS 145 LC TIER 3	91,9	R10	R14	-	-
JCB	JZ 140	91,9	R10	R14	-	-
JCB	JZ 140 HD	91,9	R10	R14	-	-
JCB	JZ 140 LC	91,9	R10	R14	-	-
JCB	JS 140	91,9	R10	R14	-	-
JCB	JS 160 L	102,0	R10	R14	-	-
JCB	JS 160 NL	102,0	R10	R14	-	-
JCB	JS 160 W INTERIM TIER 4	105,3	R10	R14	-	-
JCB	JS 175 W	105,3	R10	R14	-	-
JCB	JS 180 L	105,3	R10	R14	-	-
JCB	JS 160 W	105,4	R10	R14	-	-
JCB	JS 160 LC INTERIM TIER 4	116,1	R14	R18	-	-
JCB	JS 160 LC TIER 2	116,1	R14	R18	-	-
JCB	JS 160 LC TIER 3	116,1	R14	R18	-	-
JCB	JS 160 NLC INTERIM TIER 4	116,1	R14	R18	-	-
JCB	JS 160 NLC TIER 2	116,1	R14	R18	-	-
JCB	JS 160 NLC TIER 3	116,1	R14	R18	-	-
JCB	JS 180 LC INTERIM TIER 4	116,1	R14	R18	-	-
JCB	JS 180 LC TIER 2	116,1	R14	R18	-	-
JCB	JS 180 LC TIER 3	116,1	R14	R18	-	-
JCB	JS 180 NLC INTERIM TIER 4	116,1	R14	R18	-	-
JCB	JS 180 NLC TIER 2	116,1	R14	R18	-	-
JCB	JS 180 NLC TIER 3	116,1	R14	R18	-	-
JCB	JS 190 LC INTERIM TIER 4	116,1	R14	R18	-	-
JCB	JS 190 LC TIER 2	116,1	R14	R18	-	-
JCB	JS 190 LC TIER 3	116,1	R14	R18	-	-
JCB	JS 190 NLC INTERIM TIER 4	116,1	R14	R18	-	-
JCB	JS 190 NLC TIER 2	116,1	R14	R18	-	-
JCB	JS 200 L	124,6	R14	R18	-	-

GENERAL SELECTION GUIDE - EXCAVATOR

For more information visit combiwearparts.com.

			C-REX		ProClaws	
BRAND	MODEL	MAX BOF, kN	GP	HD/XHD	GP	HD/XHD
JCB	JS 200 N	124,6	R14	R18	-	-
JCB	JS 200 S	124,6	R14	R18	-	-
JCB	JS 200 W INTERIM TIER 4	124,6	R14	R18	-	-
JCB	JS 200 W TIER 3	124,6	R14	R18	-	-
JCB	JS 210 L	124,6	R14	R18	-	-
JCB	JS 220 L	124,6	R14	R18	-	-
JCB	JS 220 N	124,6	R14	R18	-	-
JCB	JS 220 S	124,6	R14	R18	-	-
JCB	JS 205 LC	129,5	R14	R18	-	-
JCB	JS 205 SC	129,5	R14	R18	-	-
JCB	JS 330 LC (ME) INTERIM TIER 4	136,8	R14	R18	-	-
JCB	JS 330 LC INTERIM TIER 4	136,8	R14	R18	-	-
JCB	JS 330 NLC (ME) INTERIM TIER 4	136,8	R14	R18	-	-
JCB	JS 330 NLC INTERIM TIER 4	136,8	R14	R18	-	-
JCB	JS 220 LC TIER 2	140,8	R14	R18	-	-
JCB	JZ 235 LC	142,7	R18	R18	-	-
JCB	JZ 255 LC	142,7	R18	R18	-	-
JCB	JZ 255 NC	142,7	R18	R18	-	-
JCB	JS 200 LC INTERIM TIER 4	154,9	R18	R23	W09	W09
JCB	JS 200 LC TIER 2	154,9	R18	R23	W09	W09
JCB	JS 200 NLC INTERIM TIER 4	154,9	R18	R23	W09	W09
JCB	JS 200 NLC TIER 2	154,9	R18	R23	W09	W09
JCB	JS 200 SC INTERIM TIER 4	154,9	R18	R23	W09	W09
JCB	JS 200 SC TIER 2	154,9	R18	R23	W09	W09
JCB	JS 210 LC INTERIM TIER 4	154,9	R18	R23	W09	W09
JCB	JS 210 LC TIER 2	154,9	R18	R23	W09	W09
JCB	JS 220 LC INTERIM TIER 4	154,9	R18	R23	W09	W09
JCB	JS 220 NC	154,9	R18	R23	W09	W09
JCB	JS 220 NLC INTERIM TIER 4	154,9	R18	R23	W09	W09
JCB	JS 220 NLC TIER 2	154,9	R18	R23	W09	W09
JCB	JS 220 NLC TIER 3	154,9	R18	R23	W09	W09
JCB	JS 220 SC INTERIM TIER 4	154,9	R18	R23	W09	W09
JCB	JS 220 SC TIER 2	154,9	R18	R23	W09	W09
JCB	JS 235 HD INTERIM TIER 4	154,9	R18	R23	W09	W09
JCB	JS 235 HD TIER 3	154,9	R18	R23	W09	W09
JCB	JS 220 LC TIER 3	154,9	R18	R23	W09	W09
JCB	JS 220 LC TIER 4	154,9	R18	R23	W09	W09
JCB	JS 220L XD	154,9	R18	R23	W09	W09
JCB	JS 210 LC TIER 3	155,0	R18	R23	W09	W09
JCB	JS 220 SC TIER 3	155,0	R18	R23	W09	W09
JCB	JS 200 LC TIER 3	158,0	R18	R23	W09	W09
JCB	JS 200 NC	158,0	R18	R23	W09	W09
JCB	JS 200 SC TIER 3	158,0	R18	R23	W09	W09
JCB	JS 240 L	180,0	R18	R23	W09	W10

GENERAL SELECTION GUIDE - EXCAVATOR

For more information visit combiwearparts.com.

			C-REX		ProClaws	
BRAND	MODEL	MAX BOF, kN	GP	HD/XHD	GP	HD/XHD
JCB	JS 240 NL	180,0	R18	R23	W09	W10
JCB	JS 240 S	180,0	R18	R23	W09	W10
JCB	JS 260 L	180,0	R18	R23	W09	W10
JCB	JS 260 NL	180,0	R18	R23	W09	W10
JCB	JS 260 NLC	180,0	R18	R23	W09	W10
JCB	JS 260 S	180,0	R18	R23	W09	W10
JCB	JS 330 LC (ME) TIER 3	191,2	R23	R29	W09	W10
JCB	JS 330 LC TIER 3	191,2	R23	R29	W09	W10
JCB	JS 330 NLC (ME) TIER 3	191,2	R23	R29	W09	W10
JCB	JS 330 NLC TIER 3	191,2	R23	R29	W09	W10
JCB	JS 330L XD	191,2	R23	R29	W09	W10
JCB	JS 360 LC ME	191,2	R23	R29	W09	W10
JCB	JS 360 NLC ME	191,2	R23	R29	W09	W10
JCB	JS 240 NLC INTERIM TIER 4	191,9	R23	R29	W09	W10
JCB	JS 240 LC TIER 4	191,9	R23	R29	W09	W10
JCB	JS 240 NLC TIER 4	191,9	R23	R29	W09	W10
JCB	JS 240 SC TIER 4	191,9	R23	R29	W09	W10
JCB	JS 260 LC INTERIM TIER 4	191,9	R23	R29	W09	W10
JCB	JS 260 NLC INTERIM TIER 4	191,9	R23	R29	W09	W10
JCB	JS 260 SC INTERIM TIER 4	191,9	R23	R29	W09	W10
JCB	JS 260L XD	191,9	R23	R29	W09	W10
JCB	JS 240 LC TIER 3	192,0	R23	R29	W09	W10
JCB	JS 240 NC	192,0	R23	R29	W09	W10
JCB	JS 240 SC	192,0	R23	R29	W09	W10
JCB	JS 260 LC TIER 2	192,0	R23	R29	W09	W10
JCB	JS 260 LC TIER 3	192,0	R23	R29	W09	W10
JCB	JS 260 NC TIER 2	192,0	R23	R29	W09	W10
JCB	JS 260 NC TIER 3	192,0	R23	R29	W09	W10
JCB	JS 260 SC TIER 2	192,0	R23	R29	W09	W10
JCB	JS 260 SC TIER 3	192,0	R23	R29	W09	W10
JCB	JS 360 LC (ME) TIER 2	217,8	R23	R29	W10	W10
JCB	JS 290 NLC	226,0	R23	R29	W10	W10
JCB	JS 290 LC	226,0	R23	R29	W10	W10
JCB	JS 330 LC (ME) TIER 2	236,7	R29	R35	W10	W20
JCB	JS 330 LC TIER 2	236,7	R29	R35	W10	W20
JCB	JS 330 NLC (ME) TIER 2	236,7	R29	R35	W10	W20
JCB	JS 330 NLC TIER 2	236,7	R29	R35	W10	W20
JCB	JS 300 LC INTERIM TIER 4	253,5	R29	R35	W10	W20
JCB	JS 300 LC TIER 2	253,5	R29	R35	W10	W20
JCB	JS 300 NLC INTERIM TIER 4	253,5	R29	R35	W10	W20
JCB	JS 300 NLC TIER 2	253,5	R29	R35	W10	W20
JCB	JS 360 LC TIER 3	268,2	R29	R35	W10	W20
JCB	JS 360 NLC TIER 3	268,2	R29	R35	W10	W20
JCB	JS 360 LC INTERIM TIER 4	268,2	R29	R35	W10	W20

GENERAL SELECTION GUIDE - EXCAVATOR

For more information visit combiwearparts.com.

			C-REX		ProClaws	
BRAND	MODEL	MAX BOF, kN	GP	HD/XHD	GP	HD/XHD
JCB	JS 460 L	269,7	R29	R35	W10	W20
JCB	JS 450 HD	269,7	R29	R35	W10	W20
JCB	JS 450 LC	269,7	R29	R35	W10	W20
JCB	JS 360 LC (ME) INTERIM TIER 4	271,8	R29	R35	W10	W20
JCB	JS 360 LC TIER 2	271,8	R29	R35	W10	W20
JCB	JS 360 NLC INTERIM TIER 4	271,8	R29	R35	W10	W20
JCB	JS 360 NLC TIER 2	271,8	R29	R35	W10	W20
JCB	JS 370 LC	271,8	R29	R35	W10	W20
JCB	JS 370 LC (ME)	271,8	R29	R35	W10	W20
JCB	JS 370 NLC	271,8	R29	R35	W10	W20
JCB	JS 370 NLC (ME)	271,8	R29	R35	W10	W20
JOHN DEERE	120D	92,3	R10	R14	-	-
JOHN DEERE	130G (BLADE) TIER 3	95,5	R10	R14	-	-
JOHN DEERE	130G (BLADE) TIER 4	95,5	R10	R14	-	-
JOHN DEERE	130G INTERIM TIER 4	95,5	R10	R14	-	-
JOHN DEERE	130G TIER 3	95,5	R10	R14	-	-
JOHN DEERE	130G TIER 4	95,5	R10	R14	-	-
JOHN DEERE	135G	95,5	R10	R14	-	-
JOHN DEERE	135D	96,5	R10	R14	-	-
JOHN DEERE	160D LC	101,0	R10	R14	-	-
JOHN DEERE	190D W	101,9	R10	R14	-	-
JOHN DEERE	160G LC INTERIM TIER 4	118,6	R14	R18	-	-
JOHN DEERE	160G LC TIER 3	118,6	R14	R18	-	-
JOHN DEERE	160G LC TIER 4	118,6	R14	R18	-	-
JOHN DEERE	190G W	123,0	R14	R18	-	-
JOHN DEERE	180G LC INTERIM TIER 4	125,6	R14	R18	-	-
JOHN DEERE	180G LC TIER 3	125,6	R14	R18	-	-
JOHN DEERE	180G LC TIER 4	125,6	R14	R18	-	-
JOHN DEERE	220D W	128,6	R14	R18	-	-
JOHN DEERE	200D	129,4	R14	R18	-	-
JOHN DEERE	200D LC	129,4	R14	R18	-	-
JOHN DEERE	225D LC	129,4	R14	R18	-	-
JOHN DEERE	210G INTERIM TIER 4	156,3	R18	R23	W09	W09
JOHN DEERE	210G LC INTERIM TIER 4	156,3	R18	R23	W09	W09
JOHN DEERE	210G LC TIER 3	156,3	R18	R23	W09	W09
JOHN DEERE	210G TIER 3	156,3	R18	R23	W09	W09
JOHN DEERE	210G LC TIER 4	158,0	R18	R23	W09	W09
JOHN DEERE	210G TIER 4	158,0	R18	R23	W09	W09
JOHN DEERE	230G W	158,0	R18	R23	W09	W09
JOHN DEERE	245G LC	158,0	R18	R23	W09	W09
JOHN DEERE	270D LC	166,7	R18	R23	W09	W09
JOHN DEERE	240D LC	167,0	R18	R23	W09	W09
JOHN DEERE	250G LC INTERIM TIER 4	189,0	R23	R29	W09	W10
JOHN DEERE	250G LC TIER 3	189,0	R23	R29	W09	W10

GENERAL SELECTION GUIDE - EXCAVATOR

For more information visit combiwearparts.com.

			C-REX		ProClaws	
BRAND	MODEL	MAX BOF, kN	GP	HD/XHD	GP	HD/XHD
JOHN DEERE	250G LC TIER 4	189,0	R23	R29	W09	W10
JOHN DEERE	300G LC	202,0	R23	R29	W09	W10
JOHN DEERE	290G LC INTERIM TIER 4	203,0	R23	R29	W09	W10
JOHN DEERE	290G LC TIER 3	203,0	R23	R29	W09	W10
JOHN DEERE	350D LC	214,5	R23	R29	W10	W10
JOHN DEERE	350G LC INTERIM TIER 4	246,0	R29	R35	W10	W20
JOHN DEERE	350G LC TIER 3	246,0	R29	R35	W10	W20
JOHN DEERE	350G LC TIER 4	246,0	R29	R35	W10	W20
JOHN DEERE	380G LC INTERIM TIER 4	246,0	R29	R35	W10	W20
JOHN DEERE	380G LC TIER 4	246,0	R29	R35	W10	W20
JOHN DEERE	450D LC	254,0	R29	R35	W20	W20
JOHN DEERE	350G LC (ME)	264,0	R29	R35	W20	W20
JOHN DEERE	470G LC TIER 2	285,0	R29	-	W20	W20
JOHN DEERE	470G LC INTERIM TIER 4	286,0	R29	-	W20	W20
JOHN DEERE	650D LC	290,0	R35	-	W20	W25
JOHN DEERE	670G LC	324,0	R35	-	W20	W25
JOHN DEERE	850D LC	362,0	-	-	W25	W25
JOHN DEERE	870G LC	399,0	-	-	W25	W25
KATO	HD 307 SUPER EXCEED	57,9	R10	R10	-	-
KATO	HD 308 US SUPER EXCEED	61,4	R10	R10	-	-
KATO	HD 308 USV REGZAM	61,4	R10	R10	-	-
KATO	HD 512 R REGZAM	98,0	R10	R14	-	-
KATO	HD 512 E	98,1	R10	R14	-	-
KATO	HD 512 III SUPER EXCEED	98,1	R10	R14	-	-
KATO	HD 513 MR III SUPER EXCEED	98,1	R10	R14	-	-
KATO	HD 513 MR SUPER EXCEED	98,1	R10	R14	-	-
KATO	HD 1023	125,5	R14	R18	-	-
KATO	HD 1023-LC	125,5	R14	R18	-	-
KATO	HD 820 III SUPER EXCEED	136,0	R14	R18	-	-
KATO	HD 820 II	144,0	R18	R18	-	-
KATO	HD 820 III LC SUPER EXCEED	144,0	R18	R18	-	-
KATO	HD 820 II-LC	144,0	R18	R18	-	-
KATO	HD 820 R	144,0	R18	R18	-	-
KATO	HD 820 RLC	144,0	R18	R18	-	-
KATO	HD 823 MR III LC SUPER EXCEED	144,2	R18	R18	-	-
KATO	HD 823 MR SUPER EXCEED	144,2	R18	R18	-	-
KATO	HD 823 MR-LC SUPER EXCEED	144,2	R18	R18	-	-
KATO	HD 820 V	159,0	R18	R23	W09	W09
KATO	HD 820 VLC	159,0	R18	R23	W09	W09
KATO	HD 823 MRV	159,0	R18	R23	W09	W09
KATO	HD 823 MRVLC	159,0	R18	R23	W09	W09
KATO	HD 1023 II SUPER EXCEED	174,0	R18	R23	W09	W10
KATO	HD 1023 III SUPER EXCEED	174,0	R18	R23	W09	W10
KATO	HD 1023 III-LC SUPER EXCEED	174,0	R18	R23	W09	W10

GENERAL SELECTION GUIDE - EXCAVATOR

For more information visit combiwearparts.com.

			C-REX		ProClaws	
BRAND	MODEL	MAX BOF, kN	GP	HD/XHD	GP	HD/XHD
KATO	HD 1023 II-LC SUPER EXCEED	174,0	R18	R23	W09	W10
KATO	HD 1430 III SUPER EXCEED	233,0	R29	R29	W10	W20
KATO	HD 1430 III-LC SUPER EXCEED	233,0	R29	R29	W10	W20
KATO	HD 1430	234,4	R29	R35	W10	W20
KATO	HD 1430-LC	234,4	R29	R35	W10	W20
KATO	HD 1430 R	235,0	R29	R35	W10	W20
KATO	HD 1430 RLC	235,0	R29	R35	W10	W20
KATO	HD 2045 II SUPER EXCEED	276,0	R29	R35	W10	W20
KATO	HD 2045 III SUPER EXCEED	276,0	R29	R35	W10	W20
KOBELCO	SK 75 SR-3E TIER 4	73,2	R10	R10	-	-
KOBELCO	SK 85 CS-3E INTERIM TIER 4	73,2	R10	R10	-	-
KOBELCO	SK 85 CS-3E TIER 4	73,2	R10	R10	-	-
KOBELCO	SK 130 IV	75,5	R10	R10	-	-
KOBELCO	SK 130 LC IV	75,5	R10	R10	-	-
KOBELCO	SK 210 LC-9 (LR)	79,0	R10	R10	-	-
KOBELCO	SK 260 LC-9 (LR)	79,7	R10	R10	-	-
KOBELCO	SK 115 SR	85,5	R10	R10	-	-
KOBELCO	SK 135 SR-3 (OFFSET BOOM)	87,5	R10	R10	-	-
KOBELCO	SK 135 SR L	88,2	R10	R10	-	-
KOBELCO	SK 135 SR LC	88,2	R10	R10	-	-
KOBELCO	SK 140 HD LC	89,2	R10	R14	-	-
KOBELCO	SK 140 SR LC-3	89,3	R10	R14	-	-
KOBELCO	ED 160-3 BLADE RUNNER	90,1	R10	R14	-	-
KOBELCO	SK 125 SR	90,1	R10	R14	-	-
KOBELCO	SK 130 HDL	90,1	R10	R14	-	-
KOBELCO	SK 130-8	90,1	R10	R14	-	-
KOBELCO	SK 135 SR LC-2 (AUS)	90,1	R10	R14	-	-
KOBELCO	SK 135 SR LC-3	90,1	R10	R14	-	-
KOBELCO	SK 135 SR-2	90,1	R10	R14	-	-
KOBELCO	SK 135 SR-2 (AUS)	90,1	R10	R14	-	-
KOBELCO	SK 135 SR-3	90,1	R10	R14	-	-
KOBELCO	SK 135 SRLC-2	90,1	R10	R14	-	-
KOBELCO	SK 140 LC-8	90,1	R10	R14	-	-
KOBELCO	SK 140 SR L-3	90,1	R10	R14	-	-
KOBELCO	SK 140 SR LC-3 INTERIM TIER 4	90,1	R10	R14	-	-
KOBELCO	140 SR ACERA	95,0	R10	R14	-	-
KOBELCO	ED 150 ACERA BLADE RUNNER	95,0	R10	R14	-	-
KOBELCO	SK 160 LC IV	95,0	R10	R14	-	-
KOBELCO	SK 200 SR	122,0	R14	R18	-	-
KOBELCO	SK 200 SR LC	122,0	R14	R18	-	-
KOBELCO	SK 170 LC DYNAMIC ACERA	124,0	R14	R18	-	-
KOBELCO	SK 170 LC ACERA MARK 8	124,5	R14	R18	-	-
KOBELCO	SK 210 IV	124,5	R14	R18	-	-
KOBELCO	SK 210 LC IV	124,5	R14	R18	-	-

GENERAL SELECTION GUIDE - EXCAVATOR

For more information visit combiwearparts.com.

			C-REX		ProClaws	
BRAND	MODEL	MAX BOF, kN	GP	HD/XHD	GP	HD/XHD
KOBELCO	SK 170 LC ACERA MARK 9	124,5	R14	R18	-	-
KOBELCO	ED 195 ACERA MARK 8 BLADE RUNNER	124,6	R14	R18	-	-
KOBELCO	SK 225 SR LC-2	132,0	R14	R18	-	-
KOBELCO	SK 225 SR-2	132,0	R14	R18	-	-
KOBELCO	SK 230 SR LC-3 INTERIM TIER 4	132,0	R14	R18	-	-
KOBELCO	SK 230 SR-3	132,0	R14	R18	-	-
KOBELCO	SK 230 SR LC-3 TIER 4	132,1	R14	R18	-	-
KOBELCO	215 SR ACERA	136,0	R14	R18	-	-
KOBELCO	SK 210 LC ACERA MARK 9	141,0	R18	R18	-	-
KOBELCO	SK 250 IV	144,2	R18	R18	-	-
KOBELCO	SK 250 LC IV	144,2	R18	R18	-	-
KOBELCO	SK 250 NLC IV	144,2	R18	R18	-	-
KOBELCO	SK 210 DYNAMIC ACERA	149,0	R18	R23	W09	W09
KOBELCO	SK 235 SR	149,0	R18	R23	W09	W09
KOBELCO	SK 270 LC IV	149,1	R18	R23	W09	W09
KOBELCO	SK 210 LC ACERA-8	154,0	R18	R23	W09	W09
KOBELCO	235 SR ACERA	157,0	R18	R23	W09	W09
KOBELCO	SK 200-8	157,0	R18	R23	W09	W09
KOBELCO	SK 210 HD LC	157,0	R18	R23	W09	W09
KOBELCO	SK 210 HD-8	157,0	R18	R23	W09	W09
KOBELCO	SK 210 LC DYNAMIC ACERA	157,0	R18	R23	W09	W09
KOBELCO	SK 210 LC-10	157,0	R18	R23	W09	W09
KOBELCO	SK 210 LC-8	157,0	R18	R23	W09	W09
KOBELCO	SK 210 LC-9	157,0	R18	R23	W09	W09
KOBELCO	SK 210 NLC DYNAMIC ACERA	157,0	R18	R23	W09	W09
KOBELCO	SK 210 NLC-10	157,0	R18	R23	W09	W09
KOBELCO	SK 210 NLC-9	157,0	R18	R23	W09	W09
KOBELCO	SK 235 SR LC	157,0	R18	R23	W09	W09
KOBELCO	SK 235 SR LC-2	157,0	R18	R23	W09	W09
KOBELCO	SK 235 SR NLC	157,0	R18	R23	W09	W09
KOBELCO	SK 235 SR-2	157,0	R18	R23	W09	W09
KOBELCO	SK 260 SR LC-3 INTERIM TIER 4	157,0	R18	R23	W09	W09
KOBELCO	SK 260 SR NLC-3	157,0	R18	R23	W09	W09
KOBELCO	SK 250 LC DYNAMIC ACERA	182,0	R18	R23	W09	W10
KOBELCO	SK 250 NLC DYNAMIC ACERA	182,0	R18	R23	W09	W10
KOBELCO	SK 260 LC-10	186,8	R23	R29	W09	W10
KOBELCO	SK 260 LC-9	186,8	R23	R29	W09	W10
KOBELCO	SK 260 LC ACERA MARK 9	187,0	R23	R29	W09	W10
KOBELCO	SK 250-8	187,0	R23	R29	W09	W10
KOBELCO	SK 260 LC ACERA MARK 8	187,0	R23	R29	W09	W10
KOBELCO	SK 260 LC-8	187,0	R23	R29	W09	W10
KOBELCO	SK 260 LC-8 TIER 3	187,0	R23	R29	W09	W10
KOBELCO	SK 260 NLC-10	187,0	R23	R29	W09	W10
KOBELCO	SK 260 NLC-9	187,0	R23	R29	W09	W10

GENERAL SELECTION GUIDE - EXCAVATOR

For more information visit combiwearparts.com.

			C-REX		ProClaws	
BRAND	MODEL	MAX BOF, kN	GP	HD/XHD	GP	HD/XHD
KOBELCO	SK 295 LC ACERA MARK 8	209,0	R23	R29	W09	W10
KOBELCO	SK 295 LC ACERA MARK 9	209,0	R23	R29	W09	W10
KOBELCO	SK 330 IV	220,6	R23	R29	W10	W10
KOBELCO	SK 330 LC IV	220,6	R23	R29	W10	W10
KOBELCO	SK 330 LC DYNAMIC ACERA	242,0	R29	R35	W10	W20
KOBELCO	SK 330 NLC DYNAMIC ACERA	242,0	R29	R35	W10	W20
KOBELCO	SK 350 LC ACERA MARK 9	244,0	R29	R35	W10	W20
KOBELCO	SK 330-8	244,0	R29	R35	W10	W20
KOBELCO	SK 350 LC ACERA MARK 8	244,0	R29	R35	W10	W20
KOBELCO	SK 350 LC-8	244,0	R29	R35	W10	W20
KOBELCO	SK 350 LC-8 TIER 3	244,0	R29	R35	W10	W20
KOBELCO	SK 350 LC-9	244,0	R29	R35	W10	W20
KOBELCO	SK 350 NLC-9	244,0	R29	R35	W10	W20
KOBELCO	SK 380 HDLC-8	244,0	R29	R35	W10	W20
KOBELCO	SK 350 LC-9E	250,0	R29	R35	W10	W20
KOBELCO	SK 485 LC ACERA MARK 8 (HIGH & WIDE)	267,0	R29	R35	W10	W20
KOBELCO	SK 485 LC ACERA MARK 8 (ME)	267,0	R29	R35	W10	W20
KOBELCO	SK 460 IV	274,0	R29	R35	W10	W20
KOBELCO	SK 460 LC IV	274,0	R29	R35	W10	W20
KOBELCO	SK 350 LC-9E (ME)	274,0	R29	R35	W10	W20
KOBELCO	SK 480 LC DYNAMIC ACERA	289,0	R29	-	W10	W20
KOBELCO	SK 500 HD LC-8	291,0	R29	-	W20	W20
KOBELCO	SK 500 LC-9 INTERIM TIER 4	291,8	R29	-	W20	W20
KOBELCO	SK 500 LC-9 TIER 4	291,8	R29	-	W20	W20
KOBELCO	SK 485 LC ACERA MARK 9	292,0	R35	-	W20	W20
KOBELCO	SK 485 LC ACERA MARK 9 HIGH AND WIDE	292,0	R35	-	W20	W20
KOBELCO	SK 460-8	292,0	R35	-	W20	W20
KOBELCO	SK 480 LC-8	292,0	R35	-	W20	W20
KOBELCO	SK 485 LC ACERA MARK 8	292,0	R35	-	W20	W20
KOBELCO	SK 500 LC-8	292,0	R35	-	W20	W20
KOBELCO	SK 500 MVLC-9	292,0	R35	-	W20	W20
KOBELCO	SK 500 LC-8 (ME)	305,0	R35	-	W20	W20
KOBELCO	SK 500 LC-9 (ME)	305,1	R35	-	W20	W20
KOBELCO	SK 480 LC-8 (ME)	308,0	R35	-	W20	W20
KOBELCO	SK 500 HD LC-8 (ME)	308,0	R35	-	W20	W20
KOBELCO	SK 850 LC-2	403,0	-	-	W25	W25
KOBELCO	SK 850 LC-9	403,0	-	-	W25	W25
KOBELCO	SK 850 LC-9 (ME)	432,0	-	-	W25	W30
KOBELCO	SK 850 LC SUPER ACERA	432,0	-	-	W25	W30
KOBELCO	SK 850 LC SUPER ACERA (ME)	432,0	-	-	W25	W30
KOBELCO	SK 850 LC-2 (ME)	432,0	-	-	W25	W30
KOMATSU	PC 80 MR-3	58,6	R10	R10	-	-
KOMATSU	PC 88 MR-6	61,3	R10	R10	-	-
KOMATSU	PW 98 MR-6	61,3	R10	R10	-	-

GENERAL SELECTION GUIDE - EXCAVATOR

For more information visit combiwearparts.com.

			C-REX		ProClaws	
BRAND	MODEL	MAX BOF, kN	GP	HD/XHD	GP	HD/XHD
KOMATSU	PC 78 US-10	61,3	R10	R10	-	-
KOMATSU	PC 78 UU-8	61,3	R10	R10	-	-
KOMATSU	PC 88 MR-8	61,3	R10	R10	-	-
KOMATSU	PC 78 MR-6	61,3	R10	R10	-	-
KOMATSU	PC 78 US-6	61,3	R10	R10	-	-
KOMATSU	PC 78 US-8 INTERIM TIER 4	61,3	R10	R10	-	-
KOMATSU	PC 78 US-8 TIER 3	61,3	R10	R10	-	-
KOMATSU	PC 88 MR-10	61,3	R10	R10	-	-
KOMATSU	PC 95 R-2	70,6	R10	R10	-	-
KOMATSU	PW 95 R-2	70,6	R10	R10	-	-
KOMATSU	PC 118MR-8	71,6	R10	R10	-	-
KOMATSU	PW 118MR-8	71,7	R10	R10	-	-
KOMATSU	PC 110 R-1	73,5	R10	R10	-	-
KOMATSU	PW 110 R-1	73,5	R10	R10	-	-
KOMATSU	PC 95	78,2	R10	R10	-	-
KOMATSU	PW 95	78,2	R10	R10	-	-
KOMATSU	PC 130-6	83,4	R10	R10	-	-
KOMATSU	PC 150 LGP-6 ACTIVE	83,4	R10	R10	-	-
KOMATSU	PW 130 ES-6	83,4	R10	R10	-	-
KOMATSU	PW 130 ES-6 ACTIVE	83,4	R10	R10	-	-
KOMATSU	PW 130-7	83,4	R10	R10	-	-
KOMATSU	PW 140-7	93,0	R10	R14	-	-
KOMATSU	PW 148-10	93,0	R10	R14	-	-
KOMATSU	PW 148-8	93,0	R10	R14	-	-
KOMATSU	PC 138 US-8	93,2	R10	R14	-	-
KOMATSU	PC 138USLC-10	93,2	R10	R14	-	-
KOMATSU	PC 128 US - 2	93,2	R10	R14	-	-
KOMATSU	PC 130-7	93,2	R10	R14	-	-
KOMATSU	PC 130-8	93,2	R10	R14	-	-
KOMATSU	PC 138 US-10	93,2	R10	R14	-	-
KOMATSU	PC 138 US-2	93,2	R10	R14	-	-
KOMATSU	PC 138 USLC-8	93,2	R10	R14	-	-
KOMATSU	PW 150 ES-6 ACTIVE	95,0	R10	R14	-	-
KOMATSU	PW 160-7	102,0	R10	R14	-	-
KOMATSU	PW 160-8	102,0	R10	R14	-	-
KOMATSU	PW 170-5	104,9	R10	R14	-	-
KOMATSU	PW 170 ES-6	113,0	R14	R18	-	-
KOMATSU	PW 170 ES-6 ACTIVE	113,0	R14	R18	-	-
KOMATSU	PC 160 LC-8	122,6	R14	R18	-	-
KOMATSU	PC 170 LC-10	122,6	R14	R18	-	-
KOMATSU	PC 160 LC-7	122,6	R14	R18	-	-
KOMATSU	PC 160 LC-8 LGP	122,6	R14	R18	-	-
KOMATSU	PC 180 LC-7	122,6	R14	R18	-	-
KOMATSU	PC 180 NLC-7	122,6	R14	R18	-	-

GENERAL SELECTION GUIDE - EXCAVATOR

For more information visit combiwearparts.com.

			C-REX		ProClaws	
BRAND	MODEL	MAX BOF, kN	GP	HD/XHD	GP	HD/XHD
KOMATSU	PC 190 LC-8	122,6	R14	R18	-	-
KOMATSU	PC 190 NLC-8	122,6	R14	R18	-	-
KOMATSU	PC 160-6	123,0	R14	R18	-	-
KOMATSU	PC 160-6 ACTIVE	123,0	R14	R18	-	-
KOMATSU	PC 180 LC-6	123,0	R14	R18	-	-
KOMATSU	PC 180 LC-6 ACTIVE	123,0	R14	R18	-	-
KOMATSU	PC 180 NLC-6	123,0	R14	R18	-	-
KOMATSU	PC 180 NLC-6 ACTIVE	123,0	R14	R18	-	-
KOMATSU	PW 180-10	123,0	R14	R18	-	-
KOMATSU	PW 180-10 WIDE	123,0	R14	R18	-	-
KOMATSU	PW 180-7	123,0	R14	R18	-	-
KOMATSU	PW 180-7 (WIDE)	123,0	R14	R18	-	-
KOMATSU	PW 180-7 TIER 3	123,0	R14	R18	-	-
KOMATSU	PC 200 EL-6 ACTIVE	134,0	R14	R18	-	-
KOMATSU	PC 200 EN-6 ACTIVE	134,0	R14	R18	-	-
KOMATSU	PC 228 US-2	147,0	R18	R18	-	-
KOMATSU	PC 228 USLC-2	147,0	R18	R18	-	-
KOMATSU	HB 215 LC-2	149,0	R18	R23	W09	W09
KOMATSU	HB 215LC-1	149,0	R18	R23	W09	W09
KOMATSU	PC 200 LC-8	149,0	R18	R23	W09	W09
KOMATSU	PC 200 LC-8 HD	149,0	R18	R23	W09	W09
KOMATSU	PC 200 LC-8MO	149,0	R18	R23	W09	W09
KOMATSU	PC 200-8MO	149,0	R18	R23	W09	W09
KOMATSU	PC 210 LC-7	149,0	R18	R23	W09	W09
KOMATSU	PC 210 LC-8	149,0	R18	R23	W09	W09
KOMATSU	PC 210 LCI-10	149,0	R18	R23	W09	W09
KOMATSU	PC 210 NLC-8	149,0	R18	R23	W09	W09
KOMATSU	PC 210-8	149,0	R18	R23	W09	W09
KOMATSU	PC 228 US-3	149,0	R18	R23	W09	W09
KOMATSU	PC 228 USLC-10	149,0	R18	R23	W09	W09
KOMATSU	PC 228 USLC-3	149,0	R18	R23	W09	W09
KOMATSU	PC 228 USLC-8	149,0	R18	R23	W09	W09
KOMATSU	PC 230 NHD-8	149,0	R18	R23	W09	W09
KOMATSU	HB 205-1	149,1	R18	R23	W09	W09
KOMATSU	PC 200-8	149,1	R18	R23	W09	W09
KOMATSU	PC 210 LC-10	149,1	R18	R23	W09	W09
KOMATSU	PC 210-10	149,1	R18	R23	W09	W09
KOMATSU	PC 228 US-8	149,1	R18	R23	W09	W09
KOMATSU	PC 210 LC-6	157,0	R18	R23	W09	W09
KOMATSU	PC 210 LC-6 ACTIVE PLUS	157,0	R18	R23	W09	W09
KOMATSU	PC 210-6	157,0	R18	R23	W09	W09
KOMATSU	PC 210-6 ACTIVE PLUS	157,0	R18	R23	W09	W09
KOMATSU	PC 210 NLC-7	171,6	R18	R23	W09	W10
KOMATSU	PC 210-7	171,6	R18	R23	W09	W10

GENERAL SELECTION GUIDE - EXCAVATOR

For more information visit combiwearparts.com.

			C-REX		ProClaws	
BRAND	MODEL	MAX BOF, kN	GP	HD/XHD	GP	HD/XHD
KOMATSU	PC 220 LC-8	171,6	R18	R23	W09	W10
KOMATSU	PC 230 NHD-7	171,6	R18	R23	W09	W10
KOMATSU	PC 240 LC-10	171,6	R18	R23	W09	W10
KOMATSU	PC 240 LC-7	171,6	R18	R23	W09	W10
KOMATSU	PC 240 NLC-7	171,6	R18	R23	W09	W10
KOMATSU	PC 240NLC-10	171,6	R18	R23	W09	W10
KOMATSU	PC 220-8	171,6	R18	R23	W09	W10
KOMATSU	PC 240 LC-11	171,6	R18	R23	W09	W10
KOMATSU	PC 240 NLC-11	171,6	R18	R23	W09	W10
KOMATSU	PC 220 LC-8MO	172,0	R18	R23	W09	W10
KOMATSU	PC 220-8MO	172,0	R18	R23	W09	W10
KOMATSU	PW 200-7	176,0	R18	R23	W09	W10
KOMATSU	PW 200-7 TIER 3	176,0	R18	R23	W09	W10
KOMATSU	PW 220-7	176,0	R18	R23	W09	W10
KOMATSU	PW 220-7 TIER 3	176,0	R18	R23	W09	W10
KOMATSU	PC 240 LC-6	188,0	R23	R29	W09	W10
KOMATSU	PC 240 LC-6 ACTIVE PLUS	188,0	R23	R29	W09	W10
KOMATSU	PC 240 NLC-6	188,0	R23	R29	W09	W10
KOMATSU	PC 240 NLC-6 ACTIVE PLUS	188,0	R23	R29	W09	W10
KOMATSU	PC 240 LC-8	197,0	R23	R29	W09	W10
KOMATSU	PC 240 NLC-8	197,0	R23	R29	W09	W10
KOMATSU	PC 270 LC-8	198,0	R23	R29	W09	W10
KOMATSU	PC 290 LC-10	198,0	R23	R29	W09	W10
KOMATSU	PC 290 LC-11	198,0	R23	R29	W09	W10
KOMATSU	PC 290 NLC-10	198,0	R23	R29	W09	W10
KOMATSU	PC 290 NLC-11	198,0	R23	R29	W09	W10
KOMATSU	PC 308 USLC-3	198,0	R23	R29	W09	W10
KOMATSU	PC 270-8	198,1	R23	R29	W09	W10
KOMATSU	PC 290 LC-7	198,1	R23	R29	W09	W10
KOMATSU	PC 290 NLC-7	198,1	R23	R29	W09	W10
KOMATSU	PC 290 LC-6 ACTIVE	210,0	R23	R29	W09	W10
KOMATSU	PC 290 NLC-6 ACTIVE	210,0	R23	R29	W09	W10
KOMATSU	PC 340 LC-6 ACTIVE	212,0	R23	R29	W10	W10
KOMATSU	PC 340 NLC-6 ACTIVE	212,0	R23	R29	W10	W10
KOMATSU	PC 380 LC-6	212,0	R23	R29	W10	W10
KOMATSU	PC 290 LC-8	226,5	R23	R29	W10	W10
KOMATSU	PC 290 NLC-8	226,5	R23	R29	W10	W10
KOMATSU	PC 360 LC-10	226,5	R23	R29	W10	W10
KOMATSU	PC 360 NLC-10	226,5	R23	R29	W10	W10
KOMATSU	PC 300 HD-8	226,5	R23	R29	W10	W10
KOMATSU	PC 300-7	226,5	R23	R29	W10	W10
KOMATSU	PC 300-8	226,5	R23	R29	W10	W10
KOMATSU	PC 300LC-7	226,5	R23	R29	W10	W10
KOMATSU	PC 300LC-8	226,5	R23	R29	W10	W10

GENERAL SELECTION GUIDE - EXCAVATOR

For more information visit combiwearparts.com.

			C-REX		ProClaws	
BRAND	MODEL	MAX BOF, kN	GP	HD/XHD	GP	HD/XHD
KOMATSU	PC 350 LC-8	226,5	R23	R29	W10	W10
KOMATSU	HB 335 LC-1	227,0	R23	R29	W10	W10
KOMATSU	PC 380 LC-7	227,0	R23	R29	W10	W10
KOMATSU	PC 350 LC-7	227,5	R23	R29	W10	W10
KOMATSU	PC 350-7	227,5	R23	R29	W10	W10
KOMATSU	PC 350-8	227,5	R23	R29	W10	W10
KOMATSU	PC 390 LC-11	227,5	R23	R29	W10	W10
KOMATSU	PC 390LC-10	227,5	R23	R29	W10	W10
KOMATSU	PC 450 LC-6 ACTIVE	245,0	R29	R35	W10	W20
KOMATSU	PC 450-6 ACTIVE	245,0	R29	R35	W10	W20
KOMATSU	PC 350 HD-8	258,9	R29	R35	W10	W20
KOMATSU	PC 350 NLC-8	258,9	R29	R35	W10	W20
KOMATSU	PC 350LC-8 SUPER LONG REACH	258,9	R29	R35	W10	W20
KOMATSU	PC 340 LC-7	259,0	R29	R35	W10	W20
KOMATSU	PC 340 NLC-7	259,0	R29	R35	W10	W20
KOMATSU	PC 490 LC-10 (VARIABLE U/C)	274,5	R29	R35	W10	W20
KOMATSU	PC 490-10 VARIABLE U/C	274,5	R29	R35	W10	W20
KOMATSU	PC 400 LC-7	274,6	R29	R35	W10	W20
KOMATSU	PC 400-7	274,6	R29	R35	W10	W20
KOMATSU	PC 400-8	274,6	R29	R35	W10	W20
KOMATSU	PC 400LC-8	274,6	R29	R35	W10	W20
KOMATSU	PC 490 LC-10 (FIXED U/C)	274,6	R29	R35	W10	W20
KOMATSU	PC 490 LC-11 (VARIABLE U/C)	274,6	R29	R35	W10	W20
KOMATSU	PC 450 LC-7	274,6	R29	R35	W10	W20
KOMATSU	PC 450 LC-7 HD	274,6	R29	R35	W10	W20
KOMATSU	PC 450 LC-8 HD	274,6	R29	R35	W10	W20
KOMATSU	PC 450 LC-8 TIER 3	274,6	R29	R35	W10	W20
KOMATSU	PC 450-7	274,6	R29	R35	W10	W20
KOMATSU	PC 450-8	274,6	R29	R35	W10	W20
KOMATSU	PC 450 LC-8 (VAR U/C)	276,5	R29	R35	W10	W20
KOMATSU	H 55	280,0	R29	R35	W10	W20
KOMATSU	PC 600 LC-6	285,4	R29	-	W10	W20
KOMATSU	PC 600-6 QUARRY	285,4	R29	-	W10	W20
KOMATSU	PC 750 LC-6 TIER 2	296,1	-	-	W20	W20
KOMATSU	PC 750-6	296,1	-	-	W20	W20
KOMATSU	PC 600 LC-8	316,7	-	-	W20	W20
KOMATSU	PC 600 LC-8 HD	316,7	-	-	W20	W20
KOMATSU	PC 650LC-8	316,7	-	-	W20	W20
KOMATSU	PC 700LC-8	316,7	-	-	W20	W20
KOMATSU	PC 600 - 8	316,7	-	-	W20	W20
KOMATSU	PC 600 -8E0	316,7	-	-	W20	W20
KOMATSU	PC 600 LC-8E0	316,7	-	-	W20	W20
KOMATSU	PC 600 LC-8R	316,7	-	-	W20	W20
KOMATSU	PC 600-8R	316,7	-	-	W20	W20

GENERAL SELECTION GUIDE - EXCAVATOR

For more information visit combiwearparts.com.

			C-REX		ProClaws	
BRAND	MODEL	MAX BOF, kN	GP	HD/XHD	GP	HD/XHD
KOMATSU	PC 600 LC-7	316,8	-	-	W20	W20
KOMATSU	PC 600-7	316,8	-	-	W20	W20
KOMATSU	PC 600 SE-6	317,7	-	-	W20	W20
KOMATSU	H 65	325,0	-	-	W20	W20
KOMATSU	PC 800 LC-8 (LONG BOOM)	333,4	-	-	W25	W25
KOMATSU	PC 750-7	333,4	-	-	W25	W25
KOMATSU	PC 800-8	333,4	-	-	W25	W25
KOMATSU	PC 800-8 (REACH)	333,4	-	-	W25	W25
KOMATSU	PC 800-8R	333,4	-	-	W25	W25
KOMATSU	PC 600 -8E0 (SE)	361,8	-	-	W25	W25
KOMATSU	PC 600 LC-8E0 (SE)	361,8	-	-	W25	W25
KOMATSU	PC 600 LC-8R (SE)	361,8	-	-	W25	W25
KOMATSU	PC 600-8R (SE)	361,8	-	-	W25	W25
KOMATSU	PC 600 LC-8 (ME)	361,9	-	-	W25	W25
KOMATSU	PC 750 LC-7	362,8	-	-	W25	W25
KOMATSU	PC 800 LC-8 (REACH)	362,8	-	-	W25	W25
KOMATSU	PC 850-8	362,8	-	-	W25	W25
KOMATSU	PC 800 LC-8 (STD, BOOM)	364,8	-	-	W25	W25
KOMATSU	PC 750 LC-6	391,0	-	-	W25	W25
KOMATSU	PC 750 SE-6	391,0	-	-	W25	W25
KOMATSU	PC 750 SE-7	391,0	-	-	W25	W25
KOMATSU	PC 850-8 EO	397,2	-	-	W25	W25
KOMATSU	PC 850-8 R1	397,2	-	-	W25	W25
KOMATSU	PC 1100-6	422,0	-	-	W30	W30
KOMATSU	PC 750 SE-7 TIER 3	430,5	-	-	W25	W30
KOMATSU	PC 800SE-8	430,5	-	-	W25	W30
KOMATSU	PC 800SE-8R	430,5	-	-	W25	W30
KOMATSU	PC 850SE-8	430,5	-	-	W25	W30
KOMATSU	PC 800 LC-8 (SE BOOM)	430,5	-	-	W25	W30
KOMATSU	PC 850-8 EO SE	470,7	-	-	W25	W30
KOMATSU	PC 850-8 R1 SE	470,7	-	-	W25	W30
KOMATSU	PC 1100 SP-6	471,0	-	-	W30	W30
KOMATSU	PC 1250-7	478,6	-	-	W30	W30
KOMATSU	PC 1250 LC-8	479,0	-	-	W30	W30
KOMATSU	PC 1250-8	479,0	-	-	W30	W30
KOMATSU	PC 1250-8R	479,0	-	-	W30	W30
KOMATSU	H 135 S	500,0	-	-	W30	W40
KOMATSU	PC 1250 SP-7	569,8	-	-	W30	W40
KOMATSU	PC 1250 SP-8	570,0	-	-	W30	W40
KOMATSU	PC 1250SP-8R	570,0	-	-	W30	W40
KOMATSU	PC 1600-1	571,0	-	-	W30	W40
KOMATSU	PC 1800-6	626,0	-	-	W40	W50
KOMATSU	PC 2000-8	697,0	-	-	W40	W50
KOMATSU	H 255 S	770,0	-	-	W50	-

GENERAL SELECTION GUIDE - EXCAVATOR

For more information visit combiwearparts.com.

			C-REX		ProClaws	
BRAND	MODEL	MAX BOF, kN	GP	HD/XHD	GP	HD/XHD
KOMATSU	PC 3000-6	850,0	-	-	W50	-
KOMATSU	H 285 S	1000,0	-	-	-	-
KOMATSU	PC 4000-6	1150,0	-	-	-	-
KOMATSU	H 455 S	1250,0	-	-	-	-
KOMATSU	PC 5500-6	1450,0	-	-	-	-
KOMATSU	H 655 S	1600,0	-	-	-	-
KOMATSU	PC 8000-6	2000,0	-	-	-	-
KRAMER	812	80,4	R10	R10	-	-
KRAMER	812-3	82,0	R10	R10	-	-
KUBOTA	KX 080-3	65,2	R10	R10	-	-
KUBOTA	KX 080-3A	65,2	R10	R10	-	-
KUBOTA	KX 080-3S	65,2	R10	R10	-	-
KUBOTA	KX 080-4	65,2	R10	R10	-	-
KUBOTA	KX 183-3	65,2	R10	R10	-	-
KUBOTA	KX 080-3 (ANGLE BLADE)	66,5	R10	R10	-	-
KUBOTA	KX 080-3 (SUPER DOUBLE BOOM)	66,5	R10	R10	-	-
LBX LINK-BELT	75 MSR SPIN ACE	56,9	R10	R10	-	-
LBX LINK-BELT	80 SB SPIN ACE	56,9	R10	R10	-	-
LBX LINK-BELT	80 SPIN ACE	56,9	R10	R10	-	-
LBX LINK-BELT	75 X3	56,9	R10	R10	-	-
LBX LINK-BELT	80 X3	56,9	R10	R10	-	-
LBX LINK-BELT	210 LX LF	65,0	R10	R10	-	-
LBX LINK-BELT	210 X2 LF	65,0	R10	R10	-	-
LBX LINK-BELT	250 X4 LF	77,0	R10	R10	-	-
LBX LINK-BELT	240 LX LF	77,0	R10	R10	-	-
LBX LINK-BELT	240 X2 LF	77,0	R10	R10	-	-
LBX LINK-BELT	250 X3 LF	77,0	R10	R10	-	-
LBX LINK-BELT	135 MSR SPIN ACE	90,0	R10	R14	-	-
LBX LINK-BELT	130 LX	94,8	R10	R14	-	-
LBX LINK-BELT	130 X2	95,0	R10	R14	-	-
LBX LINK-BELT	130 X2 LC	95,0	R10	R14	-	-
LBX LINK-BELT	130 X3 LC	95,0	R10	R14	-	-
LBX LINK-BELT	130 X3 WITH DOZER	95,0	R10	R14	-	-
LBX LINK-BELT	145 X3 LC SPIN ACE	95,0	R10	R14	-	-
LBX LINK-BELT	145 X3 SPIN ACE (BLADE)	95,0	R10	R14	-	-
LBX LINK-BELT	145 X3 SPIN ACE LC	95,0	R10	R14	-	-
LBX LINK-BELT	145 X3 SPIN ACE WITH DOZER	95,0	R10	R14	-	-
LBX LINK-BELT	130 X4 (BLADE)	95,2	R10	R14	-	-
LBX LINK-BELT	130 X4 LC	95,2	R10	R14	-	-
LBX LINK-BELT	160 LX	112,0	R14	R14	-	-
LBX LINK-BELT	160 X4	117,9	R14	R18	-	-
LBX LINK-BELT	160 X2	118,0	R14	R18	-	-
LBX LINK-BELT	160 X3 LC	118,0	R14	R18	-	-
LBX LINK-BELT	210 LX	129,9	R14	R18	-	-

GENERAL SELECTION GUIDE - EXCAVATOR

For more information visit combiwearparts.com.

			C-REX		ProClaws	
BRAND	MODEL	MAX BOF, kN	GP	HD/XHD	GP	HD/XHD
LBX LINK-BELT	225 SPIN ACE TIER 2	130,0	R14	R18	-	-
LBX LINK-BELT	225 SPIN ACE TIER 3	141,0	R18	R18	-	-
LBX LINK-BELT	210 X3	152,0	R18	R23	W09	W09
LBX LINK-BELT	235 X3 DOZER SPIN ACE	152,0	R18	R23	W09	W09
LBX LINK-BELT	235 X3 LC SPIN ACE	152,0	R18	R23	W09	W09
LBX LINK-BELT	210 X2	152,0	R18	R23	W09	W09
LBX LINK-BELT	210 X4	153,9	R18	R23	W09	W09
LBX LINK-BELT	240 LX	160,0	R18	R23	W09	W09
LBX LINK-BELT	290 LX	160,0	R18	R23	W09	W09
LBX LINK-BELT	240 X2	174,0	R18	R23	W09	W10
LBX LINK-BELT	250 X3	174,0	R18	R23	W09	W10
LBX LINK-BELT	250 X4	176,0	R18	R23	W09	W10
LBX LINK-BELT	290 X2	190,0	R23	R29	W09	W10
LBX LINK-BELT	300 X3	190,0	R23	R29	W09	W10
LBX LINK-BELT	300 X4	190,3	R23	R29	W09	W10
LBX LINK-BELT	330 LX	229,0	R23	R29	W10	W10
LBX LINK-BELT	460 LX EXTENDABLE	247,0	R29	R35	W10	W20
LBX LINK-BELT	460 LX FIXED	247,0	R29	R35	W10	W20
LBX LINK-BELT	350 X2	248,0	R29	R35	W10	W20
LBX LINK-BELT	350 X3	248,0	R29	R35	W10	W20
LBX LINK-BELT	350 X4	249,8	R29	R35	W10	W20
LBX LINK-BELT	460 X2	270,0	R29	R35	W10	W20
LBX LINK-BELT	470 X3	270,0	R29	R35	W10	W20
LBX LINK-BELT	470 X3 EXPANDABLE	270,0	R29	R35	W10	W20
LBX LINK-BELT	470 X3 ME	313,0	R35	-	W20	W20
LBX LINK-BELT	470 X3 ME EXPANDABLE	313,0	R35	-	W20	W20
LBX LINK-BELT	700 X2	317,0	-	-	W25	W25
LBX LINK-BELT	700 LX	334,0	-	-	W20	W25
LBX LINK-BELT	800 LX	334,0	-	-	W25	W25
LBX LINK-BELT	800 X2	361,0	-	-	W25	W25
LBX LINK-BELT	700 X2 ME	365,0	-	-	W25	W25
LBX LINK-BELT	800 X2 ME	470,0	-	-	W25	W30
LIEBHERR	A 308	58,0	R10	R10	-	-
LIEBHERR	R 308	58,0	R10	R10	-	-
LIEBHERR	A 310 B	65,7	R10	R10	-	-
LIEBHERR	R 310 B	65,7	R10	R10	-	-
LIEBHERR	A 309 LITRONIC	68,5	R10	R10	-	-
LIEBHERR	A 311 LITRONIC	77,5	R10	R10	-	-
LIEBHERR	A 312 LITRONIC	79,1	R10	R10	-	-
LIEBHERR	A 314 LITRONIC	79,1	R10	R10	-	-
LIEBHERR	A 314 LITRONIC TIER 3	79,1	R10	R10	-	-
LIEBHERR	R 313 LITRONIC	79,1	R10	R10	-	-
LIEBHERR	A 914 COMPACT LITRONIC	88,2	R10	R10	-	-
LIEBHERR	A 914 EW LITRONIC	88,2	R10	R10	-	-

GENERAL SELECTION GUIDE - EXCAVATOR

For more information visit combiwearparts.com.

			C-REX		ProClaws	
BRAND	MODEL	MAX BOF, kN	GP	HD/XHD	GP	HD/XHD
LIEBHERR	A 914 LITRONIC INTERIM TIER 4	88,2	R10	R10	-	-
LIEBHERR	R 914 COMPACT	88,2	R10	R10	-	-
LIEBHERR	R 914 COMPACT (BLADE)	88,2	R10	R10	-	-
LIEBHERR	R 900 B LITRONIC	89,4	R10	R14	-	-
LIEBHERR	A 900 B LITRONIC	89,5	R10	R14	-	-
LIEBHERR	A 900 BEW LITRONIC	89,5	R10	R14	-	-
LIEBHERR	A 316	90,0	R10	R14	-	-
LIEBHERR	A 900	92,0	R10	R14	-	-
LIEBHERR	A 900 EW	92,0	R10	R14	-	-
LIEBHERR	A 312	96,5	R10	R14	-	-
LIEBHERR	R 312	96,5	R10	R14	-	-
LIEBHERR	A 316 LITRONIC	98,3	R10	R14	-	-
LIEBHERR	A 900 COMPACT	98,4	R10	R14	-	-
LIEBHERR	A 918 COMPACT	98,4	R10	R14	-	-
LIEBHERR	A 918 COMPACT LITRONIC	98,4	R10	R14	-	-
LIEBHERR	A 918 EW LITRONIC	98,4	R10	R14	-	-
LIEBHERR	A 918 LITRONIC	98,4	R10	R14	-	-
LIEBHERR	R 317 LC LITRONIC	98,4	R10	R14	-	-
LIEBHERR	R 317 SL LITRONIC	98,4	R10	R14	-	-
LIEBHERR	R 317 STD LITRONIC	98,4	R10	R14	-	-
LIEBHERR	A 316 LITRONIC TIER 3	105,0	R10	R14	-	-
LIEBHERR	A 916 EW	105,0	R10	R14	-	-
LIEBHERR	A 916 LITRONIC	105,0	R10	R14	-	-
LIEBHERR	A 900 C LITRONIC	108,3	R10	R14	-	-
LIEBHERR	A 900 CEW LITRONIC	108,3	R10	R14	-	-
LIEBHERR	R 317 HD-S LITRONIC	108,3	R10	R14	-	-
LIEBHERR	R 317 HD-SL LITRONIC	108,3	R10	R14	-	-
LIEBHERR	R 317 LITRONIC	108,3	R10	R14	-	-
LIEBHERR	R 900 C HD-S LITRONIC	108,3	R10	R14	-	-
LIEBHERR	R 900 C HD-SL LITRONIC	108,3	R10	R14	-	-
LIEBHERR	R 900 C LC LITRONIC	108,3	R10	R14	-	-
LIEBHERR	R 900 C LITRONIC	108,3	R10	R14	-	-
LIEBHERR	R 900 C NLC LITRONIC	108,3	R10	R14	-	-
LIEBHERR	R 900 C STD, LITRONIC	108,3	R10	R14	-	-
LIEBHERR	R 904 C 2000 LITRONIC	117,0	R14	R18	-	-
LIEBHERR	R 904 C HD-SL 2000 LITRONIC	117,0	R14	R18	-	-
LIEBHERR	R 904 C HD-SL 2250 LITRONIC	117,0	R14	R18	-	-
LIEBHERR	R 924 COMPACT	117,0	R14	R18	-	-
LIEBHERR	R 926 COMPACT	117,0	R14	R18	-	-
LIEBHERR	R 926 COMPACT (BLADE)	117,0	R14	R18	-	-
LIEBHERR	R 918 LC	118,0	R14	R18	-	-
LIEBHERR	R 918 LC (BLADE)	118,0	R14	R18	-	-
LIEBHERR	R 918 NLC	118,0	R14	R18	-	-
LIEBHERR	R 918 NLC (BLADE)	118,0	R14	R18	-	-

GENERAL SELECTION GUIDE - EXCAVATOR

For more information visit combiwearparts.com.

			C-REX		ProClaws	
BRAND	MODEL	MAX BOF, kN	GP	HD/XHD	GP	HD/XHD
LIEBHERR	R 920 LC	126,0	R14	R18	-	-
LIEBHERR	R 920 LC (BLADE)	126,0	R14	R18	-	-
LIEBHERR	R 920 NLC	126,0	R14	R18	-	-
LIEBHERR	R 920 NLC (BLADE)	126,0	R14	R18	-	-
LIEBHERR	A 904 EW LITRONIC	126,4	R14	R18	-	-
LIEBHERR	A 904 LITRONIC	126,4	R14	R18	-	-
LIEBHERR	R 904 HD-SL LITRONIC	126,4	R14	R18	-	-
LIEBHERR	R 904 LITRONIC	126,4	R14	R18	-	-
LIEBHERR	R 906 LC CLASSIC LITRONIC	128,0	R14	R18	-	-
LIEBHERR	R 906 S CLASSIC LITRONIC	128,0	R14	R18	-	-
LIEBHERR	A 902	130,0	R14	R18	-	-
LIEBHERR	A 902 EW	130,0	R14	R18	-	-
LIEBHERR	R 906 NLC CLASSIC LITRONIC	132,0	R14	R18	-	-
LIEBHERR	R 906 WLC CLASSIC LITRONIC	132,0	R14	R18	-	-
LIEBHERR	A 904 C LITRONIC	133,2	R14	R18	-	-
LIEBHERR	A 904 CEW LITRONIC	133,2	R14	R18	-	-
LIEBHERR	A 920 EW LITRONIC	134,5	R14	R18	-	-
LIEBHERR	A 920 LITRONIC	134,5	R14	R18	-	-
LIEBHERR	R 906 LC ADVANCED LITRONIC	138,0	R14	R18	-	-
LIEBHERR	R 906 NLC ADVANCED LITRONIC	138,0	R14	R18	-	-
LIEBHERR	R 906 WLC ADVANCED	138,0	R14	R18	-	-
LIEBHERR	R 914 BHD-S 2000 LITRONIC	142,0	R18	R18	-	-
LIEBHERR	R 914 C HD-S 2000 LITRONIC	142,0	R18	R18	-	-
LIEBHERR	R 914 C HD-SL 2000 LITRONIC	142,0	R18	R18	-	-
LIEBHERR	R 914 C HD-SL 2250 LITRONIC	142,0	R18	R18	-	-
LIEBHERR	R 914 C HD-SL 2400 LITRONIC	142,0	R18	R18	-	-
LIEBHERR	A 914 B LITRONIC	143,0	R18	R18	-	-
LIEBHERR	R 924 C HD-SL 2000 LITRONIC	146,0	R18	R18	-	-
LIEBHERR	R 924 C HD-SL 2250 LITRONIC	146,0	R18	R18	-	-
LIEBHERR	R 924 C HD-SL 2400 LITRONIC	146,0	R18	R18	-	-
LIEBHERR	R 914 HD-S LITRONIC	147,0	R18	R18	-	-
LIEBHERR	R 914 HD-SL LITRONIC	147,0	R18	R18	-	-
LIEBHERR	R 914 LITRONIC	147,0	R18	R18	-	-
LIEBHERR	R 916 LC CLASSIC LITRONIC	149,0	R18	R23	W09	W09
LIEBHERR	R 916 NLC ADVANCED LITRONIC	149,0	R18	R23	W09	W09
LIEBHERR	R 916 NLC CLASSIC LITRONIC	149,0	R18	R23	W09	W09
LIEBHERR	R 916 SLC CLASSIC LITRONIC	149,0	R18	R23	W09	W09
LIEBHERR	R 922 LC	149,0	R18	R23	W09	W09
LIEBHERR	R 922 NLC	149,0	R18	R23	W09	W09
LIEBHERR	R 922 SLC	149,0	R18	R23	W09	W09
LIEBHERR	R 924 LC	153,0	R18	R23	W09	W09
LIEBHERR	R 924 NLC	153,0	R18	R23	W09	W09
LIEBHERR	R 924 SLC	153,0	R18	R23	W09	W09
LIEBHERR	R 924 WLC	153,0	R18	R23	W09	W09

GENERAL SELECTION GUIDE - EXCAVATOR

For more information visit combiwearparts.com.

			C-REX		ProClaws	
BRAND	MODEL	MAX BOF, kN	GP	HD/XHD	GP	HD/XHD
LIEBHERR	R 916 LC ADVANCED LITRONIC	155,0	R18	R23	W09	W09
LIEBHERR	R 916 SLC ADVANCED LITRONIC	155,0	R18	R23	W09	W09
LIEBHERR	R 916 WLC ADVANCED LITRONIC	155,0	R18	R23	W09	W09
LIEBHERR	R 934 BHD-S LITRONIC	155,0	R18	R23	W09	W09
LIEBHERR	R 934 BHD-SL LITRONIC	155,0	R18	R23	W09	W09
LIEBHERR	R 934 CHD-S LITRONIC	155,0	R18	R23	W09	W09
LIEBHERR	R 934 CHD-SL LITRONIC	155,0	R18	R23	W09	W09
LIEBHERR	R 934 CS-HD LITRONIC	155,0	R18	R23	W09	W09
LIEBHERR	A 924 B LITRONIC	158,1	R18	R23	W09	W09
LIEBHERR	A 924 C LITRONIC	158,1	R18	R23	W09	W09
LIEBHERR	R 924 HD-SL LITRONIC	159,0	R18	R23	W09	W09
LIEBHERR	A 914 LITRONIC	160,0	R18	R23	W09	W09
LIEBHERR	A 924 LITRONIC	160,0	R18	R23	W09	W09
LIEBHERR	R 926 LC CLASSIC LITRONIC	162,0	R18	R23	W09	W09
LIEBHERR	R 926 NLC CLASSIC LITRONIC	162,0	R18	R23	W09	W09
LIEBHERR	R 926 SLC CLASSIC LITRONIC	162,0	R18	R23	W09	W09
LIEBHERR	R 926 WLC CLASSIC LITRONIC	162,0	R18	R23	W09	W09
LIEBHERR	A 912	164,0	R18	R23	W09	W09
LIEBHERR	A 912 EW	164,0	R18	R23	W09	W09
LIEBHERR	A 922	164,0	R18	R23	W09	W09
LIEBHERR	R 914 BHD-S LITRONIC	165,0	R18	R23	W09	W09
LIEBHERR	R 914 BHD-SL 2250 LITRONIC	165,0	R18	R23	W09	W09
LIEBHERR	R 914 BHD-SL 2400 LITRONIC	165,0	R18	R23	W09	W09
LIEBHERR	R 914 BHD-SL LITRONIC	165,0	R18	R23	W09	W09
LIEBHERR	R 926 LC	165,0	R18	R23	W09	W09
LIEBHERR	R 926 NLC	165,0	R18	R23	W09	W09
LIEBHERR	R 926 SLC	165,0	R18	R23	W09	W09
LIEBHERR	R 926 WLC	165,0	R18	R23	W09	W09
LIEBHERR	R 934 HD-S LITRONIC	165,0	R18	R23	W09	W09
LIEBHERR	R 934 HD-SL LITRONIC	165,0	R18	R23	W09	W09
LIEBHERR	R 936 LC	166,0	R18	R23	W09	W09
LIEBHERR	R 936 LC (ME)	166,0	R18	R23	W09	W09
LIEBHERR	R 936 NLC	166,0	R18	R23	W09	W09
LIEBHERR	R 936 NLC (ME)	166,0	R18	R23	W09	W09
LIEBHERR	R 926 LC ADVANCED LITRONIC	168,0	R18	R23	W09	W09
LIEBHERR	R 926 NLC ADVANCED LITRONIC	168,0	R18	R23	W09	W09
LIEBHERR	R 926 SLC ADVANCED LITRONIC	168,0	R18	R23	W09	W09
LIEBHERR	R 926 WLC ADVANCED LITRONIC	168,0	R18	R23	W09	W09
LIEBHERR	A 924 C PLUS LITRONIC	169,6	R18	R23	W09	W10
LIEBHERR	A 924 C PLUS LITRONIC TIER 3	169,6	R18	R23	W09	W10
LIEBHERR	A 928	169,9	R18	R23	W09	W10
LIEBHERR	R 924 BHD-SL LITRONIC	179,0	R18	R23	W09	W10
LIEBHERR	R 944 HD-S LITRONIC	195,0	R23	R29	W09	W10
LIEBHERR	R 944 HD-SL LITRONIC	195,0	R23	R29	W09	W10

GENERAL SELECTION GUIDE - EXCAVATOR

For more information visit combiwearparts.com.

			C-REX		ProClaws	
BRAND	MODEL	MAX BOF, kN	GP	HD/XHD	GP	HD/XHD
LIEBHERR	R 944 V LITRONIC	195,0	R23	R29	W09	W10
LIEBHERR	R 944 C LC LITRONIC	205,0	R23	R29	W09	W10
LIEBHERR	R 944 C NLC LITRONIC	205,0	R23	R29	W09	W10
LIEBHERR	R 944 CS-HD LITRONIC	205,0	R23	R29	W09	W10
LIEBHERR	R 944 CHD-S LITRONIC	206,0	R23	R29	W09	W10
LIEBHERR	R 944 CHD-SL LITRONIC	206,0	R23	R29	W09	W10
LIEBHERR	R 946 LC	208,0	R23	R29	W09	W10
LIEBHERR	R 946 LC (ME)	208,0	R23	R29	W09	W10
LIEBHERR	R 946 NLC	208,0	R23	R29	W09	W10
LIEBHERR	R 946 NLC (ME)	208,0	R23	R29	W09	W10
LIEBHERR	R 944 BHD-S LITRONIC	215,0	R23	R29	W10	W10
LIEBHERR	R 944 BHD-SL LITRONIC	215,0	R23	R29	W10	W10
LIEBHERR	R 944 BV LITRONIC	215,0	R23	R29	W10	W10
LIEBHERR	R 950 SME	255,0	R29	R35	W10	W20
LIEBHERR	R 954 BHD LITRONIC	285,0	R35	-	W10	W20
LIEBHERR	R 954 BHD-S LITRONIC	285,0	R35	-	W10	W20
LIEBHERR	R 954 BV LITRONIC	285,0	R35	-	W10	W20
LIEBHERR	R 954 BV-HD LITRONIC	285,0	R35	-	W10	W20
LIEBHERR	R 964B	285,0	R35	-	W10	W20
LIEBHERR	R 954 C S-HD LITRONIC	313,0	R35	-	W20	W20
LIEBHERR	R 954 CHD (REACH) LITRONIC	313,0	R35	-	W20	W20
LIEBHERR	R 954 CHD LITRONIC	313,0	R35	-	W20	W20
LIEBHERR	R 956 LC (SLR)	313,0	R35	-	W20	W20
LIEBHERR	R 956 LC-V (SLR)	313,0	R35	-	W20	W20
LIEBHERR	R 964 BHD LITRONIC	329,0	-	-	W20	W25
LIEBHERR	R 964 BHD-SL LITRONIC	329,0	-	-	W20	W25
LIEBHERR	R 964 CHD LITRONIC	335,0	-	-	W20	W25
LIEBHERR	R 964 CHD-SL LITRONIC	335,0	-	-	W20	W25
LIEBHERR	R 956 (LONG REACH)	345,0	-	-	W20	W25
LIEBHERR	R 956 HD	345,0	-	-	W20	W25
LIEBHERR	R 956 HD (ME)	345,0	-	-	W20	W25
LIEBHERR	R 956 LC	345,0	-	-	W20	W25
LIEBHERR	R 956 LC (ME)	345,0	-	-	W20	W25
LIEBHERR	R 956 LC-V	345,0	-	-	W20	W25
LIEBHERR	R 956 LC-V (ME)	345,0	-	-	W20	W25
LIEBHERR	R 960 SME	346,0	-	-	W20	W25
LIEBHERR	R 966 HD	354,0	-	-	W20	W25
LIEBHERR	R 966 HD (ME)	354,0	-	-	W20	W25
LIEBHERR	R 966 HD (SLR)	354,0	-	-	W20	W25
LIEBHERR	R 966 LC-V	354,0	-	-	W20	W25
LIEBHERR	R 966 LC-V (ME)	354,0	-	-	W20	W25
LIEBHERR	R 966 LC-V (SLR)	354,0	-	-	W20	W25
LIEBHERR	R 964 BSME LITRONIC	367,0	-	-	W20	W25
LIEBHERR	R 970 SME	392,0	-	-	W20	W25

GENERAL SELECTION GUIDE - EXCAVATOR

For more information visit combiwearparts.com.

			C-REX		ProClaws	
BRAND	MODEL	MAX BOF, kN	GP	HD/XHD	GP	HD/XHD
LIEBHERR	R 964 BSHD SME LITRONIC	393,0	-	-	W20	W25
LIEBHERR	R 964 C S-HD SME LITRONIC	395,0	-	-	W20	W25
LIEBHERR	R 974 BSME LITRONIC	427,0	-	-	W25	W30
LIEBHERR	R 974 BHD LITRONIC	444,8	-	-	W25	W30
LIEBHERR	R 974 BHDSL LITRONIC	444,8	-	-	W25	W30
LIEBHERR	R 974 CHD LITRONIC	444,8	-	-	W25	W30
LIEBHERR	R 974 CHD-SL LITRONIC	444,8	-	-	W25	W30
LIEBHERR	R 974 BSHD SME LITRONIC	464,2	-	-	W25	W30
LIEBHERR	R 974 CSME S-HD LITRONIC	464,2	-	-	W25	W30
LIEBHERR	R 9100	478,0	-	-	W30	W30
LIEBHERR	R 976 HD (ME)	485,0	-	-	W25	W30
LIEBHERR	R 976 HD (SLR)	485,0	-	-	W25	W30
LIEBHERR	R 976 HD LITRONIC	485,0	-	-	W25	W30
LIEBHERR	R 976 LC-V (ME)	485,0	-	-	W25	W30
LIEBHERR	R 976 LC-V (SLR)	485,0	-	-	W25	W30
LIEBHERR	R 976 LC-V LITRONIC	485,0	-	-	W25	W30
LIEBHERR	R 984B LITRONIC	505,0	-	-	W40	W40
LIEBHERR	R 980 SME	508,0	-	-	W30	W40
LIEBHERR	R 9100 (ME)	512,0	-	-	W30	W40
LIEBHERR	R 984 CHD (REACH) LITRONIC TIER 2	550,0	-	-	W40	W40
LIEBHERR	R 984 CHD (REACH) LITRONIC TIER 3	550,0	-	-	W40	W40
LIEBHERR	R 984 CHD LITRONIC	550,0	-	-	W40	W40
LIEBHERR	R 9150	620,0	-	-	W40	W40
LIEBHERR	R 9250 LITRONIC	859,0	-	-	W50	-
LIEBHERR	R 994 LITRONIC	859,0	-	-	W50	-
LIEBHERR	R 9250	870,0	-	-	W50	-
LIEBHERR	R 9350	1020,0	-	-	-	-
LIEBHERR	R 9350 LITRONIC	1020,0	-	-	-	-
LIEBHERR	R 994 B LITRONIC	1020,0	-	-	-	-
LIEBHERR	R 9400	1050,0	-	-	-	-
LIEBHERR	R 995 LITRONIC	1400,0	-	-	-	-
LIEBHERR	R 996 B	1670,0	-	-	-	-
LIEBHERR	R 996 LITRONIC	1670,0	-	-	-	-
LIEBHERR	R 9800	1920,0	-	-	-	-
LISHIDE	SC 130-7	80,0	R10	R10	-	-
LISHIDE	SC 160-8	80,0	R10	R10	-	-
LISHIDE	SC 200-8	112,0	R14	R14	-	-
LISHIDE	SC 210-8	112,0	R14	R14	-	-
LISHIDE	SC 230-8	151,0	R18	R23	W09	W09
LISHIDE	SC 270-8 LC	159,0	R18	R23	W09	W09
LISHIDE	SC 220-8	159,7	R18	R23	W09	W09
LISHIDE	SC 220-8 LC	159,7	R18	R23	W09	W09
LISHIDE	SC 330-8	208,0	R23	R29	W09	W10
LISHIDE	SC 330-8 LC	208,0	R23	R29	W09	W10

GENERAL SELECTION GUIDE - EXCAVATOR

For more information visit combiwearparts.com.

			C-REX		ProClaws	
BRAND	MODEL	MAX BOF, kN	GP	HD/XHD	GP	HD/XHD
LISHIDE	SC 330-7	248,0	R29	R35	W10	W20
LISHIDE	SC 450-8 LC	256,0	R29	R35	W20	W20
LIUGONG	908 C	61,0	R10	R10	-	-
LIUGONG	CLG 908 C	61,0	R10	R10	-	-
LIUGONG	CLG 908 C III TIER 3	61,0	R10	R10	-	-
LIUGONG	CLG 908 C III TIER 4	61,0	R10	R10	-	-
LIUGONG	CLG 908 C TIER 3	61,0	R10	R10	-	-
LIUGONG	CLG 908 D	61,0	R10	R10	-	-
LIUGONG	CLG 908 D III	61,0	R10	R10	-	-
LIUGONG	CLG 915 D III	72,2	R10	R10	-	-
LIUGONG	CLG 915 C	83,5	R10	R10	-	-
LIUGONG	CLG 915 D II	83,5	R10	R10	-	-
LIUGONG	CLG 925 LL TIER 2	89,0	R10	R14	-	-
LIUGONG	CLG 925 LL TIER 3	89,0	R10	R14	-	-
LIUGONG	205C	115,0	R14	R18	-	-
LIUGONG	225C	115,0	R14	R18	-	-
LIUGONG	220 LC	140,0	R14	R18	-	-
LIUGONG	CLG 922 LC III	140,0	R14	R18	-	-
LIUGONG	CLG 925 LC III	150,0	R18	R23	W09	W09
LIUGONG	CLG 925 LC	150,0	R18	R23	W09	W09
LIUGONG	CLG 922 E	152,5	R18	R23	W09	W09
LIUGONG	CLG 922 E II	152,5	R18	R23	W09	W09
LIUGONG	CLG 920 D II	159,0	R18	R23	W09	W09
LIUGONG	CLG 922 D TIER 2	159,0	R18	R23	W09	W09
LIUGONG	CLG 922 D TIER 3	159,0	R18	R23	W09	W09
LIUGONG	CLG 925 D	160,0	R18	R23	W09	W09
LIUGONG	CLG 923 D	160,0	R18	R23	W09	W09
LIUGONG	CLG 925 D II	160,0	R18	R23	W09	W09
LIUGONG	CLG 925 E INTERIM TIER 4	179,0	R18	R23	W09	W10
LIUGONG	CLG 925 E TIER 2	179,0	R18	R23	W09	W10
LIUGONG	CLG 930 E INTERIM TIER 4	203,0	R23	R29	W09	W10
LIUGONG	CLG 930 E TIER 2	203,0	R23	R29	W09	W10
LIUGONG	CLG 936 LCIII	216,0	R23	R29	W10	W10
LIUGONG	CLG 936 D TIER 3	244,0	R29	R35	W10	W20
LIUGONG	CLG 936 D TIER 2	244,0	R29	R35	W10	W20
LIUGONG	CLG 950 E TIER 2	280,0	R35	-	W20	W20
LIUGONG	CLG 945 E	288,0	R35	-	W20	W20
LIUGONG	CLG 950 E TIER 3	288,0	R35	-	W20	W20
MACMOTER	M 10	67,0	R10	R10	-	-
MACMOTER	M 10 M	67,0	R10	R10	-	-
MACMOTER	M 12 M	73,0	R10	R10	-	-
MECALAC	12 MSX	56,0	R10	R10	-	-
MECALAC	12 MTX	56,0	R10	R10	-	-
MECALAC	12 MX	56,0	R10	R10	-	-

GENERAL SELECTION GUIDE - EXCAVATOR

For more information visit combiwearparts.com.

			C-REX		ProClaws	
BRAND	MODEL	MAX BOF, kN	GP	HD/XHD	GP	HD/XHD
MECALAC	712 MC	70,0	R10	R10	-	-
MECALAC	14 MBX	71,0	R10	R10	-	-
MECALAC	14 MXT	71,0	R10	R10	-	-
MECALAC	714 MC	84,0	R10	R10	-	-
MECALAC	714 MW	84,0	R10	R10	-	-
MUSTANG	ME 12002	72,3	R10	R10	-	-
NANTE	NT 130	76,5	R10	R10	-	-
NANTE	NT 210	76,5	R10	R10	-	-
NEUSON	12002	72,4	R10	R10	-	-
NEUSON	12002 VARIO	72,4	R10	R10	-	-
NEW HOLLAND	MH 3,6	73,0	R10	R10	-	-
NEW HOLLAND	MH 4,6	85,3	R10	R10	-	-
NEW HOLLAND	E 135 B TIER 3	87,1	R10	R10	-	-
NEW HOLLAND	E 115 SR	88,0	R10	R10	-	-
NEW HOLLAND	E 135 SRL	90,0	R10	R14	-	-
NEW HOLLAND	E 135 SRLC	90,0	R10	R14	-	-
NEW HOLLAND	E 135B SR LC	90,1	R10	R14	-	-
NEW HOLLAND	E 135B SR LOGGING	90,1	R10	R14	-	-
NEW HOLLAND	E 140C SR LC	90,1	R10	R14	-	-
NEW HOLLAND	E 140C SR LOGGING	90,1	R10	R14	-	-
NEW HOLLAND	E 150 B BLADE RUNNER	90,1	R10	R14	-	-
NEW HOLLAND	E 160C BLADE RUNNER	90,1	R10	R14	-	-
NEW HOLLAND	MH CITY	96,2	R10	R14	-	-
NEW HOLLAND	WE 150 COMPACT	96,2	R10	R14	-	-
NEW HOLLAND	E 150 BLADE RUNNER	97,0	R10	R14	-	-
NEW HOLLAND	WE 150B PRO	97,3	R10	R14	-	-
NEW HOLLAND	MH PLUS C	99,0	R10	R14	-	-
NEW HOLLAND	E 145	100,0	R10	R14	-	-
NEW HOLLAND	MH PLUS	106,4	R10	R14	-	-
NEW HOLLAND	WE 170 COMPACT	106,4	R10	R14	-	-
NEW HOLLAND	WE 170B PRO	109,0	R10	R14	-	-
NEW HOLLAND	MH 5,6	115,6	R14	R18	-	-
NEW HOLLAND	WE 190	115,6	R14	R18	-	-
NEW HOLLAND	WE 190 (WIDE)	115,6	R14	R18	-	-
NEW HOLLAND	WE 190B PRO	120,0	R14	R18	-	-
NEW HOLLAND	WE 190B PRO WIDE	120,0	R14	R18	-	-
NEW HOLLAND	E 200 SR	124,0	R14	R18	-	-
NEW HOLLAND	E 200 SRLC	124,0	R14	R18	-	-
NEW HOLLAND	E 175 B	124,5	R14	R18	-	-
NEW HOLLAND	E 175	125,0	R14	R18	-	-
NEW HOLLAND	E 175 LC	125,0	R14	R18	-	-
NEW HOLLAND	E 265C LR	125,3	R14	R18	-	-
NEW HOLLAND	WE 210	125,7	R14	R18	-	-
NEW HOLLAND	MH 6,6	126,5	R14	R18	-	-

GENERAL SELECTION GUIDE - EXCAVATOR

For more information visit combiwearparts.com.

			C-REX		ProClaws	
BRAND	MODEL	MAX BOF, kN	GP	HD/XHD	GP	HD/XHD
NEW HOLLAND	E 175B L	131,0	R14	R18	-	-
NEW HOLLAND	E 175B LC	131,0	R14	R18	-	-
NEW HOLLAND	E 175C L	131,0	R14	R18	-	-
NEW HOLLAND	E 175C LC	131,0	R14	R18	-	-
NEW HOLLAND	E 195C EL	131,0	R14	R18	-	-
NEW HOLLAND	E 225B SR	136,0	R14	R18	-	-
NEW HOLLAND	E 225B SR-LC	136,0	R14	R18	-	-
NEW HOLLAND	E 230C SR	136,0	R14	R18	-	-
NEW HOLLAND	E 230C SR LC	136,0	R14	R18	-	-
NEW HOLLAND	E 195 EL	140,0	R14	R18	-	-
NEW HOLLAND	E 195 LC	140,0	R14	R18	-	-
NEW HOLLAND	E 195 BEL	147,0	R18	R18	-	-
NEW HOLLAND	E 195 BLC	147,0	R18	R18	-	-
NEW HOLLAND	WE 210B PRO	152,0	R18	R23	W09	W09
NEW HOLLAND	WE 210B PRO (WIDE)	152,0	R18	R23	W09	W09
NEW HOLLAND	E 215 B	154,0	R18	R23	W09	W09
NEW HOLLAND	E 235 SRLC	157,0	R18	R23	W09	W09
NEW HOLLAND	E 235 SRNLC	157,0	R18	R23	W09	W09
NEW HOLLAND	E 235B SR-LC	157,0	R18	R23	W09	W09
NEW HOLLAND	E 235B SR-NLC	157,0	R18	R23	W09	W09
NEW HOLLAND	E 260C SR LC	157,0	R18	R23	W09	W09
NEW HOLLAND	E 260C SR NLC	157,0	R18	R23	W09	W09
NEW HOLLAND	MH 8,6	157,7	R18	R23	W09	W09
NEW HOLLAND	E 215	160,0	R18	R23	W09	W09
NEW HOLLAND	E 215 E	160,0	R18	R23	W09	W09
NEW HOLLAND	E 215 LC	160,0	R18	R23	W09	W09
NEW HOLLAND	E 245	160,0	R18	R23	W09	W09
NEW HOLLAND	E 215B EL	169,0	R18	R23	W09	W10
NEW HOLLAND	E 215B L	169,0	R18	R23	W09	W10
NEW HOLLAND	E 215B LC	169,0	R18	R23	W09	W10
NEW HOLLAND	E 215C EL	169,0	R18	R23	W09	W10
NEW HOLLAND	E 215C L	169,0	R18	R23	W09	W10
NEW HOLLAND	E 215C LC	169,0	R18	R23	W09	W10
NEW HOLLAND	E 245 B	169,0	R18	R23	W09	W10
NEW HOLLAND	E 245 BLC	169,0	R18	R23	W09	W10
NEW HOLLAND	E 245B EL	169,0	R18	R23	W09	W10
NEW HOLLAND	E 245C EL	169,0	R18	R23	W09	W10
NEW HOLLAND	E 245C LC	169,0	R18	R23	W09	W10
NEW HOLLAND	E 265 EL	190,0	R23	R29	W09	W10
NEW HOLLAND	E 265 LC	190,0	R23	R29	W09	W10
NEW HOLLAND	E 265 BEL	194,0	R23	R29	W09	W10
NEW HOLLAND	E 265 BLC	194,0	R23	R29	W09	W10
NEW HOLLAND	E 305 EL	195,0	R23	R29	W09	W10
NEW HOLLAND	E 305 LC	195,0	R23	R29	W09	W10

GENERAL SELECTION GUIDE - EXCAVATOR

For more information visit combiwearparts.com.

			C-REX		ProClaws	
BRAND	MODEL	MAX BOF, kN	GP	HD/XHD	GP	HD/XHD
NEW HOLLAND	E 265C EL	206,0	R23	R29	W09	W10
NEW HOLLAND	E 265C LC	206,0	R23	R29	W09	W10
NEW HOLLAND	E 305 BEL	210,5	R23	R29	W10	W10
NEW HOLLAND	E 305 BLC	210,5	R23	R29	W10	W10
NEW HOLLAND	E 305C EL	210,5	R23	R29	W10	W10
NEW HOLLAND	E 305C LC	210,5	R23	R29	W10	W10
NEW HOLLAND	E 385 BBEH	240,0	R29	R35	W10	W20
NEW HOLLAND	E 385 BEH	240,0	R29	R35	W10	W20
NEW HOLLAND	E 385 BEL	240,0	R29	R35	W10	W20
NEW HOLLAND	E 385 BLC	240,0	R29	R35	W10	W20
NEW HOLLAND	E 385 EL	240,0	R29	R35	W10	W20
NEW HOLLAND	E 385 LC	240,0	R29	R35	W10	W20
NEW HOLLAND	E 335 LC	242,0	R29	R35	W10	W20
NEW HOLLAND	E 335 NLC	242,0	R29	R35	W10	W20
NEW HOLLAND	E 385C EL	258,4	R29	R35	W10	W20
NEW HOLLAND	E 385C LC	258,4	R29	R35	W10	W20
NEW HOLLAND	E 385C BEH	261,0	R29	R35	W10	W20
NEW HOLLAND	E 485 BEH	270,0	R29	R35	W20	W20
NEW HOLLAND	E 485 C LCH	270,0	R29	R35	W20	W20
NEW HOLLAND	E 485 LCH	270,0	R29	R35	W20	W20
NEW HOLLAND	E 485B LCH	270,0	R29	R35	W20	W20
NEW HOLLAND	E 485 C BEH	277,4	R29	R35	W20	W20
NEW HOLLAND	E 485B BEH	277,4	R29	R35	W20	W20
NEW HOLLAND	E 805	322,0	R35	R35	W20	W20
O&K	MH 2,8 D	67,0	R10	R10	-	-
O&K	MH 4 PMS	87,0	R10	R10	-	-
O&K	MH 4,5	87,0	R10	R10	-	-
O&K	MH CITY 2000	87,0	R10	R10	-	-
O&K	RH 4 PMS LC	87,0	R10	R10	-	-
O&K	RH 4 PMS N	87,0	R10	R10	-	-
O&K	RH 4,5 LC	90,0	R10	R14	-	-
O&K	RH 4,5 N	90,0	R10	R14	-	-
O&K	MH CITY	91,4	R10	R14	-	-
O&K	RH 4,6	100,0	R10	R14	-	-
O&K	MH PLUS	117,0	R14	R18	-	-
O&K	RH CITY LC	117,0	R14	R18	-	-
O&K	RH CITY N	117,0	R14	R18	-	-
O&K	RH PLUS N	117,0	R14	R18	-	-
O&K	MH 5	120,0	R14	R18	-	-
O&K	RH 5	120,0	R14	R18	-	-
O&K	MH 5 COMPACT	124,0	R14	R18	-	-
O&K	MH 5,5	124,0	R14	R18	-	-
O&K	RH 5 HDLC	124,0	R14	R18	-	-
O&K	RH 5 HDNLC	124,0	R14	R18	-	-

GENERAL SELECTION GUIDE - EXCAVATOR

For more information visit combiwearparts.com.

			C-REX		ProClaws	
BRAND	MODEL	MAX BOF, kN	GP	HD/XHD	GP	HD/XHD
O&K	RH 5 LC	124,0	R14	R18	-	-
O&K	RH 5,5 HD-LC	124,0	R14	R18	-	-
O&K	RH 5,5 HD-NLC	124,0	R14	R18	-	-
O&K	RH 5,5 LC	124,0	R14	R18	-	-
O&K	RH 5,5 N	124,0	R14	R18	-	-
O&K	RH 6 COMPACT LC	124,0	R14	R18	-	-
O&K	RH 6 COMPACT NLC	124,0	R14	R18	-	-
O&K	MH 5,6	125,0	R14	R18	-	-
O&K	RH PLUS	125,0	R14	R18	-	-
O&K	RH PLUS LC	125,0	R14	R18	-	-
O&K	RH 6,5 HD	127,0	R14	R18	-	-
O&K	RH 6,5 HD-N	127,0	R14	R18	-	-
O&K	RH 6,5 LC	127,0	R14	R18	-	-
O&K	MH PLUS (DEUTZ)	129,0	R14	R18	-	-
O&K	MH 6,6	135,0	R14	R18	-	-
O&K	RH 5,6 EL	140,0	R14	R18	-	-
O&K	RH 5,6 LC	140,0	R14	R18	-	-
O&K	RH 8,5 LC	156,0	R18	R23	W09	W09
O&K	RH 8,5 NLC	156,0	R18	R23	W09	W09
O&K	MH 8,6	156,5	R18	R23	W09	W09
O&K	RH 6,6	160,0	R18	R23	W09	W09
O&K	RH 6,6 E	160,0	R18	R23	W09	W09
O&K	RH 6,6 LC	160,0	R18	R23	W09	W09
O&K	RH 7,6 HD	160,0	R18	R23	W09	W09
O&K	MH 6	164,0	R18	R23	W09	W09
O&K	MH 6 HD	164,0	R18	R23	W09	W09
O&K	MH 6,5	164,0	R18	R23	W09	W09
O&K	MH 6,5 HD	164,0	R18	R23	W09	W09
O&K	RH 6-20 LC	164,0	R18	R23	W09	W09
O&K	RH 6-20 N	164,0	R18	R23	W09	W09
O&K	RH 6-22	164,0	R18	R23	W09	W09
O&K	RH 6-22 LC	164,0	R18	R23	W09	W09
O&K	RH 8 LC	164,0	R18	R23	W09	W09
O&K	RH 9,5 LC	180,0	R18	R23	W09	W10
O&K	RH 9,5 NLC	180,0	R18	R23	W09	W10
O&K	RH 8,6 EL	190,0	R23	R29	W09	W10
O&K	RH 8,6 LC	190,0	R23	R29	W09	W10
O&K	RH 9,6 EL	195,0	R23	R29	W09	W10
O&K	RH 9,6 LC	195,0	R23	R29	W09	W10
O&K	RH 12 VLC	214,0	R23	R29	W10	W10
O&K	RH 16 VLC	214,0	R23	R29	W10	W10
O&K	RH 9 LC	214,0	R23	R29	W10	W10
O&K	RH 12,5 LC	216,0	R23	R29	W10	W10
O&K	RH 12,5 NLC	216,0	R23	R29	W10	W10

GENERAL SELECTION GUIDE - EXCAVATOR

For more information visit combiwearparts.com.

			C-REX		ProClaws	
BRAND	MODEL	MAX BOF, kN	GP	HD/XHD	GP	HD/XHD
O&K	RH 16,5 VLC	216,0	R23	R29	W10	W10
O&K	RH 16,5NLC	216,0	R23	R29	W10	W10
O&K	RH 12,6 BEH	240,0	R29	R35	W10	W20
O&K	RH 12,6 EL	240,0	R29	R35	W10	W20
O&K	RH 12,6 LC	240,0	R29	R35	W10	W20
O&K	RH 23 VLC	245,0	R29	R35	W10	W20
O&K	RH 23,5 VLC	245,0	R29	R35	W10	W20
O&K	RH 25 LC	280,0	R35	-	W20	W20
O&K	RH 25 LC (VAR)	280,0	R35	-	W20	W20
O&K	RH 25,5 LC	280,0	R35	-	W20	W20
O&K	RH 25,5 VLC	280,0	R35	-	W20	W20
O&K	RH 20 VLC	281,0	R35	-	W20	W20
O&K	RH 40 E	380,0	-	-	W30	W30
O&K	RH 90 C	550,0	-	-	W40	W50
O&K	RH 120 C	750,0	-	-	W50	-
O&K	RH 120 E	800,0	-	-	W50	-
O&K	RH 170	970,0	-	-	-	-
O&K	RH 200	1200,0	-	-	-	-
O&K MINING	RH 40 E	380,0	-	-	W30	W30
O&K MINING	RH 30 F (HD-RLC)	415,0	-	-	W30	W30
O&K MINING	RH 30-F (ME)	415,0	-	-	W30	W30
O&K MINING	RH 90 C	550,0	-	-	W40	W50
O&K MINING	RH 120 E	800,0	-	-	W50	-
O&K MINING	RH 170	970,0	-	-	-	-
O&K MINING	RH 200	1200,0	-	-	-	-
POWERPLUS	PP85E-IX	56,0	R10	R10	-	-
POWERPLUS	PP220E-IX	120,0	R14	R18	-	-
POWERPLUS	PP300E-IX	135,0	R14	R18	-	-
POWERPLUS	PP350E-IX	185,0	R23	R29	W09	W10
POWERPLUS	PP500E-IX	265,0	R29	R35	W20	W20
SAMSUNG	SE 130 W-2	68,8	R10	R10	-	-
SAMSUNG	SE 130 W-3	78,7	R10	R10	-	-
SAMSUNG	SE 130 LC-2	78,8	R10	R10	-	-
SAMSUNG	SE 130 LCM-2	78,8	R10	R10	-	-
SAMSUNG	SE 130 LC-3	86,1	R10	R10	-	-
SAMSUNG	SE 130 LCM-3	86,1	R10	R10	-	-
SAMSUNG	SE 150 LC-2	86,2	R10	R10	-	-
SAMSUNG	SE 170 W-3	103,4	R10	R14	-	-
SAMSUNG	SE 210 LC-3	129,3	R14	R18	-	-
SAMSUNG	SE 240 LC-3	151,0	R18	R23	W09	W09
SAMSUNG	SE 240 NLC-3	151,0	R18	R23	W09	W09
SAMSUNG	SE 280 LC-2	162,0	R18	R23	W09	W09
SAMSUNG	SE 280 NLC-2	162,0	R18	R23	W09	W09
SAMSUNG	SE 280 LC-3	172,0	R18	R23	W09	W10

GENERAL SELECTION GUIDE - EXCAVATOR

For more information visit combiwearparts.com.

			C-REX		ProClaws	
BRAND	MODEL	MAX BOF, kN	GP	HD/XHD	GP	HD/XHD
SAMSUNG	SE 280 NLC-3	172,0	R18	R23	W09	W10
SAMSUNG	SE 350 LC-2	196,0	R23	R29	W09	W10
SAMSUNG	SE 350 LC-3	214,8	R23	R29	W10	W10
SAMSUNG	SE 450 LC-2	218,0	R23	R29	W10	W20
SAMSUNG	SE 450 LC-3	239,3	R29	R35	W20	W20
SANY	SY 75 C TIER 3	56,0	R10	R10	-	-
SANY	SY 75 C-11	56,0	R10	R10	-	-
SANY	SY 75 C-9	56,0	R10	R10	-	-
SANY	SY 75 C-9 (E)	56,0	R10	R10	-	-
SANY	SY 85 C-9	63,6	R10	R10	-	-
SANY	SY 95 C-9	63,6	R10	R10	-	-
SANY	SY 115 C-9	90,6	R10	R14	-	-
SANY	SY 135 C	92,0	R10	R14	-	-
SANY	SY 135 C-8 TIER 2	92,7	R10	R14	-	-
SANY	SY 135 C-8 TIER 3	92,7	R10	R14	-	-
SANY	SY 135 C8B	92,7	R10	R14	-	-
SANY	SY 135 C-9	92,7	R10	R14	-	-
SANY	SY 155 C-9	92,7	R10	R14	-	-
SANY	SY 130	93,0	R10	R14	-	-
SANY	SY 215 C-9 LC (SLR)	101,0	R10	R14	-	-
SANY	SY 195 C-9	135,0	R14	R18	-	-
SANY	SY 200	138,0	R14	R18	-	-
SANY	SY 200 C	138,0	R14	R18	-	-
SANY	SY 200 C TIER 3	138,0	R14	R18	-	-
SANY	SY 205 C8M	138,0	R14	R18	-	-
SANY	SY 205 C-9	138,0	R14	R18	-	-
SANY	SY 210	138,0	R14	R18	-	-
SANY	SY 210 C	138,0	R14	R18	-	-
SANY	SY 210 C8E	138,0	R14	R18	-	-
SANY	SY 215 C	138,0	R14	R18	-	-
SANY	SY 215 C8M	138,0	R14	R18	-	-
SANY	SY 215 C-9	138,0	R14	R18	-	-
SANY	SY 225 C-9	138,0	R14	R18	-	-
SANY	SY 215 C LC	138,2	R14	R18	-	-
SANY	SY 220	159,0	R18	R23	W09	W09
SANY	SY 230	159,0	R18	R23	W09	W09
SANY	SY 230 C	159,0	R18	R23	W09	W09
SANY	SY 230 C8B	159,0	R18	R23	W09	W09
SANY	SY 235 C LC	175,0	R18	R23	W09	W10
SANY	SY 235 C	175,0	R18	R23	W09	W10
SANY	SY 235 C-8	175,0	R18	R23	W09	W10
SANY	SY 235 C-9	175,0	R18	R23	W09	W10
SANY	SY 265 C-9	186,0	R23	R29	W09	W10
SANY	SY 285 C-8	193,0	R23	R29	W09	W10

GENERAL SELECTION GUIDE - EXCAVATOR

For more information visit combiwearparts.com.

			C-REX		ProClaws	
BRAND	MODEL	MAX BOF, kN	GP	HD/XHD	GP	HD/XHD
SANY	SY 310	193,0	R23	R29	W09	W10
SANY	SY 335 C INTERIM TIER 4	200,0	R23	R29	W09	W10
SANY	SY 310 C L	210,0	R23	R29	W09	W10
SANY	SY 330 C	210,0	R23	R29	W09	W10
SANY	SY 360 C	210,0	R23	R29	W09	W10
SANY	SY 310 C	210,0	R23	R29	W09	W10
SANY	SY 305 C-9H	220,0	R23	R29	W10	W10
SANY	SY 335 C TIER 2	220,0	R23	R29	W10	W10
SANY	SY 335 C-9H	220,0	R23	R29	W10	W10
SANY	SY 365 C	220,0	R23	R29	W10	W10
SANY	SY 365 C-8	220,0	R23	R29	W10	W10
SANY	SY 355 H-9	235,0	R29	R35	W10	W20
SANY	SY 420	239,0	R29	R35	W10	W20
SANY	SY 420 C	239,1	R29	R35	W10	W20
SANY	SY 385 H-9	240,0	R29	R35	W10	W20
SANY	SY 465 C	262,0	R29	R35	W10	W20
SANY	STY 465 H-9	267,0	R29	R35	W10	W20
SANY	SY 425 C	267,0	R29	R35	W20	W20
SANY	SY 700 C	296,0	R35	-	W25	W25
SANY	SY 700 H-8	356,0	-	-	W25	W25
SANY	SY 850 H-8	492,0	-	-	W25	W30
SCHAEFF	HML 41	67,9	R10	R10	-	-
SCHAEFF	HR 41	67,9	R10	R10	-	-
SDLG	LG 685	60,0	R10	R10	-	-
SDLG	LG 690 E	60,0	R10	R10	-	-
SDLG	LG 6150	98,1	R10	R14	-	-
SDLG	LG 6150 E	98,1	R10	R14	-	-
SDLG	LG 6220	125,0	R14	R18	-	-
SDLG	LG 6210 E TIER 2	147,1	R18	R18	-	-
SDLG	LG 6210 E TIER 3	147,1	R18	R18	-	-
SDLG	LG 6225 E	147,1	R18	R18	-	-
SDLG	LG 6250	176,0	R18	R23	W09	W10
SDLG	LG 6250 E	176,0	R18	R23	W09	W10
SDLG	LG 6300	193,5	R23	R29	W09	W10
SDLG	LG 6300 E	198,5	R23	R29	W09	W10
SDLG	LG 6360 E	236,0	R29	R35	W10	W20
SHANGHAI PENGPU	SW210E	120,0	R14	R18	-	-
SHANGHAI PENGPU	SW210LC-5	120,0	R14	R18	-	-
SHANGHAI PENGPU	SW230LC-5	135,0	R14	R18	-	-
SHANGHAI PENGPU	SW240E	135,0	R14	R18	-	-
SHANGHAI PENGPU	SW330E	185,0	R23	R29	W09	W10
SHANTUI	SE 130	76,5	R10	R10	-	-
SHANTUI	SE 210	115,0	R14	R18	-	-
SHANTUI	SE 240	128,6	R14	R18	-	-

GENERAL SELECTION GUIDE - EXCAVATOR

For more information visit combiwearparts.com.

			C-REX		ProClaws	
BRAND	MODEL	MAX BOF, kN	GP	HD/XHD	GP	HD/XHD
SHANTUI	SE 270	138,0	R14	R18	-	-
SHANTUI	SE 230	140,0	R14	R18	-	-
SUNWARD	SWE 125B	72,2	R10	R10	-	-
SUNWARD	SWE 130W	86,0	R10	R10	-	-
SUNWARD	SWE 210	154,0	R18	R23	W09	W09
SUNWARD	SWE 230B	161,0	R18	R23	W09	W09
SUNWARD	SWE 330B	210,0	R23	R29	W09	W10
SUNWARD	SWE 470	258,6	R29	R35	W10	W20
TAKEUCHI	TB 260	56,7	R10	R10	-	-
TAKEUCHI	TB 295 W	58,9	R10	R10	-	-
TAKEUCHI	TB 285	59,1	R10	R10	-	-
TAKEUCHI	TB 290 TIER 3	59,1	R10	R10	-	-
TAKEUCHI	TB 290 TIER 4	59,1	R10	R10	-	-
TAKEUCHI	TB 280 FR	72,6	R10	R10	-	-
TAKEUCHI	TB 1135	89,1	R10	R14	-	-
TAKEUCHI	TB 1140 SERIES 2 INTERIM TIER 4	98,7	R10	R14	-	-
TAKEUCHI	TB 1140	98,7	R10	R14	-	-
TAKEUCHI	TB 1140 SERIES 2 TIER 4	98,7	R10	R14	-	-
TEREX	HML 42	72,0	R10	R10	-	-
TEREX	TW 110	72,0	R10	R10	-	-
TEREX	HR 42	81,5	R10	R10	-	-
TEREX	TC 125 INTERIM TIER 4	81,5	R10	R10	-	-
TEREX	TC 125 TIER 3	81,5	R10	R10	-	-
TEREX	TC 140	88,0	R10	R10	-	-
TEREX	TC 140 LC	88,0	R10	R10	-	-
TEREX	TW 130	106,0	R10	R14	-	-
TEREX	TW 140	106,0	R10	R14	-	-
TEREX	TW 180 SR	122,0	R14	R18	-	-
TEREX	TW 150	130,0	R14	R18	-	-
TEREX	TW 160	130,0	R14	R18	-	-
TEREX	TW 160 SR	130,0	R14	R18	-	-
TEREX	TW 170	130,0	R14	R18	-	-
TEREX	TW 190	132,0	R14	R18	-	-
TEREX	TW 240	168,0	R18	R23	W09	W09
TEREX ATLAS	1004 M	58,0	R10	R10	-	-
TEREX ATLAS	1104 M	73,0	R10	R10	-	-
TEREX ATLAS	1204	106,0	R10	R14	-	-
TEREX ATLAS	1304 LC	106,0	R10	R14	-	-
TEREX ATLAS	1304 M	106,0	R10	R14	-	-
TEREX ATLAS	1305 LC	106,0	R10	R14	-	-
TEREX ATLAS	1305 M	106,0	R10	R14	-	-
TEREX ATLAS	1604 LC	122,0	R14	R18	-	-
TEREX ATLAS	1604 MK	122,0	R14	R18	-	-
TEREX ATLAS	1805 M	125,0	R14	R18	-	-

GENERAL SELECTION GUIDE - EXCAVATOR

For more information visit combiwearparts.com.

			C-REX		ProClaws	
BRAND	MODEL	MAX BOF, kN	GP	HD/XHD	GP	HD/XHD
TEREX ATLAS	1905 M	125,0	R14	R18	-	-
TEREX ATLAS	1704 LC	125,5	R14	R18	-	-
TEREX ATLAS	1404 (WIDE)	130,0	R14	R18	-	-
TEREX ATLAS	1404 M	130,0	R14	R18	-	-
TEREX ATLAS	1404 MK	130,0	R14	R18	-	-
TEREX ATLAS	1504 (WIDE)	130,0	R14	R18	-	-
TEREX ATLAS	1504 LC	130,0	R14	R18	-	-
TEREX ATLAS	1504 M	130,0	R14	R18	-	-
TEREX ATLAS	1505 M	130,0	R14	R18	-	-
TEREX ATLAS	1605 LC	130,0	R14	R18	-	-
TEREX ATLAS	1605 M	130,0	R14	R18	-	-
TEREX ATLAS	1705 M	130,0	R14	R18	-	-
TEREX ATLAS	TC 210 LC	132,0	R14	R18	-	-
TEREX ATLAS	TC 210 NLC	132,0	R14	R18	-	-
TEREX ATLAS	TC 225 LC	132,0	R14	R18	-	-
TEREX ATLAS	TC 225 NLC	132,0	R14	R18	-	-
TEREX ATLAS	1604 (WIDE)	141,0	R18	R18	-	-
TEREX ATLAS	1604 K	141,0	R18	R18	-	-
TEREX ATLAS	1604 K (WIDE)	141,0	R18	R18	-	-
TEREX ATLAS	1604 M	141,0	R18	R18	-	-
TEREX ATLAS	2205 M	160,0	R18	R23	W09	W09
TEREX ATLAS	240 LC	168,0	R18	R23	W09	W09
TEREX ATLAS	TC 240 LC	168,0	R18	R23	W09	W09
TEREX ATLAS	TC 240 NLC	168,0	R18	R23	W09	W09
TEREX ATLAS	TC 260 LC	168,0	R18	R23	W09	W09
TEREX ATLAS	TC 260 NLC	168,0	R18	R23	W09	W09
TEREX ATLAS	1704	169,0	R18	R23	W09	W10
TEREX ATLAS	1704 (NARROW)	169,0	R18	R23	W09	W10
TEREX ATLAS	1704 M	169,0	R18	R23	W09	W10
TEREX ATLAS	1804 LC	175,7	R18	R23	W09	W10
TEREX ATLAS	2005 M	176,0	R18	R23	W09	W10
TEREX MINING	RH 40 E - HD-LC	380,0	-	-	W30	W30
TEREX MINING	RH 40-E - HD	380,0	-	-	W30	W30
TEREX MINING	RH 30-F (HD-RLC)	415,0	-	-	W25	W30
TEREX MINING	RH 30-F (ME)	415,0	-	-	W25	W30
TEREX MINING	RH 90-C	550,0	-	-	W40	W50
TEREX MINING	RH 120-E	870,0	-	-	W50	-
TEREX MINING	RH 170	970,0	-	-	-	-
TEREX MINING	RH 200	1200,0	-	-	-	-
TEREX MINING	RH 340	1240,0	-	-	-	-
TEREX O&K	RH 40 E - HD-LC	380,0	-	-	W30	W30
TEREX O&K	RH 40-E	380,0	-	-	W30	W30
TEREX O&K	RH 40-E - HD	380,0	-	-	W30	W30
TEREX O&K	RH 40-F HD	380,0	-	-	W30	W30

GENERAL SELECTION GUIDE - EXCAVATOR

For more information visit combiwearparts.com.

			C-REX		ProClaws	
BRAND	MODEL	MAX BOF, kN	GP	HD/XHD	GP	HD/XHD
TEREX O&K	RH 40-F LC	380,0	-	-	W30	W30
TEREX O&K	RH 40-E (ME)	390,0	-	-	W30	W30
TEREX O&K	RH 30 F (HD-RLC)	415,0	-	-	W30	W30
TEREX O&K	RH 30-F (HD-RLC)	415,0	-	-	W25	W30
TEREX O&K	RH 30-F (ME)	415,0	-	-	W25	W30
TEREX O&K	RH 70	450,0	-	-	W30	W40
TEREX O&K	RH 90-C	550,0	-	-	W40	W50
TEREX O&K	RH 120-E	870,0	-	-	W50	-
TEREX O&K	RH 170	1020,0	-	-	-	-
TEREX O&K	RH 200	1200,0	-	-	-	-
TEREX O&K	RH 340	1240,0	-	-	-	-
TEREX O&K	RH 340-B	1270,0	-	-	-	-
TEREX SCHAEFF	HML 41	67,9	R10	R10	-	-
TEREX SCHAEFF	HR 41	67,9	R10	R10	-	-
TEREX SCHAEFF	HML 42	72,0	R10	R10	-	-
TEREX SCHAEFF	HR 42	81,5	R10	R10	-	-
TIGER XCG	210 LC-7 E	126,0	R14	R18	-	-
TOPCATT	TC 210	120,0	R14	R18	-	-
TOPCATT	TC 250	135,0	R14	R18	-	-
TOPCATT	TC 350	185,0	R23	R29	W09	W10
TOTA	TX 200	142,0	R18	R18	-	-
TOTA	TX 210C	142,0	R18	R18	-	-
WACKER NEUSON	8003 INTERIM TIER 4	60,1	R10	R10	-	-
WACKER NEUSON	12002	72,4	R10	R10	-	-
WACKER NEUSON	12002 VARIO	72,4	R10	R10	-	-
WACKER NEUSON	ET 90	74,0	R10	R10	-	-
WACKER NEUSON	14504	91,0	R10	R14	-	-
WACKER NEUSON	14504 INTERIM TIER 4	91,0	R10	R14	-	-
WACKER NEUSON	ET 145	91,0	R10	R14	-	-
VOLVO	ECR 88	56,0	R10	R10	-	-
VOLVO	ECR 88 D	57,2	R10	R10	-	-
VOLVO	ECR 88 PLUS	59,0	R10	R10	-	-
VOLVO	EC 130 C	68,0	R10	R10	-	-
VOLVO	EW 130 C	68,0	R10	R10	-	-
VOLVO	EC 210 B LR PRIME	76,8	R10	R10	-	-
VOLVO	EC 220 D LR INTERIM TIER 4	76,8	R10	R10	-	-
VOLVO	EC 220 E LR	77,0	R10	R10	-	-
VOLVO	EC 220 D LR (LATAM)	77,0	R10	R10	-	-
VOLVO	EC 220 D LR TIER 2	77,0	R10	R10	-	-
VOLVO	EC 220 D LR TIER 3	77,0	R10	R10	-	-
VOLVO	EC 250 E LR	77,8	R10	R10	-	-
VOLVO	EC 210 CLR	77,8	R10	R10	-	-
VOLVO	EC 240 CLR	77,8	R10	R10	-	-
VOLVO	EC 250 D LR TIER 2	77,8	R10	R10	-	-

GENERAL SELECTION GUIDE - EXCAVATOR

For more information visit combiwearparts.com.

			C-REX		ProClaws	
BRAND	MODEL	MAX BOF, kN	GP	HD/XHD	GP	HD/XHD
VOLVO	EC 250 D LR TIER 3	77,8	R10	R10	-	-
VOLVO	EC 240 B LR PRIME	78,0	R10	R10	-	-
VOLVO	EC 290 B LR PRIME	80,3	R10	R10	-	-
VOLVO	EC 290 CLR	80,3	R10	R10	-	-
VOLVO	EC 300 D LR TIER 2	80,3	R10	R10	-	-
VOLVO	EC 300 D LR TIER 3	80,3	R10	R10	-	-
VOLVO	EC 300 E LR	80,3	R10	R10	-	-
VOLVO	EW 150 C	86,0	R10	R10	-	-
VOLVO	EC 140 LC	86,1	R10	R10	-	-
VOLVO	EC 140 LCM	86,1	R10	R10	-	-
VOLVO	EW 140	88,0	R10	R10	-	-
VOLVO	EW 140 E	91,2	R10	R14	-	-
VOLVO	ECR 145 CL	96,5	R10	R14	-	-
VOLVO	EC 140 E L DOZER	96,6	R10	R14	-	-
VOLVO	EC 140 E LM	96,6	R10	R14	-	-
VOLVO	ECR 145 D	96,6	R10	R14	-	-
VOLVO	ECR 145 D L DOZER	96,6	R10	R14	-	-
VOLVO	ECR 145 E	96,6	R10	R14	-	-
VOLVO	ECR 145 E DOZER	96,6	R10	R14	-	-
VOLVO	EC 140 E	96,6	R10	R14	-	-
VOLVO	EW 145 B PRIME	97,7	R10	R14	-	-
VOLVO	EW 140 B	97,9	R10	R14	-	-
VOLVO	EC 140 D	98,1	R10	R14	-	-
VOLVO	EC 140 D DOZER	98,1	R10	R14	-	-
VOLVO	EC 140 D LM INTERIM TIER 4	98,1	R10	R14	-	-
VOLVO	EC 135 BLC	98,1	R10	R14	-	-
VOLVO	EC 140 B LC PRIME	98,1	R10	R14	-	-
VOLVO	EC 140 B LCM PRIME	98,1	R10	R14	-	-
VOLVO	EC 140 BLC	98,1	R10	R14	-	-
VOLVO	EC 140 BLCM	98,1	R10	R14	-	-
VOLVO	EC 140 C	98,1	R10	R14	-	-
VOLVO	EC 140 CL	98,1	R10	R14	-	-
VOLVO	EC 140 CLM	98,1	R10	R14	-	-
VOLVO	EC 140 D L	98,5	R10	R14	-	-
VOLVO	EC 140 D LM TIER 2	98,5	R10	R14	-	-
VOLVO	EC 150 LC	101,8	R10	R14	-	-
VOLVO	EW 140 C	108,2	R10	R14	-	-
VOLVO	EW 140 D	108,2	R10	R14	-	-
VOLVO	EW 150 E	108,5	R10	R14	-	-
VOLVO	EC 160	109,0	R10	R14	-	-
VOLVO	EC 160 NARROW	109,0	R10	R14	-	-
VOLVO	EC 160 WIDE	109,0	R10	R14	-	-
VOLVO	EW 160	109,0	R10	R14	-	-
VOLVO	EW 160 B	111,5	R14	R14	-	-

GENERAL SELECTION GUIDE - EXCAVATOR

For more information visit combiwearparts.com.

			C-REX		ProClaws	
BRAND	MODEL	MAX BOF, kN	GP	HD/XHD	GP	HD/XHD
VOLVO	EW 170	113,2	R14	R18	-	-
VOLVO	EC 160 BLC	118,1	R14	R18	-	-
VOLVO	EC 160 BNLC	118,1	R14	R18	-	-
VOLVO	EC 160 C	118,1	R14	R18	-	-
VOLVO	EC 160 CNL	118,1	R14	R18	-	-
VOLVO	EC 180 BLC	118,1	R14	R18	-	-
VOLVO	EC 180 CL	118,1	R14	R18	-	-
VOLVO	EC 160 D	121,3	R14	R18	-	-
VOLVO	EC 160 D L DOZER	121,3	R14	R18	-	-
VOLVO	EC 160 DNL	121,3	R14	R18	-	-
VOLVO	EC 180 DL	121,3	R14	R18	-	-
VOLVO	EC 160 E	121,9	R14	R18	-	-
VOLVO	EC 160 E DOZER	121,9	R14	R18	-	-
VOLVO	EC 160 E N	121,9	R14	R18	-	-
VOLVO	EC 160 E N DOZER	121,9	R14	R18	-	-
VOLVO	EC 180 E	121,9	R14	R18	-	-
VOLVO	EW 160 C	122,7	R14	R18	-	-
VOLVO	EW 180 B	122,9	R14	R18	-	-
VOLVO	EC 170 D	123,4	R14	R18	-	-
VOLVO	EC 200	126,0	R14	R18	-	-
VOLVO	EW 160 E	126,0	R14	R18	-	-
VOLVO	EW 200	126,0	R14	R18	-	-
VOLVO	EW 160 D	127,7	R14	R18	-	-
VOLVO	EC 210 LC	129,5	R14	R18	-	-
VOLVO	EC 210 NLC	129,5	R14	R18	-	-
VOLVO	EW 180 C	131,0	R14	R18	-	-
VOLVO	EW 180 D	136,0	R14	R18	-	-
VOLVO	EW 180 E	136,0	R14	R18	-	-
VOLVO	ECR 235 CL	141,2	R18	R18	-	-
VOLVO	EW 205 D	144,0	R18	R18	-	-
VOLVO	EC 210 B LC PRIME	147,1	R18	R18	-	-
VOLVO	EC 210 B PRIME	147,1	R18	R18	-	-
VOLVO	EC 210 BLC TIER 2	147,1	R18	R18	-	-
VOLVO	EC 210 BLC TIER 3	147,1	R18	R18	-	-
VOLVO	EC 210 BNC	147,1	R18	R18	-	-
VOLVO	EC 210 BNLC	147,1	R18	R18	-	-
VOLVO	EC 210 CL	147,1	R18	R18	-	-
VOLVO	EC 210 CN	147,1	R18	R18	-	-
VOLVO	EC 210 CNL	147,1	R18	R18	-	-
VOLVO	EC 235 CNL	147,1	R18	R18	-	-
VOLVO	EC 235 DNL	147,1	R18	R18	-	-
VOLVO	EC 210	147,2	R18	R18	-	-
VOLVO	EW 210 D	148,6	R18	R23	W09	W09
VOLVO	EC 220 E	149,0	R18	R23	W09	W09

GENERAL SELECTION GUIDE - EXCAVATOR

For more information visit combiwearparts.com.

			C-REX		ProClaws	
BRAND	MODEL	MAX BOF, kN	GP	HD/XHD	GP	HD/XHD
VOLVO	EC 220 E N	149,0	R18	R23	W09	W09
VOLVO	EC 220 E NH	149,0	R18	R23	W09	W09
VOLVO	EC 220 E NL	149,0	R18	R23	W09	W09
VOLVO	ECR 235 E	149,4	R18	R23	W09	W09
VOLVO	ECR 235 E DOZER	149,4	R18	R23	W09	W09
VOLVO	ECR 235 D	150,2	R18	R23	W09	W09
VOLVO	ECR 235 DL DOZER	150,2	R18	R23	W09	W09
VOLVO	EC 240 LC	151,1	R18	R23	W09	W09
VOLVO	EC 240 NLC	151,1	R18	R23	W09	W09
VOLVO	EC 220 D INTERIM TIER 4	152,7	R18	R23	W09	W09
VOLVO	EC 220 D (LATAM)	153,0	R18	R23	W09	W09
VOLVO	EC 220 D L	153,0	R18	R23	W09	W09
VOLVO	EC 220 D TIER 2	153,0	R18	R23	W09	W09
VOLVO	EC 220 D TIER 3	153,0	R18	R23	W09	W09
VOLVO	EC 220 DL	153,0	R18	R23	W09	W09
VOLVO	EW 230 C	161,6	R18	R23	W09	W09
VOLVO	EW 230 CLWB	161,6	R18	R23	W09	W09
VOLVO	EC 380 D LR	166,0	R18	R23	W09	W09
VOLVO	EC 380 ELR	166,4	R18	R23	W09	W09
VOLVO	EC 290 LC	172,6	R18	R23	W09	W10
VOLVO	EC 290 NLC	172,6	R18	R23	W09	W10
VOLVO	EC 240 BLC	175,5	R18	R23	W09	W10
VOLVO	EC 240 BNLC	175,5	R18	R23	W09	W10
VOLVO	EC 240 CL	175,5	R18	R23	W09	W10
VOLVO	EC 240 CNL	175,5	R18	R23	W09	W10
VOLVO	EC 240 B LC PRIME	176,0	R18	R23	W09	W10
VOLVO	EC 230 B	177,0	R18	R23	W09	W10
VOLVO	EW 230 B	177,0	R18	R23	W09	W10
VOLVO	EC 280 WIDE/LONG	181,0	R18	R23	W09	W10
VOLVO	EC 250 D	186,0	R23	R29	W09	W10
VOLVO	EC 250 D LR INTERIM TIER 4	186,0	R23	R29	W09	W10
VOLVO	EC 250 D NL	186,0	R23	R29	W09	W10
VOLVO	EC 250 E LC	186,0	R23	R29	W09	W10
VOLVO	EC 250 D L	186,0	R23	R29	W09	W10
VOLVO	EC 250 DL	186,0	R23	R29	W09	W10
VOLVO	EC 250 E NLC	186,0	R23	R29	W09	W10
VOLVO	EC 290 B LC PRIME	193,5	R23	R29	W09	W10
VOLVO	EC 290 CL	198,0	R23	R29	W09	W10
VOLVO	EC 290 CNL	198,0	R23	R29	W09	W10
VOLVO	ECR 305 C	198,0	R23	R29	W09	W10
VOLVO	EC 290 BLC	198,4	R23	R29	W09	W10
VOLVO	EC 290 BNLC	198,4	R23	R29	W09	W10
VOLVO	EC 480 E LR (FIXED U/C)	199,7	R23	R29	W09	W10
VOLVO	EC 480 E LR (VARIABLE U/C)	199,7	R23	R29	W09	W10

GENERAL SELECTION GUIDE - EXCAVATOR

For more information visit combiwearparts.com.

			C-REX		ProClaws	
BRAND	MODEL	MAX BOF, kN	GP	HD/XHD	GP	HD/XHD
VOLVO	EC 480 D LR (FIXED U/C)	200,0	R23	R29	W09	W10
VOLVO	EC 480 D LR (VARIABLE U/C)	200,0	R23	R29	W09	W10
VOLVO	EC 300 D	204,5	R23	R29	W09	W10
VOLVO	EC 300 D LR INTERIM TIER 4	204,5	R23	R29	W09	W10
VOLVO	EC 300 DNL	204,5	R23	R29	W09	W10
VOLVO	EC 300 E LC	204,5	R23	R29	W09	W10
VOLVO	EC 300 D L TIER 2	205,0	R23	R29	W09	W10
VOLVO	EC 300 D L TIER 3	205,0	R23	R29	W09	W10
VOLVO	EC 300 E NLC	205,0	R23	R29	W09	W10
VOLVO	EC 360 C HR	214,0	R23	R29	W10	W10
VOLVO	EC 360 LC	214,1	R23	R29	W10	W10
VOLVO	EC 360 NLC	214,1	R23	R29	W10	W10
VOLVO	EC 350 D L TIER 2	219,0	R23	R29	W10	W10
VOLVO	EC 350 D L TIER 3	219,0	R23	R29	W10	W10
VOLVO	EC 350 D TIER 2	219,0	R23	R29	W10	W10
VOLVO	EC 350 D TIER 3	219,0	R23	R29	W10	W10
VOLVO	EC 330 B PRIME REACH	236,0	R29	R35	W10	W20
VOLVO	EC 330 BLC	236,0	R29	R35	W10	W20
VOLVO	EC 330 CL	236,0	R29	R35	W10	W20
VOLVO	EC 360 B LC PRIME	236,0	R29	R35	W10	W20
VOLVO	EC 360 B NLC PRIME	236,0	R29	R35	W10	W20
VOLVO	EC 360 BLC	236,0	R29	R35	W10	W20
VOLVO	EC 360 BNLC	236,0	R29	R35	W10	W20
VOLVO	EC 360 CL (HD)	236,0	R29	R35	W10	W20
VOLVO	EC 360 CNL (HD)	236,0	R29	R35	W10	W20
VOLVO	EC 460	239,3	R29	R35	W10	W20
VOLVO	EC 350 E	242,7	R29	R35	W10	W20
VOLVO	EC 380 E	242,7	R29	R35	W10	W20
VOLVO	EC 340 D	242,7	R29	R35	W10	W20
VOLVO	EC 380 D	242,7	R29	R35	W10	W20
VOLVO	EC 380 D L INTERIM TIER 4	242,7	R29	R35	W10	W20
VOLVO	EC 380 DNL	242,7	R29	R35	W10	W20
VOLVO	EC 380 E NL	242,7	R29	R35	W10	W20
VOLVO	EC 360 CL	243,0	R29	R35	W10	W20
VOLVO	EC 360 CNL	243,0	R29	R35	W10	W20
VOLVO	EC 380 D L TIER 3	243,0	R29	R35	W10	W20
VOLVO	EC 390	255,0	R29	R35	W10	W20
VOLVO	EC 350 D L ME TIER 2	257,0	R29	R35	W10	W20
VOLVO	EC 350 D L ME TIER 3	257,0	R29	R35	W10	W20
VOLVO	EC 330 B LC PRIME ME	258,0	R29	R35	W10	W20
VOLVO	EC 330 BLC ME	258,0	R29	R35	W10	W20
VOLVO	EC 330 CL ME	258,0	R29	R35	W10	W20
VOLVO	EC 360 B LC PRIME ME	258,0	R29	R35	W10	W20
VOLVO	EC 340 NARROW	259,0	R29	R35	W10	W20

GENERAL SELECTION GUIDE - EXCAVATOR

For more information visit combiwearparts.com.

			C-REX		ProClaws	
BRAND	MODEL	MAX BOF, kN	GP	HD/XHD	GP	HD/XHD
VOLVO	EC 340 WIDE	259,0	R29	R35	W10	W20
VOLVO	EC 360 CL ME TIER 3	265,0	R29	R35	W10	W20
VOLVO	EC 360 CNL ME	265,0	R29	R35	W10	W20
VOLVO	EC 380 E L (ME)	265,4	R29	R35	W10	W20
VOLVO	EC 460 B LC PRIME	276,5	R29	R35	W20	W20
VOLVO	EC 460 B LC PRIME (ME - VAR,U/C)	276,5	R29	R35	W20	W20
VOLVO	EC 460 B LC PRIME (VAR,U/C)	276,5	R29	R35	W20	W20
VOLVO	EC 460 BLC	276,5	R29	R35	W20	W20
VOLVO	EC 460 BLC (VAR)	276,5	R29	R35	W20	W20
VOLVO	EC 460 C HR	281,0	R29	R35	W20	W20
VOLVO	EC 480 D L VARIABLE U/C	284,0	R35	-	W20	W20
VOLVO	EC 460 CL (REACH)	284,0	R35	-	W20	W20
VOLVO	EC 480 D L RETRACTABLE UNDERCARRIAGE	284,0	R35	-	W20	W20
VOLVO	EC 480 DL (FIXED U/C)	284,0	R35	-	W20	W20
VOLVO	EC 480 DL (VARIABLE U/C)	284,0	R35	-	W20	W20
VOLVO	EC 480 E	284,0	R35	-	W20	W20
VOLVO	EC 480 E L (VARIABLE U/C)	284,0	R35	-	W20	W20
VOLVO	EC 480 D (FIXED U/C)	284,4	R35	-	W20	W20
VOLVO	EC 450	285,0	R35	-	W20	W20
VOLVO	EC 460 B LC PRIME (ME)	302,0	R35	-	W20	W20
VOLVO	EC 480 EL (ME) FIXED U/C	311,0	R35	-	W20	W20
VOLVO	EC 480 EL (ME) VARIABLE U/C	311,0	R35	-	W20	W20
VOLVO	EC 700 B HR	344,0	-	-	W25	W25
VOLVO	EC 700 C	356,0	-	-	W25	W25
VOLVO	EC 700 BLC	356,0	-	-	W25	W25
VOLVO	EC 750 D	356,0	-	-	W25	W25
VOLVO	EC 700 BLC (ME)	374,0	-	-	W25	W25
VOLVO	EC 700 CL (ME)	374,0	-	-	W25	W25
VOLVO	EC 750 D (ME)	389,0	-	-	W25	W25
XCG	220 LC-7E	140,0	R14	R18	-	-
YANMAR	VIO 75-C	61,6	R10	R10	-	-
YANMAR	VIO 80-1 TIER 4	63,5	R10	R10	-	-
YANMAR	SV 100	68,4	R10	R10	-	-
YANMAR	SV 100 2 PIECE BOOM	68,5	R10	R10	-	-
YANMAR	SV 100-1	68,5	R10	R10	-	-
YANMAR	SV 100-2 TIER 4	68,5	R10	R10	-	-
YANMAR	VIO 80-1 INTERIM TIER 4	70,6	R10	R10	-	-
YANMAR	SV 100-2 INTERIM TIER 4	76,0	R10	R10	-	-
YGRY	Y18	60,8	R10	R10	-	-
YUCHAI	YC 08-8	61,4	R10	R10	-	-
YUCHAI	YC 135	61,9	R10	R10	-	-
YUCHAI	YC 135-8	62,5	R10	R10	-	-
YUCHAI	YC 15-7	63,0	R10	R10	-	-
YUCHAI	YC 15-8	63,6	R10	R10	-	-

GENERAL SELECTION GUIDE - EXCAVATOR

For more information visit combiwearparts.com.

			C-REX		ProClaws	
BRAND	MODEL	MAX BOF, kN	GP	HD/XHD	GP	HD/XHD
YUCHAI	YC 18 SR	64,1	R10	R10	-	-
YUCHAI	YC 18-7	64,7	R10	R10	-	-
YUCHAI	YC 18-8	65,2	R10	R10	-	-
YUCHAI	YC 230LC-8	65,8	R10	R10	-	-
YUCHAI	YC 25 SR	66,4	R10	R10	-	-
YUCHAI	YC 25-8	66,9	R10	R10	-	-
YUCHAI	YC 30	67,5	R10	R10	-	-
YUCHAI	YC 35 SR	68,0	R10	R10	-	-
YUCHAI	YC 35-7	68,6	R10	R10	-	-
YUCHAI	YC 35-8	69,1	R10	R10	-	-
YUCHAI	YC 45	69,7	R10	R10	-	-
YUCHAI	YC 45-8	70,2	R10	R10	-	-
YUCHAI	YC 55	70,8	R10	R10	-	-
YUCHAI	YC 55-8	71,4	R10	R10	-	-
YUCHAI	YC 55-SR	71,9	R10	R10	-	-
YUCHAI	YC 75 SR	72,5	R10	R10	-	-
YUCHAI	YC 85	73,0	R10	R10	-	-
YUCHAI	YC 85-8	73,6	R10	R10	-	-
ZEPPELIN	ZR 15	74,1	R10	R10	-	-
ZEPPELIN	ZR 25	74,7	R10	R10	-	-
ZEPPELIN	ZR 35	75,2	R10	R10	-	-
ZEPPELIN	ZR 45	75,8	R10	R10	-	-
ZEPPELIN	ZR 55	76,3	R10	R10	-	-
ZEPPELIN	ZRH 12 / V	76,9	R10	R10	-	-
ZEPPELIN	ZRH 14	77,5	R10	R10	-	-
ZEPPELIN	ZRH 16	78,0	R10	R10	-	-